

## Revision Date 30-Jan-2015

Version 1

SAFETY DATA SHEET

1. IDENTIFICATION		
<u>Product identifier</u> Product Name	09102 PRO REARVIEW MIRROR ADHESIVE KIT PART 1	
<u>Other means of identification</u> Product Code Synonyms	PTX194319Z None	
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	and restrictions on use Adhesives No information available	
Details of the supplier of the safety Manufacturer Address ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA	<u>data sheet</u> <u>Distributor</u> ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994	
Company Phone Number	1-87-Permatex (877) 376-2839	
24 Hour Emergency Phone Number		

# 2. HAZARDS IDENTIFICATION

## **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

# Label elements

#### Emergency Overview

# Danger

Causes severe skin burns and eye damage May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure Combustible liquid



# Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace

# **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

## Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

May be harmful if swallowed. May be harmful in contact with skin.

Unknown acute toxicity

46.49% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Chemical Name	CAS No	Weight-%	Trade Secret
POLYURETHANE METHACRYLATE RESIN (MIXTURE)	-	30 - 60	*
HYDROXYALKYL METHACRYLATE	27813-02-1	15 - 40	*
ALIPHATIC URETHANE METHACRYLATE	3290-92-4	5 - 10	*
ACRYLIC ACID	79-10-7	3 - 7	*
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	*
SACCHARIN	81-07-2	1 - 5	*
2-HYDROXYETHYL METHACRYLATE	868-77-9	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# **Description of first aid measures**

Description of mist and measures			
General advice	Get medical advice/attention if you feel unwell.		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Skin contact	IF ON SKIN:. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Ingestion	IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.		
Most important symptoms and effects, both acute and delayed			
Symptoms	See section 2 for more information.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical, Foam			
Unsuitable extinguishing media None.			
Specific hazards arising from the chemical None in particular.			
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.		
Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.			
6. ACCIDENTAL RELEASE MEASURES			

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible materials	Strong oxidizing agents. Strong bases.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID 79-10-7	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup>
	5	(vacated) S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

## Individual protection measures, such as personal protective equipment

.

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Yellow

Odor Odor threshold	Irritating No information available	
<u>Property</u> pH Melting point / freezing point	<u>Values</u> Does not apply No information available	Remarks • Method
Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	> 149 °C / 300 °F > 93 °C / > 199 °F No information available No information available	Cleveland Open Cup
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	No information available No information available <5 mmHg @ 75°F No information available	
Relative density Water solubility Solubility in other solvents	1.1 @ 80°F No information available No information available	
Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	No information available No information available No information available No information available	
Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available	
Other Information		
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 5.3% No information available No information available	

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# Conditions to avoid

Excessive heat.

# Incompatible materials

Strong oxidizing agents, Strong bases

# Hazardous Decomposition Products

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Skin contact Contact causes severe skin irritation and possible burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion

Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROXYALKYL METHACRYLATE 27813-02-1	= 11200 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
ALIPHATIC URETHANE METHACRYLATE 3290-92-4	= 5660 µL/kg (Rat)	= 16 mL/kg (Rabbit)	-
ACRYLIC ACID 79-10-7	= 193 mg/kg ( Rat ) = 33500 µg/kg ( Rat )	= 280 μL/kg (Rabbit)= 295 mg/kg (Rabbit)	= 11.1 mg/L (Rat)1 h = 3.6 mg/L (Rat)4 h
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h
2-HYDROXYETHYL METHACRYLATE 868-77-9	= 5050 mg/kg(Rat)	> 3000 mg/kg (Rabbit)	_

#### Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

Sensitization Germ cell mutagenicity No information available. No information available.

 Carcinogenicity
 The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID	-	Group 3	-	-
79-10-7				
SACCHARIN	-	Group 3	-	-
81-07-2				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Target Organ Effects Eyes, Respiratory system, Skin.

### Numerical measures of toxicity - Product Information

# The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	2504 mg/kg
ATEmix (dermal)	2750 mg/kg
ATEmix (inhalation-dust/mist)	6.4 mg/l

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity

None known

80.99% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROXYALKYL	-	493: 48 h Leuciscus idus melanotus	-
METHACRYLATE		mg/L LC50 static	
27813-02-1			
ALIPHATIC URETHANE	-	144: 96 h Oncorhynchus mykiss	-
METHACRYLATE		mg/L LC50 160: 96 h Pimephales	
3290-92-4		promelas mg/L LC50 112: 96 h	
		Lepomis macrochirus mg/L LC50	

ACRYLIC ACID 79-10-7	0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	95: 48 h Daphnia magna mg/L EC50 270: 24 h Daphnia magna mg/L LC50 Static
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	-	3.9: 96 h Oncorhynchus mykiss mg/L LC50 static	7: 24 h Daphnia magna mg/L EC50
SACCHARIN 81-07-2	-	18300: 96 h Pimephales promelas mg/L LC50	-
2-HYDROXYETHYL METHACRYLATE 868-77-9	-	213 - 242: 96 h Pimephales promelas mg/L LC50 flow-through 227: 96 h Pimephales promelas mg/L LC50	-

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical Name	Partition coefficient
HYDROXYALKYL METHACRYLATE	0.97
27813-02-1	
ACRYLIC ACID	0.38 - 0.46
79-10-7	
2-HYDROXYETHYL METHACRYLATE	0.47
868-77-9	

## Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID	-	-	-	U008
79-10-7				
DIMETHYLBENZYL	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
DIMETHYLBENZYL HYDROPEROXIDE	Toxic	
80-15-9	Ignitable	

# **14. TRANSPORT INFORMATION**

Proper shipping name	Not regulated
TDG Proper shipping name	Not regulated
ICAO (air) Proper shipping name	Not regulated
IATA Proper shipping name	Not regulated
IMDG Proper shipping name	Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
ACRYLIC ACID - 79-10-7	1.0		
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0		
SACCHARIN - 81-07-2	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID 79-10-7	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

# US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	X	X	X
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	x	X	x
SACCHARIN 81-07-2	Х	X	X
PROPYLENE GLYCOL 57-55-6	X	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 1	Instability 0	-
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 30-Jan-2015

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet



## Revision Date 03-Feb-2015

Version 1

SAFETY DATA SHEET

	1. IDENTIFICATION
<u>Product identifier</u> Product Name	09102 PRO REARVIEW MIRROR ADHESIVE KIT PART 2
<u>Other means of identification</u> Product Code Synonyms	PTX394319Z None
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	<u>and restrictions on use</u> Activator No information available
Details of the supplier of the safety Manufacturer Address ITW Permatex	<u>data sheet</u> <u>Distributor</u> ITW Permatex Canada
10 Columbus Blvd. Hartford, CT 06106 USA	35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994
Company Phone Number	1-87-Permatex (877) 376-2839
24 Hour Emergency Phone Number	

# 2. HAZARDS IDENTIFICATION

## **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1
Flammable liquids	Category 2


# Label elements

Danger

#### **Emergency Overview**

Harmful if swallowed Causes serious eye irritation May cause drowsiness or dizziness Causes damage to organs through prolonged or repeated exposure Highly flammable liquid and vapor

# PTX394319Z - 09102 PRO REARVIEW MIRROR ADHESIVE KIT PART 2



# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/ .? /equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth In case of fire: Use CO2, dry chemical, or foam for extinction

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). Copper compounds.

Unknown acute toxicity

2.38% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Chemical Name	CAS No	Weight-%	Trade Secret

2-PROPANOL	2-PROPANOL 67-63-0 60 - 100 *			
MINERAL SPIRITS 8052-41-3 1 - 5			*	
*The exact perc	entage (concentration) of composition	has been withheld as a trade	secret.	
	4. FIRST AID MEAS	URES		
Description of first aid measures				
General advice	Get medical advice/attention if you feel unwell.			
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.			
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If symptoms persist, call a physician. Wash contaminated clothing before reuse.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.			
Ingestion	IF SWALLOWED. Do NOT induce unconscious person.	IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.			
Most important symptoms and eff	ects, both acute and delayed			
Symptoms	See section 2 for more information.			
Indication of any immediate medio	al attention and special treatment r	needed		

Note to physicians

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

#### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Flammable. May be ignited by heat, sparks or flames.

# Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.

#### Environmental precautions

Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
Incompatible materials	Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-PROPANOL	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	_
MINERAL SPIRITS	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
8052-41-3		TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

#### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

## Engineering Controls Showers Eyewash stations Ventilation systems

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.

**Respiratory protection** Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

General Hygiene Considerations Ha

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold Liquid Green Alcoholic No information available

Values

2.1

Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents **Partition coefficient** Autoignition temperature **Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Other Information** 

Softening point Molecular weight VOC Content (%) Density Bulk density Does not apply No information available 82 °C / 180 °F 12 °C / 53 °F 7.7 No information available 12.0% 2.0%

32 mm Hg @ 68°F

0.79 @ 77°F

Soluble in water

No information available

No information available

No information available

No information available No information available

No information available

No information available

No information available

No information available

No information available

No information available

No information available

Remarks • Method

Tag Closed Cup Butyl acetate = 1

Air = 1

# **10. STABILITY AND REACTIVITY**

**Reactivity** 

No data available

# Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks. Take precautionary measures against static discharges.

96.5

## Incompatible materials

Strong oxidizing agents

## **Hazardous Decomposition Products**

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation	May be harmful by inhalation.
Eye contact	May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-PROPANOL	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> (Rat) 4 h
67-63-0		· · ·	

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Serm cell mutagenicity	No information No information			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a card			
Chemical Name	ACGIH	IARC	NTP	OSHA
2-PROPANOL	-	Group 1	-	Х
67-63-0				
X - Present Target Organ Effects	fety and Health Administratic Central nervous	s system, Eyes, kidney, F	,	
- •				

ATEmix (oral)	1938 mg/kg
ATEmix (dermal)	4206 mg/kg
ATEmix (inhalation-dust/mist)	75.2 mg/l

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

#### None known

3.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name		Algae/aquatic plants	Fish	Crustacea
	2-PROPANOL	1000: 96 h Desmodesmus	11130: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
	67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 static 9640: 96 h	EC50
		Desmodesmus subspicatus mg/L	Pimephales promelas mg/L LC50	
		EC50	flow-through 1400000: 96 h	
			Lepomis macrochirus µg/L LC50	

# Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

Chemical Name	Partition coefficient
2-PROPANOL	0.05
67-63-0	

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Disposal of wastes	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-PROPANOL	Toxic
67-63-0	Ignitable

# **14. TRANSPORT INFORMATION**

DOT Proper shipping name Hazard Class Packing Group	Isopropyl alcohol, Limited Quantity (LQ) 3 II
TDG UN/ID no Proper shipping name Hazard Class Packing Group	UN 1219 Isopropyl alcohol, Limited Quantity (LQ) 3 II
ICAO (air) UN/ID no Proper shipping name Hazard Class	ID 8000 Consumer commodity 9
IATA UN/ID no Proper shipping name Hazard Class	ID 8000 Consumer commodity 9
IMDG UN/ID no Proper shipping name	UN 1219 Isopropyl alcohol, Limited Quantity (LQ)

Hazard Class	3
Packing Group	11
EmS-No	F-E, S-D

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
2-PROPANOL - 67-63-0	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	Yes		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

# PTX394319Z - 09102 PRO REARVIEW MIRROR ADHESIVE KIT PART 2

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-PROPANOL	Х	Х	Х
67-63-0			
MINERAL SPIRITS 8052-41-3	Х	Х	Х
ORGANO-COPPER COMPOUND 85737-14-0	Х	-	Х
ORGANO-COPPER COMPOUND 68084-48-0	Х	-	Х
ORGANO-COPPER COMPOUND 22221-10-9	Х	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

<u>NFPA</u>	Health hazards 2	Flammability 3	Instability 0	-
HMIS	Health hazards 2	Flammability 3	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 03-Feb-2015

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet