

Revision Date: 27.04.2015

SAFETY DATA SHEET

1. Identification of the substance or mixture and of the supplier

Product identifier

Product name: LUBRIZOL® 6178

Additional identification

Chemical name: Mixture

CAS-No.: Not applicable.

Recommended use and restriction on use

Recommended use:Restrictions on use:
Not determined.
Not determined.

Details of the supplier of the safety data sheet

Supplier

Company Name: THE LUBRIZOL CORPORATION Address: 29400 LAKELAND BOULEVARD

WICKLIFFE, OH 44092-2298

US

Telephone: (440)943-1200

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300 (LUBRIZOL)

2. Hazards Identification

Classification of the substance or mixture

Prepared according to Global Harmonized System (GHS) standards.

Acute hazards to the aquatic

Category 3

environment

Chronic hazards to the aquatic

Category 3

environment

Label Elements

Signal Words: not applicable

Hazard Statement(s): H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement

Prevention: P273: Avoid release to the environment.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None identified.



Revision Date: 27.04.2015

3. Composition/Information on Ingredients

Mixtures

Chemical name	CAS number	Percent by Weight
Alkylamine salt of alkyl phosphoric acid	Not determined.	20 - 30%
Oleyl alcohol	143-28-2	1 - 5%

4. First aid measures

Description of first aid measures

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur.

Launder contaminated clothing before reuse.

Ingestion: Treat symptomatically. Get medical attention.

Most important symptoms and

effects, both acute and

delayed:

See section 11.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Extinguishing media

Suitable extinguishing

media:

CO2, Dry chemical or Foam. Water can be used to cool and protect

exposed material.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazard arising from

the chemical:

A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional

information.

Advice for firefighters

Special fire fighting

procedures:

No data available.

Special protective

equipment for fire-fighters:

Recommend wearing self-contained breathing apparatus.

6. Accidental Release Measures



Revision Date: 27.04.2015

Personal precautions, protective equipment and emergency procedures: Ventilate area if spilled in confined space or other poorly ventilated areas. Personal Protective Equipment must be worn, see Personal Protection

Section for PPE recommendations.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert

material.

Reference to other sections: See sections 8 and 13 for additional information.

7. Handling and Storage:

Precautions for safe handling: Material can accumulate static charges which may cause an electrical

spark (ignition source). Use proper bonding and/or grounding procedures. Use grounding and bonding connection when transferring material. In case

of spills, beware of slippery floors and surfaces.

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid environmental

contamination.

Maximum Handling

Temperature:

60 °C 140 °F

Conditions for safe storage,

including any incompatibilities:

Store away from incompatible materials. See section 10 for incompatible

materials.

Maximum Storage Temperature:

45 °C 113 °F

8. Exposure Controls/Personal Protection

Control Parameters:

Occupational Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)

Appropriate engineering controls:

Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. Adequate ventilation should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand Protection: Use nitrile or neoprene gloves. Use good industrial hygiene practices. In

case of skin contact, wash hands and arms with soap and water. Consult clothing/glove manufacturer to determine appropriate type of glove for given situation. Nitrile. Chemical resistant gloves. Chemical resistant gloves.



Revision Date: 27.04.2015

Other: Do not wear rings, watches or similar apparel that could entrap the material.

Long sleeve shirt is recommended.

Respiratory Protection: Use disposable dust/mist mask if the recommended exposure limit is

exceeded. Use respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever

workplace conditions require the use of a respirator.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Amber

Odor: Slight petroleum
Odor Threshold: No data available.
pH: No data available.
Freezing point: No data available.
Boiling Point: No data available.

Flash Point: 154 °C (Pensky-Martens Closed Cup)

Evaporation Rate:No data available.
Flammability (solid, gas):
No data available.

Upper/lower limit on flammability or explosive limits

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

Vapor density (air=1):

Relative density:

No data available.

No data available.

No data available.

0,9 - 0,93 (15,6 °C)

Solubility(ies)

Solubility in Water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
Autoignition Temperature:
No data available.
Decomposition Temperature:
No data available.

Viscosity: 35 mm2/s (40 °C); 6,3 mm2/s (100 °C)

Explosive properties:No data available.
Oxidizing properties:
No data available.

Pour Point Temperature -15 °C

10. Stability and Reactivity

Reactivity: No data available.



Revision Date: 27.04.2015

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous

Reactions:

Will not occur.

Conditions to Avoid: Do not expose to excessive heat, ignition sources, or oxidizing materials.

Incompatible Materials: Oxidizing agents. Contact with acids.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Thermal decomposition may generate phosphorus oxides and other

phosphorus containing compounds.

11. Toxicological Information

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Prolonged or repeated skin contact as from clothing wet with

material may cause dermatitis. Symptoms may include redness,

edema, drying, and cracking of the skin.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

Respiratory sensitization:

No data available

Skin sensitization:

Alkylamine salt of alkyl Classification: Not a skin sensitizer. (Measured) Not a skin

phosphoric acid sensitizer.

Specific Target Organ Toxicity - Single Exposure:

Product: If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.



Revision Date: 27.04.2015

Alkylamine salt of alkyl

phosphoric acid

If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Aspiration Hazard:

No data available

Chronic Effects

Carcinogenicity:

Product:

This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been

demonstrated to contain less than 3% extractables by the IP 346

test.

Germ Cell Mutagenicity:

No data available

Reproductive toxicity:

No data available

Specific Target Organ Toxicity - Repeated Exposure:

No data available

12. Ecological Information

Ecotoxicity

Fish

Alkylamine salt of alkyl

phosphoric acid

LC 50 (Rainbow Trout, 4 h): > 1 000 mg/l

Aquatic Invertebrates

Alkylamine salt of alkyl

phosphoric acid

EC 50 (Water flea (Daphnia magna), 2 d): 91 mg/l

Toxicity to Aquatic Plants

Alkylamine salt of alkyl

phosphoric acid

LC 50 (Green algae (selenastrum capricomutum), 3 h): > 10 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

Alkylamine salt of alkyl phosphoric acid

LC 50 (Sludge, 0,1 h): 320 mg/l

Persistence and Degradability

Biodegradation

Alkylamine salt of alkyl phosphoric acid

OECD TG 301 B, 0,000001 %, 28 d, Not readily degradable.



Revision Date: 27.04.2015

Bioaccumulative Potential Bioconcentration Factor (BCF)

No data available

Partition Coefficient n-octanol / water (log Kow)

Alkylamine salt of alkyl phosphoric acid

Log Kow: 8 (calculated)

Mobility:

No data available

Other Adverse Effects: No data available.

13. Disposal Considerations

Disposal methods: Treatment, storage, transportation, and disposal must be in accordance

with applicable Federal, State/Provincial, and Local regulations.

Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product

residue which may exhibit hazards of product.

Contaminated Packaging: Container packaging may exhibit hazards.

14. Transport Information

IATA

Not regulated.

ADR

Not regulated.

International standards

IMDG

Not regulated.

Code of Emergency Measure:

Domestic Standard: In compliance with domestic law. **Environmental hazards:** Not regulated.

Special precautions for user: No special precautions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None known.

Shipping descriptions may vary based on mode of transport, quantities ,temperature of the material, package size, and/or origin and destination It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. For transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.:

Inventory Status

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.



Revision Date: 27.04.2015

Canada (DSL/NDSL)

All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please visit Lubrizol.com/REACH, or e-mail us at REACH_MSDS_INQUIRIES@Lubrizol.com

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

United States (TSCA)


All components of this material are on the US TSCA Inventory.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

16. Other Information


Key literature references and Internal company data and other publically available resources. **sources for data:**

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible



Revision Date: 27.04.2015

Issue Date: 27.04.2015

Disclaimer: As the conditions or methods of use are beyond our control, we do not

assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains

the responsibility of the user.