


Printing date 06/20/2015

Reviewed on 06/22/2015

1 Identification
· Product identifier
· Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)
Recommended use and restriction on use Recommended use: Coolant / Anti-freeze. Restrictions on use: Contact manufacturer.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Beck/Arnley Inc. 2375 Midway Lane Smyrna, TN 37167 Telephone: 615-220-3200 Email: beckcustomerservice@beckarnley.com
· Emergency telephone number: NFOTRAC
1-800-535-5053
2 Hazard(s) identification
Classification of the substance or mixture
GHS08 Health hazard
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
 Additional information: There are no other hazards not otherwise classified that have been identified. 0 percent of the mixture consists of ingredient(s) of unknown toxicity.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
GHS07 GHS08
· Signal word Warning
Hazard-determining components of labeling:
ethanediol sodium 2-ethylhexanoate
(Contd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200)



(Contd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/20/2015

Reviewed on 06/22/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

(Contd. of page 2)

Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additions.					
Dangerous	components:				
107-21-1	ethanediol	STOT RE 2, H373 Acute Tox. 4, H302	85-959		
19766-89-3	sodium 2-ethylhexanoate	🚯 Repr. 2, H361	1-5%		
1330-43-4	boric acid, disodium salt	🚸 Repr. 1B, H360	< 1.0%		

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Rinse with warm water.

If skin irritation is experienced, consult a doctor.

• After eye contact: Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders when ingested.
- Nausea in case of ingestion.
- · Danger
 - Harmful if swallowed.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. Suspected of damaging fertility or the unborn child.

· Indication of any immediate medical attention and special treatment needed

Contains ethylene glycol / ethanediol. Consult literature for specific antidotes.

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: None.

(Contd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200)

Reviewed on 06/22/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

(Contd. of page 3)

• Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- Environmental precautions: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose contaminated material as waste according to item 13.

- Send for recovery or disposal in suitable receptacles.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 Precautions for safe handling Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.
 Information about protection against explosions and fires: No special measures required.
 Conditions for safe storage, including any incompatibilities
 Storage:
 Requirements to be met by storerooms and receptacles: No special requirements.
 Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
 Further information about storage conditions: Keep containers tightly sealed.
 - None.
 - Specific end use(s) No further relevant information available.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/20/2015

Г

Reviewed on 06/22/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

(Contd. of page 4)

Additional info	rmation about design of technical systems: No further data; see	item 7.		
Control parameters Components with limit values that require monitoring at the workplace:				
TLV (USA)	Long-term value: NIC-10* mg/m ³ Ceiling limit value: (100) mg/m ³ (H);*as inhalable fraction and vapor			
EL (Canada)	Short-term value: 20** mg/m ³ Long-term value: 10** mg/m ³ Ceiling limit value: 100* mg/m ³ , 50*** ppm *Aerosol; **Particulate; ***Vapour			
EV (Canada)	Ceiling limit value: 100 mg/m ³			
LMPE (Mexico)	Ceiling limit value: 100* mg/m³ A4, *solo aerosol			
1330-43-4 borio	c acid, disodium salt			
REL (USA)	Long-term value: 1 mg/m ³ anhydrous			
TLV (USA)	Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ *as inhalable fraction			
EL (Canada)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³			
EV (Canada)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³ inorganic, inhalable			
LMPE (Mexico)	Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ A4, *fracción inhalable			
Additional info	rmation: No further relevant information available.			
General protec The usual procea Keep away from Wash hands be Avoid contact w Engineering co Breathing equi Not required un Use suitable res	ctive equipment: autionary measures for handling chemicals should be followed. autionary measures for handling chemicals should be followed. autionary measures for handling chemicals should be followed. autionary measures and feed. fore breaks and at the end of work. ith the eyes and skin. ontrols: No further relevant information available. pment: der normal conditions of use. spiratory protective device when aerosol or mist is formed. spiratory protective device when high concentrations are present.			
Rubber gloves	anus.			
		(Contd. on pag		

Reviewed on 06/22/2015

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/20/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)		
 Material of gloves The selection of the suitable gloves do quality and varies from manufacture substances, the resistance of the glove checked prior to the application. Penetration time of glove material 	ure into the environment	
9 Physical and chemical propert	ies	
 Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: 	Liquid Blue Other colors available upon customer request. Characteristic Not determined.	
· pH-value at 20 °C (68 °F):	7.5 - 9.0 (50% solution)	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. >170 °C (>338 °F) (ASTM D1120)	
· Flash point:	>100 °C (>212 °F)	
· Flammability (solid, gaseous):	Not applicable.	
 Auto-ignition temperature: 	>400 °C (>752 °F) (DIN 51794)	
 Decomposition temperature: 	Not determined.	
· Auto igniting:	Product is not self-igniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: Oxidizing properties 	Not determined. Not determined. Non-oxidizing.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg) (Contd. on page 7)	

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/20/2015

Reviewed on 06/22/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

		(Contd. of page 6)
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	1.12 g/cm ³ (9.346 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
 Viscosity: Dynamic: Kinematic at 20 °C (68 °F): Other information 	Not determined. ~20 mm²/s No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: Possible in traces.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

107-21-1 ethanediol

Oral LD50 5840 mg/kg (rat)

Dermal LD50 9530 mg/kg (rabbit)

19766-89-3 sodium 2-ethylhexanoate

Oral LD50 2043 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

• Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- Toxic and/or corrosive effects may be delayed up to 24 hours.

0 percent of the mixture consists of ingredient(s) of unknown toxicity.

(Contd. on page 8)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/20/2015

Reviewed on 06/22/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

(Contd. of page 7)

Carcinogenic categories NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Probable Routes of Exposure

Ingestion.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity): Harmful if swallowed.

- Repeated Dose Toxicity: Possible risk of irreversible effects.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Repr. 2
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Suspected of damaging fertility or the unborn child.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. (Contd. on page 9)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/20/2015

Reviewed on 06/22/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

(Contd. of page 8)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name	Not Dogulated
 DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Not Regulated
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated
· Packing group	
DOT, ADR, IMDG, IATA	Not Regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

107-21-1 ethanediol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 10)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/20/2015

Reviewed on 06/22/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

· Chemicals known to cause reproductive toxicity for males:	(Contd. of pag
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
1330-43-4 boric acid, disodium salt	l (ora
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
107-21-1 ethanediol	/
1330-43-4 boric acid, disodium salt	4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· State Right to Know Listings	
None of the ingredients is listed.	
· Canadian substance listings:	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
107-21-1 ethanediol	
• Other regulations, limitations and prohibitive regulations	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 06/22/2015 / -

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
 International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 (Contd. on page 11)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/16/2015

Reviewed on 06/16/2015

Trade name: Beck/Arnley Premium Antifreeze/Coolant Euro Concentrate (252-1020)

(Contd. of page 10)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Repr. 1B: Reproductive toxicity, Hazard Category 1B Repr. 2: Reproductive toxicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com