

# SAFETY DATA SHEET

Product Name: PPE

Beck/Arnley Automatic Transmission Fluid Type Z-1 252-2004, 12 x 1 Qt.



Revision Date: 28-May-2015 Revision Number: 2

## IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product Identifier

**Product Name:** Beck/Arnley Automatic Transmission Fluid Type Z-1, 12 x 1 Qt.

Other means of identification

Product Code: 252-2004

Synonyms Not available

1.2 Recommended use of the chemical and restrictions on use

Recommended Use Automotive Lubricant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplied by Beck/Arnley Inc.

2375 Midway Lane Smyrna, TN 37167

Telephone: 615-220-3200

Email: beckcustomerservice@beckarnley.com

24 Hour Emergency Phone Number INFOTRAC

1-800-535-5053

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Aguta taviaity Oral	Not algoritised
Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Category 1
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical hazards	None

## 2.2. Label elements



Signal word	Warning
Signal word	warning

Hazard statements H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P272 - Contaminated work clothing should not be allowed out of

Revision Date: 28-May-2015

the workplace

**Precautionary Statements - Response:** P321 - Specific treatment (see supplemental first aid instructions

on this label)

P362 + P364 - Take off all contaminated clothing and wash it

before reuse

Skin P302 + 352 - IF ON SKIN: Wash with plenty of soap and water

P363 - Wash contaminated clothing before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical

advice/attention

Precautionary Statements - Disposal: P501 - Dispose of contents/ container to an approved waste

disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

## 2.3 Other information

,

Other hazards • May be harmful in contact with skin

· Harmful to aquatic life with long lasting effects

Revision Date: 28-May-2015

Unknown acute toxicity 8.37928198% of the mixture consists of ingredient(s) of unknown

toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

**Hazardous components** 

Chemical Name	CAS-No	Weight %	Notes
Isooctadecanoic acid, reaction products with tetraethylenepentamine	68784-17-8	<1	
Oleylamine	112-90-3	<1	

Components that do not contribute to this product's hazards

Chemical Name	CAS-No	Weight %
Lubricating Base Stocks	Mixture	85-95

## 4. FIRST AID MEASURES

#### 4.1 First Aid Measures

General Advice If symptoms persist, call a physician. Take a copy of the Safety Data Sheet when going for

medical treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation

persists, consult a specialist.

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give

oxygen. If not breathing, give artificial respiration. Call a physician immediately.

**Ingestion** Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty

lean forward to reduce the risk of aspiration. Call a physician or Poison Control Center

immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## FIRE-FIGHTING MEASURES

Flammable Properties NFPA: Class IIIB Combustible Liquid

5.1 Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

**Unsuitable Extinguishing Media**Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources

of ignition.

Hazardous combustion products: During a fire, smoke may contain the original material in addition

to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Calcium Oxides (CaOx), Nitrogen oxides (NOx), Oxides of Phosphorus, Sulphur oxides.

Revision Date: 28-May-2015

5.3 Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all

sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.

**6.2 Environmental Precautions** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and

disposal. Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Methods for Clean-up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceus earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

Spill Management

LARGE SPILLS Eliminate sources of ignition. Prevent additional discharge of material if possible to do so

without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify

the National Response Center.

WATER SPILLS Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand

or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure

conformity to local disposal regulations.

## 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

·

**Handling** Wear personal protective equipment. Do not breathe vapors or

spray mist. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Revision Date: 28-May-2015

Safe Handling Advice Handle in accordance with good industrial hygiene and safety

practices.

7.2. Conditions for safe storage, including any

incompatibilities

Storage Keep in properly labeled containers. Keep container tightly closed

in a dry and well-ventilated place.

Incompatible Materials and/or Coatings

No information available

## EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

<u>Exposure Guidelines</u>

This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>		TWA 5 mg/m <sup>3</sup> ST 10 mg/m <sup>3</sup>			

#### 8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

## Personal Protective Equipment

**Eye/face protection** Safety glasses equipped with side shields are recommended as minimum protection in

industrial settings. If splashes are likely to occur wear tight fitting safety goggles and/or

face-shield.

**Skin protection** Wear protective gloves/clothing. Use clean protective clothing if splashing or spraying

conditions are present. Protective clothing may include long-sleeve outer garment, apron, or

lab coat. Glove Type: Neoprene, Nitriles.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Revision Date: 28-May-2015

**General Hygiene Considerations** When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

## PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Appearance Red / Clear
Physical State Liquid
Odor Mild

Odor Threshold No information available

**pH Not applicable Melting point / melting range**Not applicable

Boiling point / boiling range No information available

Flash Point > 180 °C / 356 °F COC ASTM D92

**Evaporation Rate** No information available Flammability Limit in Air No information available **Explosion Limits** No information available **Vapor Pressure** No information available Vapor Density (Air) No information available 0.84 g/cm3 @15°C **Density** Solubility No information available Partition Coefficient (n-octanol/water) No information available

Autoignition TemperatureNo information availableDecomposing TemperatureNo information available

© 40C = 30.56 cSt; @ 100C = 6.22 cSt

**Other Information** 

## 10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity The product is chemically stable

10.2 Chemical stability

Chemical Stability Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

**Possibility of Hazardous Reactions**None under normal processing.

10.4 Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5 Incompatible Materials

Incompatible Materials Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and

vapors.

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on likely routes of exposure

**Beck/Arnley Automatic Transmission Fluid Type Z-1** 252-2004, 12 x 1 Qt.

Revision Date: 28-May-2015

Inhalation May cause irritation of respiratory tract.

Eye contact May cause slight irritation.

**Skin Contact** May cause an allergic skin reaction. May be harmful in contact with skin.

Ingestion May be harmful if swallowed.

## 11.2 Information on toxicological effects

**Symptoms** No information available

## 11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified. Serious eye damage/eye

irritation

Not classified.

May cause an allergic skin reaction. Sensitization

Not classified. **Mutagenic effects** 

11.4 Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as Carcinogenicity

a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH.

Legend:

NTP: (National Toxicity Program), ACGIH: (American Conference of Governmental Industrial Hygienists), IARC: (International Agency for Research on Cancer), OSHA: (Occupational Safety & Health Administration)

**Reproductive Effects** Not classified. Not classified. STOT - single exposure STOT - repeated exposure Not classified Not classified. **Aspiration hazard** 

11.5 Acute Toxicity

Unknown acute toxicity 8.37928198% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

## Product Information (Estimated):

ATEmix (oral) > 5,000 mg/kgATEmix (dermal) > 2,000 mg/kgATEmix (inhalation-dust/mist) > 5 mg/l

## 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

Beck/Arnley Automatic Transmission Fluid Type Z-1 252-2004, 12 x 1 Qt.

Ecotoxicity effects Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful

or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in

Revision Date: 28-May-2015

the waterway may be sufficient to cause a fish kill or create an anaerobic environment.

**Unknown aguatic toxicity** 8.60772% of the mixture consists of components(s) of unknown hazards to the aguatic

environment

12.2 Persistence and degradability No information available.

12.3 Bioaccumulation/Accumulation No information available

**12.4. Mobility in soil**No information available

PBT and vPvB assessment No information available

**12.5 Other adverse effects:** No information available

## 13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated packaging** Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG/IMO Not regulated

## 15. REGULATORY INFORMATION

## International Inventories

TSCA All ingredients are on the inventory or exempt from listing
--

Revision Date: 28-May-2015

DSL	Not all ingredients are listed on the DSL Inventory List				
NDSL	There are ingredients listed on the NDSL Inventory List				
Chemical Name	NDSL CAS-No Weight %				
Phosphonic acid, didodecyl ester	X				
EINECS		Does not comply			
ELINCS		Not Listed			
ENCS	Does not comply				
CHINA	Does not comply				
KECL	All ingredients are on the inventory or exempt from listing				
PICCS	Does not comply				
AICS	Does not comply				
NZIoC		Does not comply			
Mexico	Does not comply				

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazardous Categorization

**Acute Health Hazard** Yes **Chronic Health Hazard** Yes Fire Hazard No **Sudden Release of Pressure Hazard** No Reactive Hazard No

## **CERCLA/SARA 302 & 304**

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Methyl methacrylate	80-62-6	<0.1	1000 lb final RQ	
			454 kg final RQ	
Phenol	108-95-2	<0.01	1000 lb final RQ	500 lb lower TPQ
			454 kg final RQ	10000 lb upper TPQ

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data
Methyl methacrylate	80-62-6	<0.1	Х
Phenol	108-95-2	<0.01	Х

<u>CWA (Clean Water Act)</u>
This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CAS-No	Weight %	U.S CWA (Clean Water Act)
Methyl methacrylate	80-62-6	<0.1	X
Phenol	108-95-2	<0.01	X

Revision Date: 28-May-2015

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## State Right-to-Know

Chemical Name	CAS-No	New Jersey	
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	X	
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	X	
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	X	

Chemical Name	CAS-No	Massachusetts	
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	X	

## New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Automatic Transmission Fluid)

## Canada

This material has been classified in accordance with the WHMIS 2015 regulation

Chemical Name	CAS-No	Weight %	NPRI
Petroleum distillates, hydrotreated light	64742-47-8	<0.1	Listed
Methyl methacrylate	80-62-6	<0.1	Listed
Phenol	108-95-2	<0.01	Listed
Diphenylamine	122-39-4	<0.01	Listed

## Legend

NPRI - National Pollutant Release Inventory

## 16. OTHER INFORMATION

2 0

NFPA Health: 2 Flammability: 1 Instability 0

Prepared By
Revision Date:

Sam Fritsche
28-May-2015

Revision Summary:
GHS SDS format

#### <u> Disclaimer:</u>

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**