

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 06/25/2014

Revision date: 06/25/2014

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. : PENRAY BELT DRESSING Product name Product code : 4908 Relevant identified uses of the substance or mixture and uses advised against 1.2. Use of the substance/mixture : Belt dressing. Details of the supplier of the safety data sheet 1.3. The Penray Companies, Inc. 440 Denniston Ct. Wheeling, IL 60090 T (800) 373-6729 rotto@penray.com **Emergency telephone number** 1.4. Emergency number : (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

2.1. **Classification of the substance or mixture**

GHS-US classification

Flammable Aerosol 1 Gases Under Pressure - Liquefied gas Skin irritation 2 Reproductive toxicity 2 (developmental) Specific target organ toxicity - Single exposure 3 Specific target organ toxicity - Repeated exposure 2 Aspiration hazard 1

2.2. **Label elements**

GHS-US labelling

Hazard pictograms (GHS-US)

Signal word (GHS-US) Hazard statements (GHS-US)

Precautionary statements (GHS-US)

- GHS07 GHS02 GHS04
- : Danger
- : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Suspected of damaging the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.
- Keep away from heat/sparks/open flames/hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe gas/mist/vapors/spray. If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

23 Other hazards

No additional information available



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2.4. Unknown acute toxicity (GHS-US)

57 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substance

Mixt

Not applicable

2.2

Name	Product identifier	%	GHS-US classification
Heptane, branched, cyclic and linear	(CAS No) 426260-76-6	60 - 100	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
n-Heptane	(CAS No) 142-82-5	15 - 40	Flam. Liq. 2 Skin Irrit. 2 STOT SE 3
Carbon dioxide	(CAS No) 124-38-9	1 - 5	Compressed gas
Toluene	(CAS No) 108-88-3	0.5 - 3.5	Flam. Liq. 2 Acute Tox. 4 (Oral) Skin Irrit. 2 Repr. 2 STOT SE 3 STOT RE 2 Asp. Tox. 1
Phenylethane	(CAS No) 100-41-4	< 0.1	Flam. Liq. 2 Acute Tox. 4 (Inhalation) Skin Irrit. 2 Carc. 2 Asp. Tox. 1

* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Powder, water spray, foam, carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon.	
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.	
06/25/2014	EN (English) 2/7	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

.3. Advice for firefig	hters		
rotection during firefighting	protection (SCBA). Vapors	full fire fighting turn-out gear (full Bunker gear) and respiratory may be heavier than air and may travel along the ground to a distant ack. Use water spray to keep fire-exposed containers cool.	
SECTION 6: Acciden	tal release measures		
	tions, protective equipment and emergency pro		
Seneral measures		commended in Section 8. Isolate the hazard area and deny entry to ted personnel. Eliminate sources of ignition.	
	terial for containment and cleaning up		
For containment	container. Do not flush to s	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Nethods for cleaning up	: Scoop up material and pla	ce in a disposal container. Provide ventilation.	
3.3. Reference to oth	er sections		
See section 8 for further info	ormation on protective clothing and equipment and	section 13 for advice on waste disposal.	
SECTION 7: Handling	g and storage		
7.1. Precautions for	safe handling		
Precautions for safe handlir	ignition source. Pressurize skin and eyes. Do not swa	of ignition No smoking. Do not spray on an open flame or other ed container: Do not pierce or burn, even after use. Avoid contact with llow. Do not breathe gas/mist/vapors/spray. When using do not eat, butdoors or in a well-ventilated area.	
Hygiene measures	: Launder contaminated clot	thing before reuse. Wash hands before eating, drinking, or smoking.	
7.2. Conditions for s	afe storage, including any incompatibilities		
Storage conditions 7.3. Specific end use Not available.	122°F. Store away from di	reach of children. Do not expose ot temperatures exceeding 50°C/ rect sunlight or other heat sources. Store in a well-ventilated place.	
SECTION 8: Exposu	e controls/personal protection		
3.1. Control paramet	ers		
Heptane, branched, cycl	ic and linear (426260-76-6)		
USA ACGIH	ACGIH TWA	Not applicable.	
USA OSHA	OSHA PEL (TWA)	Not applicable.	
n-Heptane (142-82-5)			
USA ACGIH	ACGIH TWA (ppm)	400 ppm	
USA ACGIH	ACGIH STEL (ppm)	500 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	2000 mg/m ³	
USA OSHA	OSHA PEL (TWA) (ppm)	500 ppm	
Carbon dioxide (124-38-	9)		
USA ACGIH	ACGIH TWA (ppm)	5000 ppm	
USA ACGIH	ACGIH STEL (ppm)	30000 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	9000 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	5000 ppm	
Toluene (108-88-3)			
USA ACGIH	ACGIH TWA (ppm)	20 ppm	
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm	
	- \ /\FF'''/		
USA OSHA	OSHA PEL (Ceiling) (ppm)	300 ppm	

EN (English)



SECTION 9: Physical and chemical properties

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Phenylethane (100-41-4)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	435 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm

8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
9.1. Information on basic physical and	chemical properties
Physical state	: Gas/Pressurized Liquid.
Appearance	: Clear.
Colour	: Colourless.
Odour	: Solvent.
Odour threshold	: No data available.
рН	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: No data available.
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Flammable.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: 0.751 - 0.762
Solubility	: No data available.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Oxidising properties

Explosive limits

No dangerous reaction known under conditions of normal use.

EN (English)

: No data available.

: No data available.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

10.2. Chemical stability

Stable under normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
4908	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
n-Heptane (142-82-5)	
LD50 dermal rabbit	3000 mg/kg
LC50 inhalation rat (mg/l)	103 g/m³/4h
Toluene (108-88-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	12124 mg/kg
LD50 dermal rabbit	8390 mg/kg
LC50 inhalation rat (mg/l)	28.1 mg/l/4h
Phenylethane (100-41-4)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	15354 mg/kg
LC50 inhalation rat (mg/l)	17.2 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toluene (108-88-3)	
IARC group	3 - Not classifiable
Phenylethane (100-41-4)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	1 - Evidence of Carcinogenicity
Reproductive toxicity	: Suspected of damaging the unborn child.
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause drowsiness, dizziness and central nervous system depression. May cause respirato

 Symptoms/injuries after inhalation
 : May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation.

 Symptoms/injuries after skin contact
 : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of

tact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Symptoms/injuries after ingestion

: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

		cause chemical pheumonitis. May cause stomach distress, hausea or vomiting.
SECTI	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	: May cause long-term adverse effects in the aquatic environment.
12.2.	Persistence and degradability	
4908		
Persist	ence and degradability	Not established.
12.3.	Bioaccumulative potential	
4908		
Bioacc	umulative potential	Not established.
12.4.	Mobility in soil	
No addit	ional information available	
12.5.	Other adverse effects	
Effect or	n ozone layer	: No additional information available
Effect or	n the global warming	: No known ecological damage caused by this product.
SECTI	ON 13: Disposal considerations	5
13.1.	Waste treatment methods	
Waste d	isposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
Addition	al information	: Flammable vapours may accumulate in the container. Do not incinerate closed containers.
	ON 14: Transport information	
	dance with DOT	
14.1. UN-No.	UN number	
		UN1950
14.2.	UN proper shipping name	
Proper S Hazard (11 0	: Aerosols, flammable, Limited Quantity 2.1
Hazard (2.1
	aueis	

14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

n-Heptane (142-82-5)		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
Toluene (108-88-3)		
Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting 1.0 %		
Phenylethane (100-41-4)		
Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting	0.1 %	
06/25/2014	EN (English) 6/7	



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

15.2. US State regulations

4908	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

SECTION 16: Other informationIndication of changes: None.Date of issue: 06/25/2014Other information: None.

NFPA health hazard	:	2
NFPA fire hazard	:	4
NFPA reactivity	:	0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

