

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 02/13/2014 Revision date: 02/13/2014 Version: 1.0

SECTION 1: Identification of the substance	e/mixture and of the comp	any/undertakin	g
1.1. Product identifier			
Product form : Mix Product name : Lul		rotootoot	
	begard® Automatic Transmission Pr 202, 50902, 50904, 50905, 50330	Oleciani	
		not	
1.2. Relevant identified uses of the substance Use of the substance/mixture : Lul	or mixture and uses advised again pricant	nst	
1.3.Details of the supplier of the safety data slInternational Lubricants, Inc.P.O. Box 2474398124-0743 Seattle - USAT (206) 762-5343(800) 333-LUBE (5823)	1961		
1.4. Emergency telephone number			
	emTel (800) 255-392 emTel (813) 248-0585		
SECTION 2: Hazards identification			
2.1. Classification of the substance or mixture			
GHS-US classification			
Skin Sensitisation 1			
2.2. Label elements			
GHS-US labelling			
Hazard pictograms (GHS-US) :	^		
Hazard statements (GHS-US) : Ma Precautionary statements (GHS-US) : Available ski	GHS07 arrning y cause an allergic skin reaction. bid breathing dust/fume/gas/mist/vap wed out of the workplace. Wear pro n irritation or rash occurs: Get medic se. Dispose of contents and contair ernational regulations.	tective gloves. If on al advice/attention.	skin: Wash with plenty of water. If Wash contaminated clothing before
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS-US)			
99 % of the mixture consists of ingredient(s) of unknown	acute toxicity.		
SECTION 3: Composition/information on	ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Distillates, petroleum, hydrotreated heavy paraffinic	(CAS No) 64742-54-7	0.1 - 1	Not classified
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	(CAS No) 13539-13-4	0.1 - 1	Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1
Ethylbenzene	(CAS No) 100-41-4	< 0.1	Flam. Liq. 2 Acute Tox. 4 (Inhalation) Carc. 2
The exact percentage (concentration) of composition has bee	n withheld as a trade secret in accordance	e with paragraph (i) of	
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation : If b	reathing is difficult, remove victim to		at rest in a position comfortable for
	athing. Get medical advice/attentior		

First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing
	and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitisation by skin contact.
Symptoms/injuries after eye contact	 May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate me	dical attention and special treatment needed
Symptoms may not appear immediately. In possible).	case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where
SECTION 5: Firefighting measur	es
5.1. Extinguishing media	
Suitable extinguishing media	: Powder, water spray, foam, carbon dioxide.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon, oxides of phosphorous.
5.3. Advice for firefighters	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release r	neasures
6.1. Personal precautions, protectiv	re equipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1.2. For emergency responders	
No additional information available	
6.2. Methods and material for conta	inment and cleaning up
For containment	: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

Reference to other sections 6.3.

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precauti	ons for safe handling	: Avoid contact with skin and eyes. Avoid breathing vapour or mist. Do not swallow. Handle and open container with care. Do not eat, drink or smoke when using this product.
Hygiene	measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2.	Conditions for safe storage, includir	ng any incompatibilities
Storage	conditions	: Keep out of the reach of children. Keep container tightly closed. Keep away from food, drink and animal foodstuffs.
7.3.	Specific end use(s)	
Not avai	lable.	
SECTI	ON 8: Exposure controls/perso	onal protection
8.1.	Control parameters	

Ethylbenzene (100-41-4)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Ethylbenzene (100-41-4)			
USA OSHA	OSHA PEL (TWA) (ppm)		100 ppm
8.2. Exposure controls			
Appropriate engineering controls	3 :	Use ventilation adequate to keep export recommended exposure limits.	osures (airborne levels of dust, fume, vapor, etc.) below
Hand protection	:	Wear chemically resistant protective gloves.	
Eye protection	:	Safety glasses or goggles are recommended when using product.	
Skin and body protection	:	Wear suitable protective clothing.	
Respiratory protection	:		suitable respiratory equipment. Respirator selection must osure levels, the hazards of the product and the safe or.
Environmental exposure control	s :	Maintain levels below Community env	ironmental protection thresholds.
Other information	:		rial is handled, processed or stored. Wash hands carefully rding to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	
Physical state	
	: Liquid : Clear.
Appearance	
Colour	: Red.
Odour	: Characteristic.
Odour threshold	: No data available.
рН	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: ~ 205 °C (~ 400 °F) (COC)
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Not Flammable.
Vapour pressure	: < 0.1 mm Hg
Relative vapour density at 20 °C	: No data available.
Relative density	: 0.87 - 0.89
Solubility	: Water: Insoluble.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.
•	
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No dangerous reaction known under conditions of normal use.
10.2. Chemical stability
Stable under normal storage conditions.
10.3. Possibility of hazardous reactions
No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid
Heat. Incompatible materials.
10.5. Incompatible materials
Oxidizers.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

according to the Hazard Communication Standard (CFR29	
10.6. Hazardous decomposition products	
May include, and are not limited to: oxides of carb	on, oxides of phosphorous.
SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Lubegard® Automatic Transmission Protecta	
LD50 oral rat	Not available.
LD50 dermal rabbit	Not available.
LC50 inhalation rat (mg/l)	Not available.
Distillates, petroleum, hydrotreated heavy pa	raffinic (64742-54-7)
LD50 oral rat	> 15000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Ethylbenzene (100-41-4)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	15354 mg/kg
LC50 inhalation rat	17.2 mg/l/4h
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Ethylbenzene (100-41-4)	
IARC group	2B
National Toxicity Program (NTP) Status	1
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitisation by skin contact.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	
Lubegard® Automatic Transmission Protecta	ant
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Lubegard® Automatic Transmission Protecta	int
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal
	regulations. The generation of waste should be avoided or minimized wherever possible.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 14: Transp	oort information
In accordance with DOT	
14.1. UN number	
Not applicable	
14.2. UN proper shipp	ping name
Not applicable	
14.3. Additional information	ition
Other information	: No supplementary information available.
Special transport precaution	ns : Do not handle until all safety precautions have been read and understood.
SECTION 15: Regula	ntory information
15.1. US Federal regulation	ons
Distillates, petroleum, h	ydrotreated heavy paraffinic (64742-54-7)
Listed on the United State	es TSCA (Toxic Substances Control Act) inventory
1,3,4-Thiadiazole, 2,5-bi	s(octyldithio)- (13539-13-47)
Listed on the United State	es TSCA (Toxic Substances Control Act) inventory
Ethylbenzene (100-41-4)	
Listed on the United State Listed on SARA Section 3	es TSCA (Toxic Substances Control Act) inventory 313 (Specific toxic chemical listings)
SARA Section 313 - Emis	sion Reporting 0.1 %
15.2. US State regulations	3
Lubegard® Automatic Tra	
State or local regulations	This product contains a chemical known to the State of California to cause cancer.
SOURCE AGENCY CARC	INOGEN CLASSIFICATIONS:
IARC (I)	International Agency for Research on Cancer.
	 Carcinogenic to humans; Probably carcinogenic to humans; Possibly carcinogenic to humans; Not classifiable; Probably not carcinogenic to humans.
NTP (N)	National Toxicology Program.
	 Evidence of Carcinogenicity; Known Human Carcinogens; Reasonably anticipated to be Human Carcinogen; Substances delisted from report on Carcinogens; Twelfth Report - Items under consideration.

SECTION 16: Other informa	tion
Date of preparation	: February 13, 2014
Indication of changes	: None.
Other information	: None.
NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur. 2
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product