

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name:	Lubegard® Highly Friction Modified Automatic Transmission Fluid
	Supplement

Product Code: 61330, 61904, 61910, 61955

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use:

Lubricant.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address:	International Lubricants, Inc. P.O. Box 24743, Seattle WA 98124-0743, USA
Telephone Number:	(206) 762-5343

 Telephone Number:
 (206) 762-5343

 (800) 333-LUBE (5823)

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone	CHEM TEL (800) 255-3924
Number:	CHEM TEL (813) 248-0585

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Skin Sensitization 1

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram:

Signal Word:	Warning
Hazard Statement:	May cause an allergic skin reaction.
Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.
Response:	If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Storage:	Not applicable.
Disposal:	Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

99 % of the mixture consists of ingredient(s) of unknown acute toxicity.





Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	CAS No	Wt. %
Lubricating oils, refined used	68476-77-7	30 - 60
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	13539-13-4	0.1 - 1
Ethylbenzene	100-41-4	< 0.1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye:	In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.	
Skin:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.	
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek medical attention or call poison control immediately.	
4.2 MOST IMPORTANT SYMPT	OMS AND EFFECTS, BOTH ACUTE AND DELAYED	
Eye:	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production.	
Skin:	May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.	
Inhalation:	May cause respiratory tract irritation.	
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.	
4.3 INDICATION OF ANY IMME	DIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED	
Note to Physicians:	Symptoms may not appear immediately.	
Specific Treatments:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).	
	Section 5: FIRE-FIGHTING MEASURES	

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media:	Powder, water spray, foam, carbon dioxide.
Unsuitable Extinguishing Media:	Not available.





5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon, oxides of phosphorous.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment:	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for Cleaning-Up:	Scoop up material and place in a disposal container. Provide ventilation.
	Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling:	Avoid contact with skin and eyes. Do not swallow. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Handle and open container with care. When using do not eat or drink. (See section 8)		
General Hygiene Advice:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.		
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES			
Storage:	Keep out of the reach of children. Keep container tightly closed. Store in a cool, dry, well-ventilated area. (See section 10)		

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits			
Ingredient OSHA-PEL ACGIH			
Lubricating oils, refined used	Not available.	Not available.	
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	Not available.	Not available.	
Ethylbenzene	100 ppm; 435 mg/m ³	20 ppm	

8.2 EXPOSURE CONTROLS

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.





8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

Skin Protection:

Hand Protection: Wear chemically resistant protective gloves.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.


General Health and SafetyHandle according to established industrial hygiene and safety
practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear.
Color:	Red / Brown.
Odor:	Characteristic odor.
Odor Threshold:	Not available.
Physical State:	Liquid.
pH:	Not available.
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	Not available.
Flash Point:	~ 109 °C (~ 228 °F)
Evaporation Rate:	Negligible.
Flammability:	Not flammable.
Lower Flammability/Explosive Limit:	Not available.
Upper Flammability/Explosive Limit:	Not available.
Vapor Pressure:	< 0.1 mm Hg
Vapor Density:	Not available.
Relative Density/Specific Gravity:	0.8 - 0.9
Solubility:	Insoluble.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	181 cSt @ 40° C (104° F)
Explosive Properties:	Not available.
Oxidizing Properties:	Not available.

Trade Name: Lubegard® Highly Friction Modified Automatic Transmission Fluid Supplement





Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5 INCOMPATIBLE MATERIALS

Oxidizers.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, oxides of phosphorous.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure:

Eye contact, skin contact, skin absorption, inhalation, ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

- **Eye:** May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production.
- **Skin:** May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea, or vomiting.

Inhalation: May cause respiratory tract irritation.

Acute Toxicity:

Ingredient LC50			LD50	
Lubricating oils, refined used	Not available.		Not available.	
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	Not available.		Not available.	
Ethylbenzene	Inhalation 17.2 mg/L 4hr,	rat	Dermal 15354 mg/kg, rabbit	
Calculated overall Chemical Acute Toxicity Values				
LC50 (inhalation)	LD50 (oral)	,		
Not available.	Not available.		Not available.	
Ingredient			mical Listed as Carcinogen or Potential Carcinogen 9, IARC, OSHA, ACGIH, CP65)*	
Lubricating oils, refined used		Not listed.		
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-		Not listed.		
Ethylbenzene		G-A3, I-2B, CP65		





* See Section 15 for more informati	on.	
	CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE	
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Irritation:	Based on available data, the classification criteria are not met.	
Respiratory Sensitization:	Based on available data, the classification criteria are not met.	
Skin Sensitization:	May cause an allergic skin reaction.	
STOT-Single Exposure:	Based on available data, the classification criteria are not met.	
Chronic Health Effects:		
Carcinogenicity:	Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met.	
Reproductive Toxicity:		
Developmental:	Based on available data, the classification criteria are not met.	
Fertility:	Based on available data, the classification criteria are not met.	
STOT-Repeated Exposure:	Based on available data, the classification criteria are not met.	
Aspiration Hazard:	Based on available data, the classification criteria are not met.	
Toxicologically Synergistic Mat	erials: Not available.	
Other Information:	Not available.	
Sect	ion 12: ECOLOGICAL INFORMATION	
12.1 ECOTOXICITY		
Acute/Chronic Toxicity:	May cause long-term adverse effects in the aquatic environment.	
12.2 PERSISTENCE AND DEGRADABILITY		
Not available.		
12.3 BIOACCUMULATIVE POTENTIAL		
Bioaccumulation:	Not available.	
12.4 MOBILITY IN SOIL		
Not available.		
12.5 OTHER ADVERSE EFFECTS		
Not available.		

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Other disposal recommendations:

Not available.





Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

Not regulated.

14.2 UN PROPER SHIPPING NAME

Not applicable.

14.3 TRANSPORT HAZARD CLASS (ES)

Not applicable.

14.4 PACKING GROUP

Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Lubricating oils, refined used	Not listed.	Not listed.	Not listed.	Not listed.
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	Not listed.	Not listed.	Not listed.	Not listed.
Ethylbenzene	Not listed.	Not listed.	1,000	313

State Regulations

California Proposition 65:

This product contains a chemical known to the State of California to cause cancer.

Global Inventories:

Ingredient	USA TSCA
Lubricating oils, refined used	Yes.
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	Yes.
Ethylbenzene	Yes.





NFPA National Fire Protection Association:

Health:	2
Fire:	1
Reactivity:	0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65	California Proposition 65	
OSHA (O)	Occupational Safety and Health Administration.	
ACGIH (G)	 American Conference of Governmental Industrial Hygienists. A1 - Confirmed human carcinogen. A2 - Suspected human carcinogen. A3 - Animal carcinogen. A4 - Not classifiable as a human carcinogen. A5 - Not suspected as a human carcinogen. 	
IARC (I)	 International Agency for Research on Cancer. 1 - The agent (mixture) is carcinogenic to humans. 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals. 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals. 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans. 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans. 	
NTP (N)	National Toxicology Program. 1 - Known to be carcinogens. 2 - Reasonably anticipated to be carcinogens.	
Section 16: OTHER INFORMATION		

Date of Preparation:	July 7, 2014
Version:	1.0
Revision Date:	July 7, 2014

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by:	Nexreg Compliance Inc.
	Phone: (519) 488-5126
	www.nexreg.com
Prepared for:	International Lubricants Inc.

End of Safety Data Sheet

