

# PENRAY PROFESSIONAL AUTOMATIC

### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 04/30/2014 Revision date: 04/30/2014 Version: 1.0

Date of it	ssue: 04/30/2014 Revision date: 04	/30/2014 Version: 1.0	
SECTION 1: Identification of the sub	ostance/mixture and of the c	ompany/und <u>ertakin</u> g	g
1.1. Product identifier			
Product name	: PENRAY PROFESSIONAL AUT	OMATIC TRANSMISSION	FLUSH
Product code	: 6533		
1.2. Relevant identified uses of the sub	stance or mixture and uses advised	against	
Use of the substance/mixture	: Transmission flush.		
1.3. Details of the supplier of the safety	data sheet		
The Penray Companies, Inc. 440 Denniston Ct. 60090 Wheeling, IL T (800) 373-6729 rotto@penray.com			
1.4. Emergency telephone number			
Emergency number	: (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (70	3) 527-3887 24 hr	
<b>SECTION 2: Hazards identification</b>			
2.1. Classification of the substance or r	nixture		
GHS-US classification			
Aspiration hazard 1			
2.2. Label elements			
GHS-US labelling			
Hazard pictograms (GHS-US)			
Signal word (GHS-US)	GHS08 : Danger		
Hazard statements (GHS-US)	: May be fatal if swallowed and en	ers airways.	
Precautionary statements (GHS-US)	: If swallowed: Immediately call a p Dispose of contents and container international regulations.		OT induce vomiting. Store locked up. cal, regional, national and
2.3. Other hazards			
No additional information available			
<b>SECTION 3: Composition/information</b>	on on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Distillates, petroleum, hydrotreated light naphthenic	(CAS No) 64742-53-6	99 - 100	Not classified
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: If inhaled and if breathing is diffic comfortable for breathing. Get m		
First-aid measures after skin contact	: In case of contact, immediately fl and shoes. Wash clothing before	ush skin with plenty of wat	er. Remove contaminated clothing
First-aid measures after eye contact			
First-aid measures after ingestion	: If swallowed, do NOT induce von anything by mouth to an unconso		so by medical personnel. Never give te medical advice/attention.
4.2. Most important symptoms and effe	cts, both acute and delayed		
Symptoms/injuries after inhalation	: May cause respiratory tract irritat	ion.	
Symptoms/injuries after skin contact	: May cause skin irritation. Symptor	ns may include redness, dr	ying, defatting and cracking of the skin
04/30/2014	EN (English)		Page 1



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

	on Standard (CFR29 1910.120		
Symptoms/injuries after eye cont	produ	ction, with possible redness and s	5
Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.		, , , , , , , , , , , , , , , , , , , ,	
4.3. Indication of any imm	nediate medical attention	and special treatment needed	
Symptoms may not appear imme possible).	ediately. In case of accide	nt or if you feel unwell, seek medie	cal advice immediately (show the label or SDS where
SECTION 5: Firefighting	measures		
5.1. Extinguishing media			
Suitable extinguishing media	: Powd	er, water spray, foam, carbon dio>	kide.
Jnsuitable extinguishing media	: Do no	t use a heavy water stream.	
5.2. Special hazards arisi	ng from the substance o	r mixture	
Fire hazard	: Produ	cts of combustion may include, ar	nd are not limited to: oxides of carbon.
5.3. Advice for firefighters	S		
Protection during firefighting			ng turn-out gear (full Bunker gear) and respiratory keep fire-exposed containers cool.
SECTION 6: Accidental r	elease measures		
6.1. Personal precautions	s, protective equipment	and emergency procedures	
General measures		ersonal protection recommended essary and unprotected personne	in Section 8. Isolate the hazard area and deny entry to al.
6.2. Methods and materia	I for containment and cl	eaning up	
For containment	contai		aterial (e.g. sand, vermiculite), then place in a suitable v to enter waterways. Use appropriate Personal
Methods for cleaning up	: Scoop	up material and place in a dispos	sal container. Provide ventilation.
3.3. Reference to other se	ections		
See section 8 for further information	tion on protective clothing	and equipment and section 13 for	r advice on waste disposal.
SECTION 7: Handling an	d storage		
7.1. Precautions for safe			
Precautions for safe handling	: Avoid		l breathing gas/mist/vapors/spray. Do not swallow. /hen using do not eat, drink or smoke.
Hygiene measures	: Laund	ler contaminated clothing before r	euse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe s	torage, including any in	compatibilities	
Storage conditions	: Keep	out of the reach of children. Keep	container tightly closed. Store locked up.
7.3. Specific end use(s)			
Not available.			
SECTION 8: Exposure co	ontrole/norconal pr	staation	
	phtrois/personal pr	Direction	
8.1. Control parameters			
3.1. Control parameters Distillates, petroleum, hydrot			
3.1. Control parameters	treated light naphthenic ACGIH TWA (mg/m <sup>3</sup> )		5 mg/m³
3.1. Control parameters Distillates, petroleum, hydrot			5 mg/m³ 5 mg/m³
B.1.         Control parameters           Distillates, petroleum, hydrot         USA ACGIH           USA OSHA         USA OSHA	ACGIH TWA (mg/m <sup>3</sup> )		<b>.</b>
B.1.       Control parameters         Distillates, petroleum, hydrot         USA ACGIH         USA OSHA         B.2.         Exposure controls	ACGIH TWA (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/n : Use v	ı <sup>3</sup> )	<b>.</b>
B.1.       Control parameters         Distillates, petroleum, hydrot         USA ACGIH         USA OSHA         B.2.       Exposure controls         Appropriate engineering controls	ACGIH TWA (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/n : Use v recom	n <sup>3</sup> ) entilation adequate to keep expos	5 mg/m³
B.1.       Control parameters         Distillates, petroleum, hydrot         USA ACGIH         USA OSHA         B.2.       Exposure controls         Appropriate engineering controls         Personal protective equipment         Hand protection	ACGIH TWA (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/m : Use v recom : Avoid : Wear	n <sup>3</sup> ) entilation adequate to keep expos mended exposure limits. all unnecessary exposure. suitable gloves.	5 mg/m <sup>3</sup> sures (airborne levels of dust, fume, vapor, etc.) below
B.1.       Control parameters         Distillates, petroleum, hydrot         USA ACGIH         USA OSHA         B.2.       Exposure controls         Appropriate engineering controls         Personal protective equipment         Hand protection         Eye protection	ACGIH TWA (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/m : Use v recom : Avoid : Wear : Safety	entilation adequate to keep expos mended exposure limits. all unnecessary exposure. suitable gloves. y glasses or goggles are recomme	5 mg/m <sup>3</sup> sures (airborne levels of dust, fume, vapor, etc.) below
B.1.       Control parameters         Distillates, petroleum, hydrot         USA ACGIH         USA OSHA         B.2.       Exposure controls         Appropriate engineering controls         Personal protective equipment         Hand protection         Eye protection         Skin and body protection	ACGIH TWA (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/m : Use v recom : Avoid : Wear : Safety : Wear	entilation adequate to keep expos mended exposure limits. all unnecessary exposure. suitable gloves. glasses or goggles are recomme suitable protective clothing.	5 mg/m <sup>3</sup> sures (airborne levels of dust, fume, vapor, etc.) below
B.1.       Control parameters         Distillates, petroleum, hydrot         USA ACGIH         USA OSHA         B.2.       Exposure controls         Appropriate engineering controls         Personal protective equipment         Hand protection         Eye protection         Skin and body protection	ACGIH TWA (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/m : Use v recom : Avoid : Wear : Safety : Wear : In cas be ba	entilation adequate to keep expos mended exposure limits. all unnecessary exposure. suitable gloves. glasses or goggles are recomme suitable protective clothing. e of insufficient ventilation, wear s	5 mg/m <sup>3</sup> sures (airborne levels of dust, fume, vapor, etc.) below ended when using product. suitable respiratory equipment. Respirator selection mus sure levels, the hazards of the product and the safe
8.1. Control parameters Distillates, petroleum, hydrot USA ACGIH USA OSHA	ACGIH TWA (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/m : Use v recom : Avoid : Wear : Safety : Wear : In cas be ba workin	entilation adequate to keep expos mended exposure limits. all unnecessary exposure. suitable gloves. glasses or goggles are recomme suitable protective clothing. e of insufficient ventilation, wear s sed on known or anticipated expo	5 mg/m <sup>3</sup> sures (airborne levels of dust, fume, vapor, etc.) below ended when using product. suitable respiratory equipment. Respirator selection mus sure levels, the hazards of the product and the safe



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

<b>SECTION 9: Physical and chemical</b>	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid.
Appearance	: Clear.
Colour	: Colorless to light yellow.
Odour	: Petroleum odor.
Odour threshold	: No data available.
рН	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: ~ 102 °C (~ 216 °F)
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: 0.88 - 0.89
Solubility	: Insoluble.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: 3.4 cSt @ ~ 40 °C (~ 104 °F)
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

### 9.2. **Other information**

No additional information available

SECT	TON 10: Stability and reactivity		
10.1.	Reactivity		
No dangerous reaction known under conditions of normal use.			
10.2.	Chemical stability		
Stable under normal storage conditions.			
10.3.	Possibility of hazardous reactions		
No dan	gerous reaction known under conditions of normal use.		
10.4.	Conditions to avoid		
Heat. Ir	ncompatible materials. Direct sunlight.		
10.5.	Incompatible materials		
Strong oxidizing agents.			
10.6.	Hazardous decomposition products		
May inc	slude, and are not limited to: oxides of carbon		

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological in	
11.1. Information on toxicological	effects
Acute toxicity	: Not classified
6533	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	No data available.
Distillates, petroleum, hydrotreated	light naphthenic (64742-53-6)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.18 mg/l/4h
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

<b>SECTION 12: Ecological information</b>			
12.1. Toxicity			
Ecology - general	: May cause long-term adverse effects in the aquatic environment.		
12.2. Persistence and degradability			
6533			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
6533			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			
<b>SECTION 13: Disposal consideration</b>	S		
13.1. Waste treatment methods			
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.		
Additional information	: Do not reuse container.		
SECTION 14: Transport information			
In accordance with DOT			
14.1. UN number			
Not applicable			
14.2. UN proper shipping name			
Not applicable			
14.3. Additional information			
Other information	: No supplementary information available.		
Special transport precautions	: Do not handle until all safety precautions have been read and understood.		
SECTION 15: Regulatory information			
15.1. US Federal regulations			
Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			

### 15.2. US State regulations


6533	
State or local regulations	This product does not contain a chemical known to the State of California to cause
	cancer, birth defects or other reproductive harm.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:		
IARC	International Agency for Research on Cancer.	
	<ol> <li>Carcinogenic to humans;</li> <li>Probably carcinogenic to humans;</li> <li>Possibly carcinogenic to humans;</li> <li>Not classifiable;</li> <li>Probably not carcinogenic to humans.</li> </ol>	
NTP	National Toxicology Program.	
	<ol> <li>Evidence of Carcinogenicity;</li> <li>Known Human Carcinogens;</li> <li>Reasonably anticipated to be Human Carcinogen;</li> <li>Substances delisted from report on Carcinogens;</li> <li>Twelfth Report - Items under consideration.</li> </ol>	

SECTION 16: Other information		
Indication of changes	:	None.
Date of issue	:	04/30/2014
Other information	:	None.
NFPA health hazard NFPA fire hazard NFPA reactivity	-	1 1 0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

