

Masterchem Ultra-PAG 150 Viscosity

### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### **PRODUCT NAME:** Masterchem Ultra-PAG 150 **PRODUCT DESCRIPTION:** Premium Performance Mobile Air Conditional Compressor Lubricant

#### MANUFACTURER

Omega/Santech 1401 Valley View Lane, Suite #100 Irving, TX 75061 Emergency Phone: 972-812-7000

# 24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC: 800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### **GHS LABEL**

This product is not classified as hazardous according to 29CFR 1910.1200.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Poly[oxy(methyl-1,2-ethandiyl)], Alpha-butyl-omega-hydroxy-	>99	9003-13-8
Additive Package	<1	Proprietary

#### 4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

**INGESTION:** Rinse mouth with water. Do not induce vomiting. Seek medical attention if you feel unwell.

INHALATION: Remove to fresh air. If breathing is difficult seek medical attention.

NOTES TO PHYSICIAN: Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry Chemical, CO2, Foam. Water Spray.

HAZARDOUS COMBUSTION PRODUCTS: May produce hazardous fumes.

FIRE FIGHTING PROCEDURES: Do not use a water jet.

FIRE FIGHTING EQUIPMENT: In case of fire wear a full-face positive pressuire self contained breathing apparatus and protective suit.

### 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and soak up spill with absorbent material and provide adequate ventilation.

### **ENVIRONMENTAL PRECAUTIONS**

**WATER SPILL:** Prevent material from entering drains or watercourses using sand, earth or other appropriate barriers. **LAND SPILL:** Prevent contamination of the soil.

**GENERAL PROCEDURES:** Avoid contact with skin or eyes. Avoid contact with spilled materials. Use appropriate protective equipment.personal





Masterchem Ultra-PAG 150 Viscosity

### 7. HANDLING AND STORAGE

GENERAL PROCEDURES: Handle in accordance with good industrial hygiene and safety practices.

**HANDLING:** Use only in a well ventilated area. Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing.

STORAGE: Keep container tightly closed in a dry, well-ventilated place.

**STORAGE TEMPERATURE:** Store in a cool place below 120°F/49°C under nitrogen blanket as this product is hydroscopic. For prolonged storage above 60°C, store in rust free container using nitrogen blanket.

STORAGE PRESSURE: Atmospheric.

SPECIAL SENSITIVITY: This is a hydroscopic product. Avoid contact with water.

COMMENTS: Recommended storage container materials are rust free mild steel or stainless steel.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Eye washes and showers for emergency use.

### PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields (or goggles) or a face shield.

SKIN: Use chemically resistant gloves; appropriate materials are PVC. Nitrile.

**RESPIRATORY:** Use appropriate protection if there is risk of breathing the mists or vapors or heated materials.

**PROTECTIVE CLOTHING:** Wear full protective clothing and chemical resistant gloves to prevent prolonged skin contact.

**WORK HYGIENIC PRACTICES:** Wash hands, forearms and face before eating, drinking, smoking and using the restroom. Launder contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid **ODOR:** Mild **APPEARANCE:** Water white to faintly yellow. PHYSICAL STATE COMMENTS: Clear, bright, viscous. FLASH POINT AND METHOD: > 200°C COC-ASTM D-92 FLAMMABLE LIMITS: Not Available AUTOIGNITION TEMPERATURE: Not Available VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available **BOILING POINT: Not Available** POUR POINT: -43°C THERMAL DECOMPOSITION: Not Available SOLUBILITY IN WATER: Insoluble in water. **EVAPORATION RATE:** Not Available SPECIFIC GRAVITY: 0.999 at 20°C VISCOSITY #1: 107.3 cSt at 40°C VISCOSITY #2: 20 cSt at 100°C Notes: Viscosity Index: 216



Masterchem Ultra-PAG 150 Viscosity

### **10. STABILITY AND REACTIVITY**

**REACTIVITY: Yes** 

STABILITY: Stable under normal conditions.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon. Small amounts of aldehydes, ketones, and alcohols. **INCOMPATIBLE MATERIALS:** Strong oxidizers, strong acids.

## **11. TOXICOLOGICAL INFORMATION**

ACUTE DERMAL LD<sub>50</sub>: > 5000 mg/kg Notes: rabbit ORAL LD<sub>50</sub>: > 5000 mg/kg Notes: rat **EYE EFFECTS:** Minimal irritation. SKIN EFFECTS: Minimal irritation. **REPEATED DOSE EFFECTS:** Repeated or prolonged contact may produce defatting of the skin leading to irritation and dermatitis. **IRRITATION:** Not a primary irritant. **NEUROTOXICITY:** Not Available **GENETIC EFFECTS:** Not Available **REPRODUCTIVE EFFECTS:** Not Available **TARGET ORGANS:** Not Available **MUTAGENICITY:** Not Available GENERAL COMMENTS: Used materials should be handled with caution. Proper health, safety, and disposal methods should be taken during handling of used materials. Avoid contact with skin and eyes.

### **12. ECOLOGICAL INFORMATION**

**ENVIRONMENTAL DATA:** Ecotoxicological data have not been determined specifically for this products. The information below is given based on knowledge of the components.

ECOTOXICOLOGICAL INFORMATION: Testing of a similar substance indicates material is non-toxic to aquatic life.

BIOACCUMULATION/ACCUMULATION: Not expected to bio-accumulate.

**DISTRIBUTION:** Insoluble in water. Adsorbs to soil and has low mobility.

CHEMICAL FATE INFORMATION: Expected to be partially or slowly biodegradable.





Masterchem Ultra-PAG 150 Viscosity

#### **13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** Dispose of contents/container to a licensed contractor or facility in accordance with local, state and federal regulations.

**PRODUCT DISPOSAL:** The preferred options for disposal include reuse, recycling, co-processing, finding a use for by-product, incineration or other thermal destruction at licensed facilities.

EMPTY CONTAINER: Clean container thoroughly and dispose to licensed disposal contractor.

#### **14. TRANSPORT INFORMATION**

### DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not regulated for Transport ROAD AND RAIL (ADR/RID): NA = Not Applicable AIR (ICAO/IATA): NA = Not Applicable VESSEL (IMO/IMDG): NA = Not Applicable CANADA TRANSPORT OF DANGEROUS GOODS: NA = Not Applicable

#### **15. REGULATORY INFORMATION**

#### **UNITED STATES**

TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA STATUS:** All components listed or exempt.

#### CANADA

DOMESTIC SUBSTANCE LIST (INVENTORY): All components are listed or exempt.


#### **16. OTHER INFORMATION**

REASON FOR ISSUE: Updated to GHS Format with GHS classification

**APPROVED BY:** Audris King **TITLE:** HS&E Manager

PREPARED BY: Britton Webb Date Prepared: 3/26/2015





NFPA CODES

