



## Section 7. Handling and storage

# FVP SYNTHETIC BLEND 15W40 MOTOR OIL 4 LITER

Safety Data Sheet

## Section 1. Identification

**GHS product identifier** : FVP Synthetic Blend 15W40 Motor Oil

**Product code** : FVP15W40SB-4LTR

**Other means of identification** : Not available.

**Product type** : Liquid.

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Consumer products: Lubricating Oil

Uses advised against	Reason
Not available.	

**Supplier's details** : Factory Motor Parts  
1380 Corporate Center Curve Suite  
200  
Eagan, MN 55121  
1-866-387-3343

**Emergency telephone number (with hours of operation)** : 24 hr. Infotrac 1-800-535-5053/ International  
1-703-527-3887

## Section 2. Hazards identification

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** : Not classified.

### GHS label elements

**Signal word** : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements**

**Section 7. Handling and storage**

**General** : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : Not applicable.

**Hazards not otherwise classified** : Defatting to the skin.

## Section 7. Handling and storage

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

**Other means of identification** : Not available.

### CAS number/other identifiers

**CAS number** : Not applicable.

Ingredient name	%	CAS number
Distillates (petroleum), solvent-dewaxed heavy paraffinic	≥50 - <75	64742-65-0
Distillates (petroleum), hydrotreated heavy paraffinic	≥1 - <3	64742-54-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation Skin contact** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

: Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Defatting to the skin. May cause skin dryness and irritation.

**Ingestion**

No known significant effects or critical hazards.

## Section 7. Handling and storage

### Over-exposure signs/symptoms

**Eye contact** : No specific data.

**Inhalation Skin contact** : No specific data.

**Ingestion**

:  
:  
Adverse symptoms may include the following: irritation  
d  
r  
y  
n  
e  
s  
s  
c  
r  
a  
c  
k  
i  
n  
g

: No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

**See toxicological information (Section 11)**

## ~~Section 7. Handling and storage~~ Section 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing media

: Use dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray (fog).

: Do not use water jet.

**Specific hazards arising from the chemical  
Hazardous thermal decomposition products**

: In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide

**Special protective actions for fire-fighters**

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters**

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel**

: No action shall be taken involving any personal risk or without suitable training.  
Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

**Small spill** :

## Section 7. Handling and storage

**Large spill** :

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

**Precautions for safe handling Protective measures** :  
**Advice on general** : **occupational hygiene**

Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

## Section 7. Handling and storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), solvent-dewaxed heavy paraffinic	<p><b>ACGIH TLV (United States, 4/2014).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</p> <p><b>NIOSH REL (United States, 10/2013).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p> <p><b>OSHA PEL (United States, 2/2013).</b> TWA: 5 mg/m<sup>3</sup> 8 hours.</p>
Distillates (petroleum), hydrotreated heavy paraffinic	<p><b>ACGIH TLV (United States, 4/2014).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</p> <p><b>NIOSH REL (United States, 10/2013).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p> <p><b>OSHA PEL (United States, 2/2013).</b> TWA: 5 mg/m<sup>3</sup> 8 hours.</p>

### Appropriate engineering controls Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures Hygiene measures :

Vash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Eye/face protection

## Section 7. Handling and storage

### Body protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields.

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



**Respiratory protection** :

## Section 7. Handling and storage

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

**Appearance Physical state Color**

: Liquid.

**Odor**

: Pale color. Orange.

**Odor threshold pH**

: Characteristic.

**Melting point**

: Not available.

: Not available.

: Not available.

**Boiling point**

: Not available.

**Flash point Evaporation rate**

: Open cup: 218°C (424.4°F) [Cleveland.]

: Not available.

**Flammability (solid, gas)**

: Not available.

**Lower and upper explosive (flammable) limits**

: Not available.

**Vapor pressure Vapor density Relative density**

: Not available.

**Solubility**

: Not available.

**Partition coefficient: n- octanol/water**

: 0.8778

**Auto-ignition temperature**

: Insoluble in the following materials: cold water and hot water.

: Not available.

: Not available.

**Decomposition temperature**

: Not available.

**Viscosity**: Kinematic (40°C (104°F)): 1.25 cm<sup>2</sup>/s (125 cSt)

## Section 10. Stability and reactivity

**Reactivity**

: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability**

: The product is stable.

**Possibility of hazardous reactions**

: Under normal conditions of storage and use, hazardous reactions will not occur.

[Conditions to avoid](#)

## Section 7. Handling and storage

: No specific data.

[Incompatible materials](#) :

No specific data.

[Hazardous decomposition products](#)

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

[Information on toxicological effects Acute](#)

[toxicity](#)

Not available.

[Irritation/Corrosion](#)

Not available.

**Sensitization**

Not available.

**Section 7. Handling and storage**

**Mutagenicity**

Not available.

**Carcinogenicity**

Not available.

**Reproductive toxicity**

Not available.

**Teratogenicity**

Not available.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

Not available.

**Information on the likely routes of exposure**

**Potential acute health effects**

**Eye contact**

: No known significant effects or critical hazards.

**Inhalation**

: No known significant effects or critical hazards.

**Skin contact**

: Defatting to the skin. May cause skin dryness and irritation.

**Ingestion**

: No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Eye contact**

: No specific data.

**Inhalation Skin contact**

: No specific data.

**Ingestion**

: Adverse symptoms may include the following:  
irritation

d  
r  
y  
n  
e  
s  
s  
c  
r  
a

c  
k  
n

## Section 7. Handling and storage

g  
: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

Not available.

**General** :

**Carcinogenicity** :

No known significant effects or critical hazards. No known significant effects or critical hazards.

**Mutagenicity** :

**Teratogenicity** :

## Section 7. Handling and storage

No known significant effects or critical hazards. No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

Not available.

### Persistence and degradability

Not available.

### Bioaccumulative potential

Not available.

### Mobility in soil

: Not available.

#### Soil/water partition coefficient (K<sub>oc</sub>)

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain

TRUSOUTH SYNBL CJ4 15W40

some product residues. Avoid dispersal of spilled material and runoff and contact with soil.

waterways, drains and sewers.

## Section 7. Handling and storage

RCRA classification

: Not Regulated

## Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.

Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 7. Handling and storage

### Section 15. Regulatory information

#### U.S. Federal regulations

: TSCA 8(a) CDR

**Exempt/Partial exemption:**

Not determined Not determined.

**Clean Water Act (CWA) 307:** Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isoctyl) esters, zinc salts; toluene; benzene

**Clean Water Act (CWA) 311:** toluene; ethylenediamine; benzene; vinyl acetate

#### Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

#### Clean Air Act Section 602 Class I Substances

#### Clean Air Act Section 602 Class II Substances

: Not listed

#### DEA List I Chemicals (Precursor Chemicals)

: Not listed

#### DEA List II Chemicals (Essential Chemicals)

#### SARA 302/304

: Not listed

: Not listed

#### Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
ethylenediamine	<0.1	Yes.	10000	1337.1	5000	668.5
vinyl acetate	<0.1	Yes.	1000	129	5000	644.8

**SARA 304 RQ** : 70984915.7 lbs / 32227151.7 kg [9698693.1 gal / 36713547.2 L]

#### SARA 311/312

#### Classification

: Not applicable.

#### Composition/information on ingredients

No products were found.

#### State regulations Massachusetts

: None of the components are listed.

#### New York

: None of the components are listed.

#### New Jersey

: The following components are listed: MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED)

#### Pennsylvania

: None of the components are listed.

#### California Prop. 65

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## Section 7. Handling and storage

- [Australia](#) : All components are listed or exempted.
- [Canada](#) : Not determined.
- [China](#) : Not determined.
- [Europe](#) : Not determined.
- [Japan](#) : Not determined.



- Malaysia : Not determined.
- New Zealand : All components are listed or exempted.
- Philippines : Not determined.
- Republic of Korea : Not determined.
- Taiwan : Not determined.

## Section 7. Handling and storage

### Section 16. Other information

#### Procedure used to derive the classification

Classification	Justification
Not classified.	

**History** : 07/11/18

**Date of issue/Date of revision**

**Version** : 1.01

#### **Key to abbreviations**

- : ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- UN = United Nations

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.