

I. PRODUCT AND COMPANY IDENTIFICATION

PART#TSC-12

Product Name: FVP TRANS STOP LEAK 12/12OZ

**Product Code:** FV800177

Emergency Phone: (800) 424-9300 (202) 483-7616 (CHEMTREC)

Poison Control (800) 222-1222

**Center:** 

**Company:** Factory Motor Parts

1380 Corporate Center Curve, Suite 200

Eagan, MN 55121

**Information Phone:** (866) 387-3343

**Revision Number:** 2

II. HAZARDS IDENTIFICATION

**Routes of Entry:** Eye contact, Ingestion, Inhalation, Skin contact **Chemical Interactions:** No chemical interaction known to affect toxicity.

Conditions Aggravated by Exposure: Personnel with pre-existing skin disorders should avoid contact with this product.

**Acute Health Effects:** 

**Inhalation Irritation:** Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and

headache.

**Skin Contact:** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Skin Absorption: Minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue.

**Ingestion Irritation:** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

**Chronic Health Effects:** 

**Carcinogenicity:** Not a carcinogen according to NTP, IARC, or OSHA.

**Reproductive** No data available to indicate product or any components present at greater than 0.1%

**Toxicity:** may cause birth defects.

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is

mutagenic or genotoxic.



HMIS Ratings:Health:2Health:1Fire:1Fire:1Reactivity:0Reactivity:0

**PPE:** B

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

# III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	%	CAS#	OSHA Expos	sure Limit	S
Petroleum distillates, hydrotreated heavy	90 - 99	64742-54-7	No PEL		
paraffinic					
Petroleum distillates, hydrotreated middle	1 - 5	64742-46-7	No PEL		
3-(Decyloxy)tetrahydrothiophene 1,1-dioxide	0.1 - 1	18760-44-6	No PEL		
	1.1 1 1	1 C 1: 00 CED	1010 1000 (TT	1.0	

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

#### IV. FIRST-AID MEASURES

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual

administer oxygen and get medical attention immediately.

**Eyes:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the

head to prevent chemical from transferring to the uncontaminated eye. Get immediate

medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and launder. Get medical

attention if irritation develops or persists.

**Ingestion:** Do not induce vomiting and seek medical attention immediately. Provide medical care

provider with this MSDS.

**Notes to Doctor:** No additional first aid information available.

### V. FIRE FIGHTING MEASURES

**Flammability** Combustible at elevated temperatures

**Summary:** 

**Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water

or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into

the hot burning liquid.

Fire and/or Explosion

Hazards:

Material may be ignited only if preheated to temperatures above the high flash point, for

example in a fire.

Fire Fighting Methods and Protection:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Hazardous Carbon dioxide, Carbon monoxide, Smoke

**Combustion Products:** 

**Flash Point:** 193 °C (379 °F)

**Autoignition** No data.

**Temperature:** 



# VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also

consider the expertise of employees in the area responding to the spill.

Methods for Clean-up: Prevent the spread of any spill to minimize harm to human health and the environment if

safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of in regular trash as product is not considered a hazardous waste. Used fluid should be disposed of at a recycling center. Do not flush to sewer.

## VII. HANDLING AND STORAGE

**Hamful or irritating material.** Avoid contacting and avoid breathing the material. Use

only in a well ventilated area. Empty containers may retain product residues/ vapors.

Use proper bonding and grounding during bulk product transfer.

**Storage Conditions:** Store in a cool dry ventilated location. Isolate from incompatible materials and

conditions. Keep container(s) closed. Do not expose to extreme temperatures or

flames.

#### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** No exposure limits exist for the constituents of this product. Use local exhaust

ventilation or other engineering controls to minimize exposures and maintain operator

comfort.

**Respiratory** Respiratory protection may be required to avoid overexposure when handling this

**Protection:** product. General or local exhaust ventilation is the preferred means of protection. Use a

respirator if general room ventilation is not available or sufficient to eliminate

symptoms.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory

protection.

**Eve Protection:** Wear chemically resistant safety glasses with side shields when handling this product.

Do not wear contact lenses.

**Skin Protection:** Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed

areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Neoprene, Nitrile

### **Control Parameters:**

Chemical Name Petroleum distillates, hydrotreated heavy paraffinic	ACGIH TLV-TWA No TLV	ACGIH STEL No STL	<b>IDLH</b> No IDLH	OSHA STEL No STEL
Petroleum distillates, hydrotreated middle	No TLV	No STL	No IDLH	No STEL
3-(Decyloxy)tetrahydrothiophene 1,1-dioxide	No TLV	No STL	No IDLH	No STEL



# Safety Data Sheet

# IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Red Odor: Mild

Viscosity: 7.14 cSt @100°C Solubility in Water: Negligible; 0-1%

**Evaporation Rate:** No data. Vapor Pressure: No data. **Boiling Point (°C):** No data. **Specific Gravity:** 0.86 **Density:** 7.18 193 Flash Point (°C): **Flash Point Method:** COC **Upper Flammability** Unknown

Limit, % in air:

Lower Flammability Unknown

Limit, % in air:

## X. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to Avoid:** Temperatures above the high flash point of this combustible material in combination

with sparks, open flames, or other sources of ignition.

Materials to Avoid: Strong oxidizing agents

**Hazardous Decomp.** Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition

**Products:** products in the case of incomplete combustion. Oxides of nitrogen, phosphorus,

calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

**Hazardous** Will not occur.

**Polymerization:** 

# XI. TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

**Ingestion:** Lubricating oils are generally no more than slightly toxic if swallowed.

**Inhalation:** Harmful! Can cause systemic damage (see "Target Organs").

**Absorption:** Minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

Eyes (Draize score): No data. Skin (Draize score): No data.

**Component Toxicology Data (NIOSH):** 

Chemical Name CAS Number LD<sub>50</sub>/LC<sub>50</sub>

Petroleum distillates, hydrotreated 64742-46-7 Inhalation LC50 Rat 4.6 mg/L 4 h; Oral LD50 Rat 7400

middle mg/kg; Dermal LD50 Rabbit >2000 mg/kg

Thiophene, tetrahydro-3-(decyloxy)- 18760-44-6 Oral LD50 Rat >10 mL/kg

, 1,1-dioxide

## XII. ECOLOGICAL INFORMATION

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

Mobility: This material is expected to have essentially no mobility in soil. It absorbs strongly to

most soil types.

**Persistence:** No data.

**Bioconcentration:** Bioconcentration is not expected to occur.

**Degradability:** Biodegrades slowly.



<b>Toxicity to Aquatic Invertebrates:</b> Petroleum distillates, hydrotreated heavy paraffinic	<b>CAS Number</b> 64742-54-7	Results 48 Hr EC50 Daphnia magna: >1000 mg/L
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	48 Hr EC50 Daphnia magna: >1000 mg/L
Toluene	108-88-3	48 Hr EC50 Daphnia magna: 5.46 - 9.83 mg/L [Static]; 48 Hr EC50 Daphnia magna: 11.5 mg/L
Toluene	108-88-3	96 Hr EC50 Pseudokirchneriella subcapitata: >433 mg/L; 72 Hr EC50 Pseudokirchneriella subcapitata: 12.5 mg/L [static]
<b>Toxicity to Fish:</b>	<b>CAS Number</b>	Results
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L
Petroleum distillates, hydrotreated middle	64742-46-7	96 Hr LC50 Pimephales promelas: 35 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: >10000 mg/L [static]

# XIII. DISPOSAL CONSIDERATIONS

**Disposal of Packaging:** Recycle containers whenever possible.

**Disposal Methods**: Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used

oil.

# XIV. TRANSPORTATION INFORMATION

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

# XV. REGULATORY INFORMATION

**TSCA Status:** All components of this material are on the US TSCA Inventory or are exempt.

NAFTA Tariff Code: 2710.11.0000

**State Restrictions:** ND

WHMIS: Uncontrolled product according to WHMIS classification criteria

Chemical Name None Listed.	CAS Number	<b>Regulation</b> CERCLA RQ	% Range
Toluene None Listed.	108-88-3	SARA 313 SARA 302-EHS	0.01 - 0.1
None Listed.  None Listed.		TSCA 12b export notification CA Prop 65 – Cancer	
Toluene	108-88-3	CA Prop 65 - Dev. Toxicity	0.01 - 0.1
Toluene	108-88-3	CA Prop 65 - Reprod –fem	0.01 - 0.1
Hydrotreated middle distillate (petroleum)	64742-46-7	Canadian WHMIS List	1 - 5
None Listed.		Massachusetts RTK List	
None Listed.		New Jersey RTK List	
None Listed.		Pennsylvania RTK List	
None Listed.		Minnesota Hazardous	
None Listed.		Substance List Rhode Island Hazardous Substance List	



## Consumer Product Safety Improvement Act of 2008 General Conformity Certification:

This product has been evaluated and certified to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

#### XVI. ADDITIONAL INFORMATION

**Superseded by:** 2011-03-09 11:48:18 **Revision Date:** 2012-01-09 09:28:14

**Created by:** HAZEMS

**Disclaimer:** This material safety data sheet and the information it contains is offered to you in good faith as

accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either

expressed or implied.