



Version 2.1	Revision Date: 03/29/2023		DS Number: 00000001197	Date of last issue: 11/04/2020 Date of first issue: 09/21/2017	
SECTION	1. IDENTIFICATION				
Prod	luct name	:	CYC NO7 AUTO	POLISH & CLNR 6/14 OZ	
Prod	luct code	:	1110		
	ufacturer or supplier's pany name of supplier			LC	
Addr	ress	:	Dallas TX 75225		
Email Address		:	EHS@niteoproducts.com		
Telephone		:	1-844-696-4836		
Eme ber	Emergency telephone num- ber		1-800-424-9300 /	1-703-741-5970	
Reco	ommended use of the c	her	nical and restriction	ons on use	
Reco	ommended use	:	POLISH		
Rest	rictions on use	:	Use only outdoor	s or in a well-ventilated area.	

### SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)				
Skin irritation	:	Category 2		
Eye irritation	:	Category 2A		
GHS label elements				
Hazard pictograms	:			
Signal word	:	Warning		
Hazard statements	:	Causes skin irritation. Causes serious eye irritation.		
Precautionary statements	:	<b>Prevention:</b> Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.		
		<b>Response:</b> IF ON SKIN: Wash with plenty of soap and water.		



Version 2.1	Revision Date: 03/29/2023	SDS Number: 600000001197	Date of last issue: 11/04/2020 Date of first issue: 09/21/2017
		Remove conta rinsing. If skin irritation If eye irritation	inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue occurs: Get medical advice/ attention. persists: Get medical advice/ attention. minated clothing and wash before reuse.
•	r hazards		
None	known.		

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

CAS-No.	Concentration (% w/w)
Not Assigned	>= 5 - < 10
-	
68855-54-9	>= 5 - < 10
8008-20-6	>= 1 - < 5
110-91-8	>= 1 - < 3
	Not Assigned           68855-54-9           8008-20-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on clothes, remove clothes. Remove contaminated clothing. If irritation develops, get med- ical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and	:	Causes skin irritation. Causes serious eye irritation.



Version	Revision Date:	SDS Number:	Date of last issue: 11/04/2020
2.1	03/29/2023	60000001197	Date of first issue: 09/21/2017

delayed

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Do not smoke. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and national regulations.



Version 2.1	Revision Date: 03/29/2023	SDS Number: 600000001197	Date of last issue: 11/04/2020 Date of first issue: 09/21/2017
		Smoking, eatin plication area.	ardous when empty. g and drinking should be prohibited in the ap- rotection see section 8.
Conc	litions for safe storage	place. Containers whi	r tightly closed in a dry and well-ventilated ch are opened must be carefully resealed and prevent leakage.
	ner information on stor- stability	: No decomposit	tion if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Diatomaceous earth	68855-54-9	TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL
Kerosene	8008-20-6	TWA	100 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m3	OSHA P0
Morpholine	110-91-8	TWA	20 ppm	ACGIH
		TWA	20 ppm 70 mg/m3	NIOSH REL
		ST	30 ppm 105 mg/m3	NIOSH REL
		TWA	20 ppm 70 mg/m3	OSHA Z-1
		TWA	20 ppm 70 mg/m3	OSHA P0
		STEL	30 ppm 105 mg/m3	OSHA P0

## Components with workplace control parameters



Version 2.1	Revision Date: 03/29/2023		DS Number: 00000001197	Date of last issue: 11/04/2020 Date of first issue: 09/21/2017
Engineering measures		:	Provide sufficient mechanical (general and/or local exhaust ventilation to maintain exposure below exposure guidelines applicable) or below levels that cause known, suspected or apparent adverse effects.	
	sonal protective equipm	nent		
F	Remarks	:	er). The suitability cussed with the p	oves (consult your safety equipment suppli- of for a specific workplace should be dis- roducers of the protective gloves. Discard tears, pinholes, or signs of wear.
Eye	protection	:		blash goggles when there is the potential for yes to liquid, vapor or mist.
Skir	and body protection	<ul> <li>Choose body protection according to the amount and centration of the dangerous substance at the work p Wear as appropriate: Impervious clothing Safety shoes</li> </ul>		langerous substance at the work place. ate:
Hyg	iene measures	:	Handle in accorda practice. When using do no When using do no	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	off-white
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	212 °C
Flash point	:	> 93 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available



Version 2.1	Revision Date: 03/29/2023	SDS Number:Date of last issue: 11/04/2020600000001197Date of first issue: 09/21/2017	
	wer explosion limit / Lower nmability limit	r : No data available	
Va	pour pressure	: No data available	
Re	lative vapour density	: No data available	
De	nsity	: No data available	
So	lubility(ies) Water solubility	: insoluble	
	rtition coefficient: n- anol/water	: No data available	
De	composition temperature	: No data available	
Vis	cosity Viscosity, dynamic	: not determined	
	Viscosity, kinematic	: > 20.5 mm2/s (40 °C)	
Мс	lecular weight	: No data available	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.
Conditions to avoid	:	No data available
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides Silicon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg



ersion 1	Revision Date: 03/29/2023		05 Number: 0000001197	Date of last issue: 11/04/2020 Date of first issue: 09/21/2017
			Method: Calculati	ion method
Acute i	nhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h : vapour
Acute c	lermal toxicity	:	Acute toxicity esti Method: Calculati	imate: > 5,000 mg/kg ion method
Compo	onents:			
Petrole	eum Distillates CAS	6474	2-47-8 / CAS 647	41-65-7:
Acute c	oral toxicity	:	LD50 (Rat): > 5,0 Remarks: Informa similar substance	ation given is based on data obtained from
Acute c	lermal toxicity	:		ation given is based on data obtained from
Kerose	ene:			
Acute c	oral toxicity	:		00 mg/kg est Guideline 420
Acute ii	nhalation toxicity	:		h : vapour est Guideline 403 adverse effect has been observed in acute
Acute o	lermal toxicity	:		est Guideline 402 adverse effect has been observed in acute
Morph	oline:			
Acute c	oral toxicity	:	LD50 (Rat): ca. 1 Method: OECD T	
Acute i	nhalation toxicity	:	Assessment: The inhalation.	component/mixture is toxic after short term
Acute c	lermal toxicity	:	LD50 (Rabbit): ca	a. 500 mg/kg
	orrosion/irritation			
Produc	<u>:t:</u>			

Remarks: May cause skin irritation and/or dermatitis.





Version	Revision Date:
2.1	03/29/2023

SDS Number: Date of 1 600000001197 Date of 1

Date of last issue: 11/04/2020 Date of first issue: 09/21/2017

#### Components:

### Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7:

Result: Irritating to skin.

Result: Repeated exposure may cause skin dryness or cracking.

#### Kerosene:

Result: Irritating to skin.

#### Morpholine:

Result: Corrosive after 3 minutes or less of exposure

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### **Components:**

Kerosene: Result: Possibly irritating to eyes

#### Morpholine:

Result: Irreversible effects on the eye

#### Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

### Petroleum Distillates CAS 64742-47-8 / CAS 64741-65-7:

Result: Not a skin sensitizer.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

# Morpholine: Genotoxicity in vitro : Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 482 Result: negative

Test Type: In vitro mammalian cell gene mutation test



1	Revision Date: 03/29/2023	SDS Number: 600000001197	Date of last issue: 11/04/2020 Date of first issue: 09/21/2017	
		Metabolic activ	ouse lymphoma cells ation: with and without metabolic activation Test Guideline 476	
Carci	nogenicity			
	lassified based on ava			
IARC	;		this product present at levels greater than or lentified as probable, possible or confirmed h by IARC.	
OSH	Α		this product present at levels greater than or n OSHA's list of regulated carcinogens.	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoge by NTP.		
Not cl	oductive toxicity lassified based on ava 「 - single exposure lassified based on ava			
	ponents:			
Petro	leum Distillates CAS	6 64742-47-8 / CAS 64	1741-65-7:	
Targe	sure routes: Inhalatior et Organs: Central ner ssment: May cause dr			
Keros Asses		owsiness or dizziness.		
STOT	F - repeated exposur lassified based on available			
STOT Not cl Aspir	• •	ailable information.		
<b>STOT</b> Not cl <b>Aspir</b> Not cl	lassified based on ava	ailable information.		
STOT Not cl Aspir Not cl <u>Comp</u> Petro	lassified based on ava ration toxicity lassified based on ava ponents:	ailable information. ailable information. 6 64742-47-8 / CAS 64	4741-65-7:	

# **Further information**

<u>Product:</u> Remarks: No data available



Version	Revision Date:	SDS Number:	Date of last issue: 11/04/2020	
2.1	03/29/2023	600000001197	Date of first issue: 09/21/2017	

### SECTION 12. ECOLOGICAL INFORMATION

Toxicity		
Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

### SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

#### 49 CFR

Not regulated as a dangerous good

#### 49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Ethylbenzene	100-41-4	100	100 (F003)
Xylene	1330-20-7	100	100 (F003)
Xylene	1330-20-7	100	*




Version 2.1	Revision Date: 03/29/2023	SDS Number: 600000001197	Date of last issue: 11/04/2020 Date of first issue: 09/21/2017
	halene culated RQ exceeds r	91-20-3 easonably attainable u	ipper limit.
SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.			
SARA	A 311/312 Hazards	: Skin corrosion Serious eye da	or irritation mage or eye irritation
SARA	A 313	known CAS nu	oes not contain any chemical components with mbers that exceed the threshold (De Minimis) s established by SARA Title III, Section 313.

### California Prop. 65

WARNING: This product can expose you to chemicals including Ethylbenzene, Naphthalene, Cumene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16. OTHER INFORMATION**



Revision Date : 03/29/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version	Revision Date:
2.1	03/29/2023

SDS Number: 600000001197

Date of last issue: 11/04/2020 Date of first issue: 09/21/2017

US / EN