



Version 2.1	Revision Date: 03/29/2023		DS Number: 00000001198	Date of last issue: 05/19/2022 Date of first issue: 09/21/2017			
SECTION	SECTION 1. IDENTIFICATION						
Prod	uct name	:	CYCLO RAIN DA	NCE CARN CAR WAX 6/10OZ TUB			
Prod	uct code	:	2540				
	Manufacturer or supplier's of Company name of supplier			LC			
Addr	Address		Dallas TX 75225				
Emai	Email Address		EHS@niteoproducts.com				
Telep	Telephone		1-844-696-4836				
Eme ber	Emergency telephone num- ber		1-800-424-9300 / 1-703-741-5970				
Recommended use of the chemical and restrictions on use							
Reco	Recommended use		WAX				
Restrictions on use		:	Use only outdoor	s or in a well-ventilated area.			

#### SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Skin irritation	:	Category 2			
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)			
Aspiration hazard	:	Category 1			
GHS label elements					
Hazard pictograms	:				
Signal word	:	Danger			
Hazard statements	:	May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.			
Precautionary statements	:	<b>Prevention:</b> Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.			



ersion 1	Revision Date: 03/29/2023	SDS Number: 600000001198	Date of last issue: 05/19/2022 Date of first issue: 09/21/2017
			oughly after handling. ors or in a well-ventilated area. e gloves.
		IF ON SKIN: W IF INHALED: R for breathing. C well. Do NOT induce If skin irritation	ED: Immediately call a POISON CENTER/ doc /ash with plenty of soap and water. temove person to fresh air and keep comfortat Call a POISON CENTER/ doctor if you feel un- e vomiting. occurs: Get medical advice/ attention. minated clothing and wash before reuse.
		<b>Storage:</b> Store in a well- Store locked up	ventilated place. Keep container tightly closed
		<b>Disposal:</b> Dispose of con plant.	tents/ container to an approved waste disposa
	r hazards		
None	known.		

Substance / Mixture

: Mixture

#### Hazardous components

CAS-No.	Concentration (% w/w)
64742-47-8	>= 30 - < 50
56-81-5	>= 1 - < 5
57-11-4	>= 1 - < 5
	64742-47-8 56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Symptoms of poisoning may appear several hours later.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	<ul> <li>Move to fresh air.</li> <li>Consult a physician after significant exposure.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If on clothes, remove clothes.</li> <li>Remove contaminated clothing. If irritation develops, get medical attention.</li> <li>If on skin, rinse well with water.</li> </ul>



Version 2.1	Revision Date: 03/29/2023	SDS Number: 600000001198	Date of last issue: 05/19/2022 Date of first issue: 09/21/2017
			minated clothing before re-use. ion persists, call a physician.
In ca	ase of eye contact	Remove co Protect unh	with water as a precaution. ntact lenses. armed eye. ide open while rinsing.
If swallowed :		Do NOT inc Do not give Never give	ical attention. luce vomiting. milk or alcoholic beverages. anything by mouth to an unconscious person. s persist, call a physician.
	t important symptoms effects, both acute and yed	Causes skir	l if swallowed and enters airways. n irritation. drowsiness or dizziness.

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Avoid breathing dust. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform



Vers 2.1	sion	Revision Date: 03/29/2023		9S Number: 0000001198	Date of last issue: 05/19/2022 Date of first issue: 09/21/2017
		ls and materials for ment and cleaning up	:	acid binder, unive	ities. t absorbent material (e.g. sand, silica gel, rsal binder, sawdust). closed containers for disposal.
SEC	TION 7	. HANDLING AND ST	OR/	AGE	
		on protection against d explosion	:	Normal measures	for preventive fire protection.
	Advice	on safe handling	:	Do not breathe va Do not smoke. Avoid contact with Dispose of rinse v regulations. Container hazardo Smoking, eating a plication area.	air exchange and/or exhaust in work rooms. pours/dust. n skin and eyes. vater in accordance with local and national
	Conditi	ons for safe storage	:	place.	
	Further age sta	information on stor- bility	:	No decompositior	if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum)	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist -	5 mg/m3	OSHA P0



ersion I	Revision Date: 03/29/2023		OS Number: 0000001198		t issue: 05/19/2022 t issue: 09/21/2017	
				respirable fraction)		
Steari	ic acid		57-11-4	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
				TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH
Engir	neering measures	:	ventilation to	maintain exposu below levels that	(general and/or loc re below exposure at cause known, sus	guidelines (if
	onal protective equip	ment				
Respi	ratory protection	:	In the case of proved filter.	vapour formatio	n use a respirator v	with an ap-
Hand	protection					
Re	emarks	:	er). The suita cussed with th	bility for a specif	t your safety equipr ic workplace should the protective glove es, or signs of wea	d be dis- es. Discard
Eye p	rotection	:	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.			
Skin a	and body protection	:	Choose body protection according to the amount and con- centration of the dangerous substance at the work place. Wear as appropriate: Impervious clothing Safety shoes			
Hygie	ne measures	:	practice. When using c	-	od industrial hygier k.	ne and safety

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	light yellow
Odour	:	fruity
Odour Threshold	:	No data available
рН	:	7 - 9
Melting point/range	:	No data available



Version Revision Date: 2.1 03/29/2023	SDS Number:Date of last issue: 05/19/2022600000001198Date of first issue: 09/21/2017
Boiling point/boiling range	: 100 °C
Flash point	: > 93.34 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.95 g/cm3
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Molecular weight	: No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.
Conditions to avoid	:	No data available
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides Silicon oxides



rsion	Revision Date: 03/29/2023	SDS Number: 600000001198	Date of last issue: 05/19/2022 Date of first issue: 09/21/2017
CTION	11. TOXICOLOGICA		
		_	
Inhala Eye co Skin c	ontact ontact	tes of exposure	
Ingest			
	e <b>toxicity</b> assified based on av	ailable information.	
<u>Produ</u>	<u>ict:</u>		
Acute	dermal toxicity		ty estimate: > 5,000 mg/kg lculation method
<u>Comp</u>	oonents:		
Distill	ates (petroleum):		
Acute	oral toxicity	: LD50 (Rat):	> 5,000 mg/kg
Acute	inhalation toxicity	Test atmos Method: OE Assessmen	male and female): Exposure time: 4 h ohere: vapour ECD Test Guideline 403 t: No adverse effect has been observed in ac oxicity tests.
Acute	dermal toxicity		bit): > 2,000 mg/kg t: No adverse effect has been observed in ac city tests.
Glyce	rin:		
-	oral toxicity	· · ·	12,600 mg/kg CD Test Guideline 401
Acute	inhalation toxicity	Exposure ti Test atmos Assessmen	<ul> <li>&gt; 570 mg/m3</li> <li>me: 1 h</li> <li>phere: vapour</li> <li>t: No adverse effect has been observed in activity tests.</li> </ul>
Acute	dermal toxicity	: LD50 (Rabb	bit): > 10 g/kg
Steari	ic acid:		
	oral toxicity		> 5,000 mg/kg CD Test Guideline 401
Acute	dermal toxicity		bit): > 2,000 mg/kg ECD Test Guideline 434

Causes skin irritation.



Version	Revision Date:
2.1	03/29/2023

SDS Number: Date 600000001198 Date

Date of last issue: 05/19/2022 Date of first issue: 09/21/2017

### Product:

Remarks: May cause skin irritation and/or dermatitis.

#### **Components:**

#### Distillates (petroleum):

Result: Irritating to skin.

#### **Glycerin:**

Assessment: No skin irritation Result: No skin irritation

#### Stearic acid:

Species: Rabbit Result: No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### **Components:**

### Distillates (petroleum):

Result: Possibly irritating to eyes

#### **Glycerin:** Result: Possibly irritating to eyes

**Stearic acid:** Species: Rabbit Result: No eye irritation

#### Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

#### **Respiratory sensitisation** Not classified based on available information.

#### Components:

#### Stearic acid:

Test Type: Buehler Test Species: Guinea pig Result: Not a skin sensitizer.

#### Germ cell mutagenicity

Not classified based on available information.



ersion 1	Revision Date: 03/29/2023	SDS Number: 600000001198	Date of last issue: 05/19/2022 Date of first issue: 09/21/2017	
Carci	nogenicity			
	assified based on ava			
IARC	;	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
OSH	A	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.		
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
Repro	oductive toxicity			
Not cl	assified based on ava	ailable information.		
STOT	- single exposure			
May c	ause drowsiness or o	dizziness.		
<u>Comp</u>	oonents:			
Distil	lates (petroleum):			
		owsiness or dizziness.		
	- repeated exposur			
Not cl	assified based on ava	ailable information.		
Aspir	ation toxicity			
May b	be fatal if swallowed a	nd enters airways.		
Com	<u>oonents:</u>			
Dietil	lates (petroleum):			

May be fatal if swallowed and enters airways.

#### **Further information**

### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Toxicity

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

#### SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues

: Dispose of in accordance with all applicable local, state and



Version	Revision Date:	SDS Number:	Date of last issue: 05/19/2022
2.1	03/29/2023	600000001198	Date of first issue: 09/21/2017
Contar	ninated packaging	federal regulatior : Empty remaining Dispose of as un Do not re-use em	contents. used product.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

**49 CFR** Not regulated as a dangerous good

#### 49 CFR

Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure) Aspiration hazard
SARA 313 :	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.




Version	Revision Date:	SDS Number:
2.1	03/29/2023	60000001198

Date of last issue: 05/19/2022 Date of first issue: 09/21/2017

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### SECTION 16. OTHER INFORMATION



Revision Date : 03/29/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN