

Valvoline™ Full Synthetic High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 06/16/2023	Print Date: 06/21/2023
SECTION 1. IDENTIFICATION		
Product name	: Valvoline™ Full Synthetic High Mileage with MaxLi Technology SAE 10W-30 Motor Oil	^f e™
Product code	: VV180	
Manufacturer or supplier's	details	
Company name of supplier	: Valvoline Global Operations	
Address	: 100 Valvoline Way Lexington, KY 40509 United States of America (USA)	
Telephone	: 1-800-TEAMVAL (1-800-832-6825)	
E-mail address	: SDS@valvolineglobal.com	
Emergency telephone number	: +1-800-VALVOLINE (+1-800-825-8654)	
Recommended use of the o	chemical and restrictions on use	
Recommended use	: Motor Oil	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)Not a hazardous substance or mixture.GHS label elements
Not a hazardous substance or mixture.Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Print Date: 06/21/2023

Substance / Mixture : Mixture

Components

Version: 2.0

Chemical name	CAS-No.	Concentration (% w/w)
LUBRICATING OILS, PETROLEUM,	72623-87-1	>= 80 - < 90
C20-50, HYDROTREATED		
DISTILLATES (PETROLEUM),	64742-54-7	>= 1.5 - < 5
HYDROTREATED HEAVY		
PARAFFINIC		

Revision Date: 06/16/2023

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	No symptoms known or expected.
Notes to physician	:	Treat symptomatically.
		No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Hazardous combustion products	:	carbon dioxide and carbon monoxide
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 06/16/2023	Print Date: 06/21/2023
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for fire necessary.	fighting if
SECTION 6. ACCIDENTAL RELI	EASE MEASURES	
Environmental precautions	: If the product contaminates rivers and lakes or d respective authorities.	rains inform

Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.
---	---	--

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED	72623-87-1	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	626 °F / 330 °C (1,013.333333 hPa) Calculated Phase Transition Liquid/Gas
Flash point	:	448 °F / 231 °C



Version: 2.0

SAFETY DATA SHEET

Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Print Date:

5131011. 2.0	i te	VISION Date: 00/10/2023	06/21/2023
		Method: Cleveland open cup	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Self-ignition	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	1.3333333 hPa (68 °F / 20 °C) Calculated Vapor Pressure	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.861 g/cm3	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	70.5 mm2/s (104 °F / 40 °C)	
Oxidizing properties	:	No data available	

Revision Date: 06/16/2023

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.	
Chemical stability	: No decomposition if stored and applied as directed.	
Possibility of hazardous	: Stable under recommended storage conditions.	



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0	Rev	vision Date: 06/16/2023	Print Date: 06/21/2023
reactions		No hazards to be specially mentioned.	
Conditions to avoid	:	None known.	
Incompatible materials	:	Strong oxidizing agents	
Hazardous decomposition products	:	No hazardous decomposition products are known.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

Remarks: No mortality observed at this dose.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5 g/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species	:	Rabbit
Result	:	No skin irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	:	Slight, transient irritation
Remarks	:	Expected based on components.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species	:	Rabbit
Result	:	No eye irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Result	:	No eye irritation
Assessment	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0		Revision Date: 06/16/2023	Print Date: 06/21/2023							
IARC		t of this product present at levels greater than or equal robable, possible or confirmed human carcinogen by IA								
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.									
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.									
Reproductiv	e toxicity									
Not classified	l based on availa	ble information.								
STOT - sing	le exposure									
Not classified	l based on availa	ble information.								
-	ated exposure									
Not classified	l based on availa	ble information.								
Aspiration to	-									
	l based on availa	ble information.								
<u>Components</u>	<u>s:</u>									
	IG OILS, PETRC if swallowed and	DLEUM, C20-50, HYDROTREATED: enters airways.								
	S (PETROLEUM toxicity classifica), HYDROTREATED HEAVY PARAFFINIC: ation								
Further info	rmation									
Product:										
Remarks		: No data available								
SECTION 12. ECOLOGICAL INFORMATION										
Ecotoxicity										
Product:										
Ecotoxicolo	gy Assessment									
Acute aquation		: Not classified based on available information.								
Chronic aqua	tic toxicity	: Not classified based on available information.								



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility						
EL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202						
NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201						
NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l Exposure time: 14 d						
NOEL (Daphnia (water flea)): 10 mg/l Exposure time: 21 d Test substance: WAF Method: OECD Test Guideline 211						
Ecotoxicology Assessment						
Not classified based on available information.						
Not classified based on available information.						
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:						
LL50 (Fish): > 100 mg/l Exposure time: 96 h						
EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h						
EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h						



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

sion: 2.0	Re	evision Date: 06/16/2023	Print Dat 06/21/202
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 10 mg/l	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Aquatic invertebrates): 10 mg/l	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information.	
Chronic aquatic toxicity	:	Not classified based on available information.	
Persistence and degradability	ity		
Components:			
LUBRICATING OILS, PETRO	DLE	EUM, C20-50, HYDROTREATED:	
Biodegradability	:	Result: Not readily biodegradable.	
		Biodegradation: 2 - 4 %	
		Exposure time: 28 d Method: OECD Test Guideline 301B	
Bioaccumulative potential			
Bioaccumulative potential <u>Components:</u>			
Components:	1), H		
Components:	1), H :	Method: OECD Test Guideline 301B	
Components: DISTILLATES (PETROLEUN Partition coefficient: n-	•	Method: OECD Test Guideline 301B	
Components: DISTILLATES (PETROLEUN Partition coefficient: n- octanol/water	•	Method: OECD Test Guideline 301B	
Components: DISTILLATES (PETROLEUN Partition coefficient: n- octanol/water Mobility in soil	•	Method: OECD Test Guideline 301B	
Components: DISTILLATES (PETROLEUM Partition coefficient: n- octanol/water Mobility in soil No data available	•	Method: OECD Test Guideline 301B	
Components: DISTILLATES (PETROLEUM Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects	•	Nethod: OECD Test Guideline 301B HYDROTREATED HEAVY PARAFFINIC: log Pow: Expected > 7 Regulation: 40 CFR Protection of Environment; Part	
Components: DISTILLATES (PETROLEUN Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects Product:	:	Nethod: OECD Test Guideline 301B HYDROTREATED HEAVY PARAFFINIC: log Pow: Expected > 7 Regulation: 40 CFR Protection of Environment; Part Protection of Stratospheric Ozone - CAA Section 60	
Components: DISTILLATES (PETROLEUN Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects Product:	:	AYDROTREATED HEAVY PARAFFINIC: log Pow: Expected > 7 Regulation: 40 CFR Protection of Environment; Part Protection of Stratospheric Ozone - CAA Section 60 Substances	
Components: DISTILLATES (PETROLEUN Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects Product:	:	Argulation: 40 CFR Protection of Environment; Part Protection of Stratospheric Ozone - CAA Section 60 Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defi	02 Class I ned by the
Components: DISTILLATES (PETROLEUN Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects Product:	:	AYDROTREATED HEAVY PARAFFINIC: log Pow: Expected > 7 Regulation: 40 CFR Protection of Environment; Part Protection of Stratospheric Ozone - CAA Section 60 Substances Remarks: This product neither contains, nor was	02 Class I ned by the
Components: DISTILLATES (PETROLEUN Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects Product:	:	Method: OECD Test Guideline 301B HYDROTREATED HEAVY PARAFFINIC: log Pow: Expected > 7 Regulation: 40 CFR Protection of Environment; Part Protection of Stratospheric Ozone - CAA Section 60 Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defi U.S. Clean Air Act Section 602 (40 CFR 82, Subpt.	02 Class I ned by the



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

 Version: 2.0
 Revision Date: 06/16/2023
 Print Date: 06/21/2023

 SARA 313
 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

 Clean Air Act
 This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by

the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED	72623-87-1
Pennsylvania Right To Know	
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED	72623-87-1
PROPRIETARY SUBSTANCE OF OLOA 55603 - 0-276105 HIGHLY REFINED MINERAL OIL (C15 - C50) DISTILLATES (PETROLEUM), HYDROTREATED HEAVY	Not Assigned Not Assigned 64742-54-7

Maine Chemicals of High Concern

PARAFFINIC

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0		Re	vision Date: 06/16/2023		Print Date: 06/21/2023
California	a List of Hazardous				
	DISTILLATES (PETI PARAFFINIC	૨૦	LEUM), HYDROTREATED HEAVY	64742-54-7	
California	a Permissible Expos	ure	e Limits for Chemical Contaminants		
	LUBRICATING OILS	6, P	PETROLEUM, C20-50,	72623-87-1	
		20	LEUM), HYDROTREATED HEAVY	64742-54-7	
The com	ponents of this prod	uc	t are reported in the following invento	ries:	
TCSI		:	On the inventory, or in compliance with	the inventory	
TSCA		:	All substances listed as active on the TS	SCA inventory	/
AIIC		:	Not in compliance with the inventory		
DSL		:	All components of this product are on th	ie Canadian [DSL
ENCS		:	On the inventory, or in compliance with	the inventory	
ISHL		:	Not in compliance with the inventory		
KECI		:	On the inventory, or in compliance with	the inventory	
PICCS		:	On the inventory, or in compliance with	the inventory	
IECSC		:	On the inventory, or in compliance with	the inventory	
NZIoC		:	On the inventory, or in compliance with	the inventory	
TECI		:	Not in compliance with the inventory		

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information




Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/16/2023

Print Date: 06/21/2023



AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Valvoline[™] Full Synthetic High Mileage with MaxLife[™] Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date :

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

06/16/2023

US / EN

Internal information : R0396488