

SAFETY DATA SHEET

1. Identification

Product identifier XL-17 Engine Oil Modifier

Other means of identification

FIR No. 186248

Recommended use Engine oil additive Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company Name Ford Motor Company

Address Attention: MSDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

1-800-392-3673 **Telephone MSDS Information** 1-800-448-2063

msds@brownart.com

Emergency telephone

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. Hazard symbol Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Observe good industrial hygiene practices. Prevention

Response Wash hands after handling.

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. Disposal

Hazard(s) not otherwise

classified (HNOC)

May irritate eyes and skin. May cause irritation of respiratory tract.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|--------------------------|------------|---------|
| CARBON BLACK | | 1333-86-4 | 1 - < 3 |

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

FIR No.: 186248 SDS US Version: 01

Issue Date: 06-22-2015

1/6

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. Ingestion

Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from During fire, gases hazardous to health may be formed. Upon decomposition, this product emits

the chemical carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting Move containers from fire area if you can do so without risk. equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Avoid contact with eyes, skin, and clothing. Avoid inhalation of vapors. In case of spills, beware of slippery floors and surfaces. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid breathing vapor. Avoid prolonged exposure.

Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Value

Form

8. Exposure controls/personal protection

Occupational exposure limits

Components

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| • | • • | |
|----------------------------------|------|-----------|
| CARBON BLACK (CAS 1333-86-4) | PEL | 3.5 mg/m3 |
| US. ACGIH Threshold Limit Values | | |
| Components | Type | Value |

Type

CARBON BLACK (CAS **TWA** 3 mg/m3 Inhalable fraction. 1333-86-4)

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value Type

CARBON BLACK (CAS **TWA** 0.1 mg/m3 1333-86-4)

FIR No.: 186248 SDS US Version: 01

Issue Date: 06-22-2015

2/6

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Use adequate ventilation to control airborne concentrations below the exposure limits/quidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust

ventilation, or other engineering controls to control airborne levels below the recommended

exposure limits/guidelines.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Suitable chemical protective gloves should be worn when the potential exists for prolonged or Hand protection

> repeated skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Nitrile gloves are

recommended. Neoprene gloves are recommended.

Other Wear suitable protective clothing. Wear appropriate chemical resistant clothing if applicable.

If engineering controls do not maintain airborne concentrations to a level which is adequate to Respiratory protection

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Liquid. Physical state

Form VISCOUS LIQUID

Color Black.

Hydrocarbon-like. Odor Not available. **Odor threshold**

Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

Flash point > 390.2 °F (> 199.0 °C) ASTM D93

Evaporation rate < 1 (BuAc=1) Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%)

Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. 0.87 - 0.89

60.08 °F (15.6 °C) Relative density temperature

Solubility(ies)

Relative density

Solubility (water) **INSOLUBLE** Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

FIR No.: 186248 SDS US

Issue Date: 06-22-2015

Version: 01

Other information

Kinematic viscosity > 50 cSt ASTM D445 Kinematic viscosity

temperature

104 °F (40 °C)

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents. Strong reducing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons. Sulfur oxides. Oxides of phosphorus.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Calculated/Test Results Components Species

CARBON BLACK (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

SDS US

Skin corrosion/irritation

Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Carcinogenic effects are not expected as a result of occupational exposure. Base oil severely

> refined: Not carcinogenic in animal studies. Representative material passes IP-346, Modified Ames test, and/or other screening tests. Continuous long term contact with used motor oil has

caused skin cancer in animal tests.

IARC Monographs. Overall Evaluation of Carcinogenicity

CARBON BLACK (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

4/6 Version: 01

Issue Date: 06-22-2015

FIR No.: 186248

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability
No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDon't pollute. Conserve resources. Return used oil to collection centers. Collect and reclaim or

dispose in sealed containers at licensed waste disposal site.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

mptied

14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

IATA

<Unspecified>

Not regulated as dangerous goods.

IMDG

<Unspecified>

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

FIR No.: 186248 SDS US

Issue Date: 06-22-2015

Version: 01

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

CARBON BLACK (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

CARBON BLACK (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

CARBON BLACK (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not applicable.

International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. Other information, including date of preparation or last revision

06-22-2015 Issue date

Version #

Health: 1 **HMIS®** ratings

> Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Preparation Information and

Disclaimer

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer

packaged product labels, the SDS should be followed.

XL-17 Part number(s)

SDS US FIR No.: 186248

6/6

Issue Date: 06-22-2015

Version: 01