SAFETY DATA SHEET



1. Identification

Product identifier	Alkaline Neutralizer
Other means of identification	
FIR No.	152570
Recommended use	Alkaline neutralizer for use on vehicle exterior painted surfaces
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Supplier	
Company Name	Ford Motor Company
Address	Attention: MSDS Information, P.O. Box 1899
	Dearborn, Michigan 48121
	USA
Telephone	1-800-392-3673
MSDS Information	1-800-448-2063
	msds@brownart.com
Emergency telephone	
numbers	
	Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	

Label elements



	\mathbf{v}
Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves. Wear eye/face protection.
Response	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	May cause irritation of respiratory tract.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alcohols, C10-16, ethoxylated, sulfates, sodium salts (>1 <2.5 mol EO)		68585-34-2	10 - < 20
oxalic acid		144-62-7	1 - < 3
SULPHURIC ACID		7664-93-9	1 - < 3

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact medical advice/attention. Wash contaminated clothing before reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. symptoms/effects, acute and delayed Provide general supportive measures and treat symptomatically. Keep victim under observation. Indication of immediate Symptoms may be delayed. medical attention and special treatment needed **General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Should not be released into the environment. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
FIR No.: 152570	SDS US

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid breathing mist. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, Store of the of the storage store of the store of the

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
oxalic acid (CAS 144-62-7)	PEL	1 mg/m3	
SULPHURIC ACID (CAS 7664-93-9)	PEL	1 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
oxalic acid (CAS 144-62-7)	STEL	2 mg/m3	
	TWA	1 mg/m3	
SULPHURIC ACID (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	
oxalic acid (CAS 144-62-7)	STEL	2 mg/m3	
	TWA	1 mg/m3	
SULPHURIC ACID (CAS 7664-93-9)	TWA	1 mg/m3	
ological limit values	No biological exposure limits noted	for the ingredient(s).	
propriate engineering ntrols	Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines.		
lividual protection measures,	such as personal protective equip	nent	
Eye/face protection	Wear safety glasses with side shield	ds (or goggles).	
Skin protection			
Hand protection	Suitable chemical protective gloves repeated skin exposure. The choice but also on other quality features ar are recommended. Nitrile gloves are	of an appropriate glove does n d is different from one producer	ot only depend on its materi
Other	Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant clothing if applicable.		
Respiratory protection	If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Liquid.
Liquid.
Cloudy.
Mild.
Not available.

рН	1.5 ASTM D1293
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	0.1 (BuAc=1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.02
Relative density temperature	70 °F (21.11 °C)
Solubility(ies)	
Solubility (water)	COMPLETE
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivity	
Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous	Hazardous polymerization does not occur.

Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Bases. Reducing agents. Oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Components	Species	Calculated/Test Results	
SULPHURIC ACID (CAS 7664-93-9)			
Acute			
Inhalation			
LC50	Guinea pig	0.018 mg/l, 8 Hours	
FIR No.: 152570		SDS US	

Components	Species		Calculated/Test Results		
	Rat		347 mg/l, 1 Hours		
Oral					
LD50	Rat		2140 mg/kg		
Skin corrosion/irritation	Causes skir	n irritation.			
Serious eye damage/eye irritation	Causes seri	ious eye irritation.			
Respiratory or skin sensitizatio	n				
Respiratory sensitization	Not a respiratory sensitizer.				
Skin sensitization	This produc	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Carcinogenic effects are not expected as a result of occupational exposure.				
IARC Monographs. Overall	Evaluation of	Carcinogenicity			
SULPHURIC ACID (CAS		1 Carcinogenic to	humans.		
OSHA Specifically Regulate	ed Substance	s (29 CFR 1910.1001-1050)			
Not listed. US. National Toxicology Pr	ogram (NTP)	Report on Carcinogens			
SULPHURIC ACID (CAS	• • •	Known To Be Hur	man Carcinogen.		
Reproductive toxicity		t is not expected to cause reproductive	5		
Specific target organ toxicity - single exposure	Not classifie				
Specific target organ toxicity - repeated exposure	Not classifie	ed.			
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.				
12. Ecological information	n				
Ecotoxicity			ecause of the low pH of this product, it would be exposure to aquatic organisms and aquatic		
Ecotoxicity					
Components		Species	Calculated/Test Results		
Alcohols, C10-16, ethoxylate	d, sulfates, soo	lium salts (>1 <2.5 mol EO) (CAS 685	585-34-2)		
Aquatic					
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	2.33 - 4.81 mg/l, 48 hours		
oxalic acid (CAS 144-62-7)					
Aquatic					
Crustacea	EC50	Water flea (Daphnia magna)	125 - 150 mg/l, 48 hours		
SULPHURIC ACID (CAS 766	64-93-9)				
Aquatic					
Fish	LC50	Western mosquitofish (Gambusia	affinis) 42 mg/l, 96 hours		
Persistence and degradability	No data is a	vailable on the degradability of this pr	oduct.		
Bioaccumulative potential	No data ava	ailable.			
Mobility in soil	No data ava	ailable.			
Other adverse effects			ne depletion, photochemical ozone creation otential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditche with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
	with chemical or used container. Dispose of contents/container in accordance with

ocal disposal regulations	Dispose in accordance with all applicable regulations.
azardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
aste from residues / unused oducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
ontaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
4. Transport information	1
т	
Jnspecified>	
UN number	UN1760
UN proper shipping name	CORROSIVE LIQUIDS, N.O.S. (SULFURIC ACID)
Transport hazard class(es	
Class	8
	0
Subsidiary risk Label(s)	- 8
Packing group	
	er Read safety instructions, SDS and emergency procedures before handling.
TA	
Jnspecified>	
UN number	
UN proper shipping name	CORROSIVE LIQUIDS, N.O.S. (SULFURIC ACID)
Transport hazard class(es	
Class	8
Subsidiary risk	
Label(s)	8
Packing group	
Environmental hazards	No.
Special precautions for us Other information	er Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Forbidden.
Cargo aircraft only	Forbidden.
IDG	
Jnspecified>	
UN number	UN1760
UN proper shipping name	CORROSIVE LIQUIDS, N.O.S. (SULFURIC ACID)
Transport hazard class(es	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
_	er Read safety instructions, SDS and emergency procedures before handling.
ansport in bulk according to	
nnex II of MARPOL 73/78 and e IBC Code	



15. Regulatory information

S federal regulations This product is a "Hazardou Standard, 29 CFR 1910.120		us Chemical" as defined by the OSHA Hazard Communication			
TSCA Section 12(b) F					
TSCA Section 12(b) Export Notification (40 CFR 707, S oxalic acid (CAS 144-62-7)				export Notification only.	
CERCLA Hazardous Substance List (40 CFR 302.4)				comparent rectinication only.	
SULPHURIC ACID (CAS 7664-93-9)		Listed.			
SARA 304 Emergency release notification					
SULPHURIC ACID (CAS 7664-93-9)			1000 LBS		
OSHA Specifically Re	gulated Substance	es (29 CFR 1910	.1001-1050)		
Not listed.					
perfund Amendments	and Reauthorizatio	n Act of 1986 (S	SARA)		
Hazard categories		Hazard - Yes			
	Delayed Ha Fire Hazar				
	Pressure H				
	-	Hazard - No			
SARA 302 Extremely					
Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
SULPHURIC ACID	7664-93-9	1000	1000 lbs		
SARA 311/312 Hazaro chemical	dous No				
SARA 313 (TRI report Chemical name	ing)		CAS number	% by wt.	
SULPHURIC ACI			7664-93-9	1 - < 3	
ther federal regulations					
Clean Air Act (CAA) S	Section 112 Hazard	ous Air Polluta	nts (HAPs) List		
Not regulated.					
Clean Air Act (CAA) S	Section 112(r) Acci	dental Release	Prevention (40 CFR 6	8.130)	
	D (CAS 7664-93-9)				
SULPHURIC ACI		ed.			
SULPHURIC ACI Safe Drinking Water A (SDWA)	Act Not regulat				
Safe Drinking Water / (SDWA)	nt Administration (I		sential Chemicals (21	CFR 1310.02(b) and 1	l310.04(f)(2) and

Drug Enforcement Administration (DEA). List 1 &	2 Exempt Chemical Mixtures (21 CFR 1310.12(c))
SULPHURIC ACID (CAS 7664-93-9)	20 %WV
DEA Exempt Chemical Mixtures Code Number	
SULPHURIC ACID (CAS 7664-93-9)	6552
US state regulations	
US. California Controlled Substances. CA Departmen	t of Justice (California Health and Safety Code Section 11100)
Not listed.	
US. Massachusetts RTK - Substance List	
oxalic acid (CAS 144-62-7)	
SULPHURIC ACID (CAS 7664-93-9)	
US. New Jersey Worker and Community Right-to-Kno	w Act
oxalic acid (CAS 144-62-7)	
SULPHURIC ACID (CAS 7664-93-9)	
US. Pennsylvania Worker and Community Right-to-Ki	now Law
oxalic acid (CAS 144-62-7)	
SULPHURIC ACID (CAS 7664-93-9)	
US. Rhode Island RTK	
SULPHURIC ACID (CAS 7664-93-9)	
US. California Proposition 65	
WARNING: This product contains a chemical known	to the State of California to cause cancer.
International Inventories	

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. Other information, including date of preparation or last revision

Issue date	05-12-2015
Version #	01
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 1
NFPA ratings	Health: 2 Flammability: 0 Instability: 1
Preparation Information and Disclaimer	This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product labels, the SDS should be followed.
Part number(s)	ZC-2-A