# **SAFETY DATA SHEET**

10-4072, 89022180 - ACDelco Multi-Purpose Lubricant

### 1. Identification

Product identifier RHEOLUBE 363F

Other means of identification

Product CodeRHEOLUBE 363FRecommended useLubricating GreaseRecommended restrictionsNone known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameNye Lubricants, Inc.Address12 Howland Road

Fairhaven, MA 02719 US

Telephone508-996-6721E-mailNot available.

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity, repeated Category 1

exposure

Aspiration hazard Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be fatal if swallowed and enters airways. May cause allergy or asthma symptoms or

breathing difficulties if inhaled. Causes damage to organs through prolonged or repeated

exposure

**Prevention** Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product.

Response If swallowed: Immediately call a poison center/doctor. Get medical advice/attention if you feel

unwell. Do NOT induce vomiting.

Storage Store locked up.

**Disposal** Dispose of contents/container to in accordance with local regulations Dispose of

contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

**Supplemental information** 

Not applicable.

### 3. Composition/information on ingredients

### **Mixtures**

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Inhalation If symptoms develop, remove affected person from source of exposure into fresh air. Get

immediate medical attention.

**Skin contact** Wash off with soap and water. Get medical attention if symptoms occur. Wash clothingseparately

before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if

irritation develops or persists. Get immediate medical attention.

Material name: RHEOLUBE 363F

#### Ingestion

If ingestion of a large amount does occur, seek medical attention. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do NOT induce vomiting. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis.

Most important symptoms/effects, acute and delayed

Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

**General information** 

media

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Water fog. Foam. Dry chemical. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Move containers from fire area if you can do it without risk. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective

clothing and face mask.

Specific methods

Move containers from fire area if you can do so without risk.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Clean contaminated surface thoroughly. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS. Clean up spills immediately, observing precautions in Protective Equipment section. Sweep up and shovel into suitable containers for disposal.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground. Prevent entry into waterways, sewers, basements or confined areas.

## 7. Handling and storage

Precautions for safe handling

Avoid prolonged or repeated skin contact with this material. Do not handle or store near an open flame, heat or other sources of ignition. Do not take internally. Wash hands before eating. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not breathe gas, fumes, or vapor. Do not breathe mist or vapor. Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. "Empty" containers retain product residue (liquid or vapor) and can be dangerous.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat and sources of ignition. Store in a closed container away from incompatible materials. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the MSDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted foringredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Material name: RHEOLUBE 363F

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

**Hand protection** Not normally needed.

Other Wear suitable protective clothing. Wear nitrile, neoprene, PVC or viton gloves.

**Respiratory protection** An air purifying respirator with an organic vapor cartridge may be used under certain

circumstances where airborne concentrations are expected to exceed exposure limits, or if irritation or symptoms are experienced. Respiratory protection must be provided in accordance with 29 CFR 1910.134. No personal respiratory protective equipment normally required.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands thoroughly

after handling.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Liquid. Semi-solid
Color Off-White, Smooth

**Odor** Slight

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

**Flash point** 510.8 °F (266.0 °C) ASTM D-92

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)
Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Density** 0.89 g/cm3

0.89 g/cm3

Flash point class Combustible IIIB

Kinematic viscosity 51.7 cSt

Kinematic viscosity

temperature

104 °F (40 °C)

Pour point -76 °F (-60 °C)

Shelf life 4 years

Material name: RHEOLUBE 363F

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Stable.

Possibility of hazardous

Conditions to avoid

reactions

No dangerous reaction known under conditions of normal use.

materials.

Incompatible materials Strong acids, alkalies and oxidizing agents. Alkaline metals. Alkaline earth metals. Powdered

metals. Halogenated compounds.

Hazardous decomposition

products

Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen fluoride.

Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible

Carbonyl fluoride.

## 11. Toxicological information

Information on likely routes of exposure

May be fatal if swallowed and enters airways. Ingestion

Inhalation May be fatal if swallowed and enters airways. May cause damage to organs by inhalation.

Skin contact Classification not possible. Knowledge about health hazard is incomplete.

Direct contact with eyes may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

**Acute toxicity** May be fatal if swallowed and enters airways.

Skin corrosion/irritation Classification not possible.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

**Respiratory sensitization** Knowledge about sensitization hazard is incomplete. Skin sensitization Knowledge about sensitization hazard is incomplete.

Germ cell mutagenicity Knowledge about mutagenicity is incomplete.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product Carcinogenicity

Causes damage to organs through prolonged or repeated exposure.

does not contain any carcinogens or potential carcinogens as listed by ACGIH, IARC, OSHA, and

Reproductive toxicity Knowledge about health hazard is incomplete.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May be fatal if swallowed and enters airways. **Aspiration hazard** 

**Chronic effects** Causes damage to organs through prolonged or repeated exposure.

#### 12. Ecological information

**Ecotoxicity** This material is not expected to be harmful to aquaticlife.

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** Mobility in soil

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal,

> whether the product meets RCRA criteria for hazardous waste. Contract with a disposal operator licensed by the Law on Disposal and Cleaning. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: RHEOLUBE 363F

27 Version #: 06 Revision date: June-02-2015 Issue date: November-26-2013

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** 

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

Not regulated as a hazardous material by DOT.

**IATA** 

Not regulated as a dangerous good.

**IMDG** 

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Notapplicable.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

No

hazardous substance

SARA 311/312 Hazardous No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Not regulated.

**US state regulations**This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

**US. Massachusetts RTK - Substance List** 

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

Material name: RHEOLUBE 363F

27 Version #: 06 Revision date: June-02-2015 Issue date: November-26-2013

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
Taiwan	Taiwan Toxic Chemicals Substances Control Act	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date November-26-2013 **Revision date** June-02-2015

Version # 06

**Further information** Not available. **HMIS®** ratings Health: 0 Flammability: 1 Physical hazard: 0

**NFPA** ratings Health: 3 Flammability: 1 Instability: 0

References **ACGIH** 

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Nye Lubricants, Inc. makes no warranty with respect thereto and disclaims all liability with respect thereon. The information in the sheet was written based on the best knowledge and experience

currently available.

Material name: RHEOLUBE 363F 27 Version #: 06 Revision date: June-02-2015 Issue date: November-26-2013