SAFETY DATA SHEET



HI

6200 Grand Pointe Drive Grand Blanc, MI 48439 1-800-223-3526 www.acdelco.com

10-8073, 88864067 - ACDelco Stainless Steel and Chrome Cleaner and Polish

Distributed By:

SECTION 1: IDENTIFICATION

Product Name: Blue B Gone Product Use: Automotive Detailing

Manufacturer/Supplier: SmartWAX 14108 S. Western Ave. Gardena CA, 90249

Telephone Number: 800.295.8070 FAX Number: 310.988.1061 E-mail: sales@smartwax.com Web: www.smartwax.com

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification:

Health Environmental	Physical
Eye Effects – Category 2A (Irritant)	Flammable Liquid – Category 4
Skin Corrosion – Category 3	Explosives – N/A
Acute Toxicity – Category 5 (Oral)	Flammable Gases – N/A
Category 5 (inhalation),	Flammable Aerosols – N/A
Category 5 (dermal)	Oxidizing Gases – N/A
Skin Sensitization – N/A	Gases Under Pressure – N/A
Mutagenicity – N/A	Flammable Solid – N/A
Carcinogenicity- N/A	Self-reactive substances – N/A
Reproductive/Developmental- N/A	Pyrophoric solids – N/A
Target Organ Toxicity – N/A	Self-Heating substances – N/A
Toxicity – N/A	Oxidizing Liquids – N/A
Aspiration Hazard – N/A	Oxidizing Solids – N/A
Environmental Hazards – N/A	Organic Peroxides – N/A
Hazardous to the aquatic environment – N/A	Corrosive to Metal – N/A
	Substances which, in contact with water emit flammable gasses $-N/A$

	Precautionary Statements
▲	General:
	P101 If medical advice is needed, have product or label at hand.
	P102 Keep out of reach of children
	P103 Read label before use.
•	Prevention:
Hazard Statements	P210 Keep away from heat/sparks/open flames/hot surfaces. No
WARNING!	Smoking.
H227 Combustible Liquid.	P280 Wear protective gloves/eye protection/face protection.
H303 May be harmful if swallowed.	P264 Wash thoroughly after handling.
H313 May be harmful in contact with skin.	Response:
H319 Causes serious eye irritation.	P301 + 312 IF SWALLOWED: Call a POISON CONTROL CENTER
H333 May be harmful if inhaled.	or doctor/physician if you feel unwell.
	P304 + P312 + P340 IF INHALED: Remove person to fresh air and
	keep comfortable for breathing. Call a POISON CONTROL
	CENTER or doctor/physician if you feel unwell.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for
	several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
	P337+313 If eye irritation persists get medical advice/attention.
	P370 + P378 IN CASE OF FIRE: Use dry chemical, foam, or carbon
	dioxide to extinguish fire. Water may be ineffective but
	should be used to cool fire-exposed containers, structures
	and to protect personnel. Use water to dilute spills and to
	flush them away from sources of ignition.
	Storage:
	P403 + P235 Store in well-ventilated area. Keep Cool.
	Disposal:
	P501 Dispose of contents/container in accordance with
	local/regional/national/international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Weight %
Isoalkanes	88551-19-9	50 - 100
Water	7732-18-5	≤ 15
Polyethylene Glycol Trimethylnonyl Ether	60828-78-6	≤ 8

Page 3 of 7

Natural Diatomaceous Earth	61790-53-2	≤ 20
Aluminum Oxide	1344-28-1	\leq 38
Amids	68155-20-4	≤ 4
Preservative	4080-31-3	< 1
Fragrance	Proprietary Mixture	≤ 1
Colorant	Proprietary Mixture	< 1

SECTION 4: *FIRST AID MEASURES*

Flush immediately with large amounts of clean water for at least 15 minutes, Eyelids should be held away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.
Rinse area with soap and water. Seek medical attention if any redness or irritation persists
If breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical attention.
Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media:	: Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective but should be used to cool fire-exposed containers, structures and to protect personnel. Use water to dilute spills and to flush them away from sources of ignition.	
Fire Fighting Procedures:	No special protective action for fire fighters are anticipated.	
Unusual Fire and Explosion:	N/A	
Combustion Products:	N/A	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

SECTION 7: HANDLING AND STORAGE

- Handling: Do not get in eyes. Keep container closed. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Keep operating temperatures below ignition temperatures at all times. Chemical resistant splash goggles and chemical resistant gloves are always recommended when using chemicals.
- Storage: Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and incompatibles.
 Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from children.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits:

C12 – C14 Isoalkanes 88551-19-9

Component	Limit	TWA	STEL	Celling/peak	Notation
C12-C14	CPCHEM	1200 mg/m3	NA	NA	C9-C15Alphatics

Engineering Controls: Local exhaust ventilation may be necessary to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source. Provide mechanical ventilation for confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment (PPE):

Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron. A safety shower should be located in the work area.

Respiratory Protection: If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable.

SECTION 9: *PHYSICAL AND CHEMICAL PROPERTIES*

Flashpoint:	\leq 92 °C	Lower Flammability Limit:	No data available
Auto-ignition Temperature:	No data available	Upper Flammability Limit:	No data available
Boiling Point:	\geq 95°C	Volatile Organic Compound:	No data
Melting Point:	No data available	Volatile Organic Compound:	No data
Vapor Pressure:	No data available	Evaporation Rate (Water=1):	No data available
Vapor Density (Air $=$ 1):	No data available	Viscosity:	2500 – 3500 cSt
Solubility:	No soluble in water	pH:	$8 \pm .5$
Pour Point:	Not available	Molecular Weight:	Mixture
Molecular Formula:	Mixture	Spec. Grav. / Density:	8.806 lbs. /gal.
Odor/Appearance:	White cream with mild fruit scent		

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	This material may be reactive with certain agents under certain conditions.
Chemical Stability:	Stable
Possibility of hazardous reactions:	Hazardous polymerization will not occur.
Conditions to avoid:	Keep away from ignition sources, heat, sparks or flames.
Incompatible materials:	Strong acids and oxidizers.
Hazardous Decomposition:	None know.

SECTION 11: TOXICOLOGICAL INFORMATION

Signs and Systems of Exposure: Based on the test data and/or information on the components, this material may produce the following health effects:

Inhalation: Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact: Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects: Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data: If a component is disclosed in section 3 but does not appear in a table below, either no data is available for that endpoint or the data is not sufficient for classification.

Theute Toxicity			
Name	Route	Species	Value
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg
Polyethylene Glycol Trim	Inhalation	-	No data available
Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg
Aluminum Oxide	Oral	-	Conclusive but not sufficient for classification
Aluminum Oxide	Inhalation	-	Conclusive but not sufficient for classification
Aluminum Oxide	Dermal	-	Conclusive but not sufficient for classification
Isoalkanes	Oral	Rat	LD 50 > 5 mg/l
Isoalkanes	Inhalation	Rat	LC 50 > 5.3 mg/l
Isoalkanes	Dermal	Rabbit	LD 50 >2 mg/kg
AMIDS Alkanolamide	Oral	Mouse	LD 50 > 2200 mg/kg
AMIDS Alkanolamide	Inhalation	-	No data available
AMIDS Alkanolamide	Dermal	Rabbit	LD 50 > 12200 mg/kg

Acute Toxicity

Page 6 of 7

Skin Corrosion/Irritation				
Name	Route	Species	Value	
	•	• -		
Serious Eye Damage/Irritation	on			
Name	Route	Species	Value	
	1	1		
Skin Sensitization				
Name	Route	Species	Value	
	1	1 1		
Respiratory Sensitization				
Name	Route	Species	Value	
		I I I		
Germ Cell Mutagenicity				
Name	Route	Species	Value	
		I I I		
Carcinogenicity				
Name	Route	Species	Value	
		~ P • • • • •		
Reproductive Toxicity				
neproductive romeny				
Reproductive and/or Develop	omental Eff	ects		
Name	Route	Species	Value	
Ttuffe	noute	Species	, and	
Target Organ (s)				
runget organ (b)				
Specific Target Organ Toxicity – Single Exposure				
Name	Route	Species	Value	
	1.0410	~Peeres		
Specific Target Organ Toxicity – repeated exposure				
Name	Route	Species	Value	
	noute	Species	T ULUC	
Aspiration Hazard				
Name	Route	Species	Value	
Tullic	Route	species	v uluc	

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish: No Data Acute Toxicity to Aquatic Invertebrates: No Data Environmental Fate and pathways No Data

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

SECTION 14: TRANSPORT INFORMATION

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: ADG7, UN, IATA, IMDG, DOT, DOT CLASS DOT Class: Not Regulated DOT: Cleaning Compound IMDG: Not Regulated ADG7: Not Regulated IATA: Not Regulated

Because this is produced and shipped in several different container sizes as well as domestically and internationally, please consult your transportation specialist for the proper shipping name and class.

SECTION 15: REGULATORY INFORMATION

Hazard Categories: Fire Hazard – No, Pressure Hazard – No, Reactivity Hazard – No, Immediate Hazard – No, Delayed Hazard – No

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 16: OTHER INFORMATION

NFPA Hazardous Classification

Health: 1

Instability: 0

Special Hazard: None

Revision Indicator: SDS Revision # 5/ Issued May 3, 2015

Flammability: 1

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.