

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 04/04/2014 Revision date: 04/04/2014 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

: PENRAY FUEL PREP™ DIESEL FUEL CONDITIONER Product name

Product code 100005

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fuel Prep

Details of the supplier of the safety data sheet

The Penray Companies, Inc. 440 Denniston Ct. 60090 Wheeling, IL T (800) 373-6729 rotto@penray.com

**Emergency telephone number** 1.4.

**Emergency number** : (800) 373-6729

CHEMTREC (800) 424-9300

CHEMTREC International +1 (703) 527-3887 24 hr

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### **GHS-US** classification

Flammable Liquid 3 Acute toxicity 4 (Inhalation) Skin irritation 2 Carcinogenicity 1B Specific target organ toxicity - Single exposure 3 Aspiration hazard 1

#### Label elements

#### **GHS-US** labelling

Signal word (GHS-US)

Hazard pictograms (GHS-US)



GHS07



GHS02 : Danger

Hazard statements (GHS-US) : Flammable liquid and vapor. Harmful if inhaled. Causes skin irritation. May cause cancer. May

cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Precautionary statements (GHS-US) Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If on skin (or hair): Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated

place. Keep cool. Store locked up. Keep container tightly closed. Dispose of contents and container in accordance with all local, regional, national and international regulations.

#### Other hazards

No additional information available

# **Unknown acute toxicity (GHS-US)**

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### **Substance**

Not applicable

04/04/2014 EN (English) Page 1



#### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Kerosene, petroleum	(CAS No) 8008-20-6	60 - 100	Flam. Liq. 3 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
Solvent naphtha, petroleum, heavy aromatic	(CAS No) 64742-94-5	3 - 7	Flam. Liq. 3 Asp. Tox. 1
Solvent naphtha, petroleum, light aromatic	(CAS No) 64742-95-6	1 - 5	Asp. Tox. 1
Pseudocumene	(CAS No) 95-63-6	0.5 - 1.5	Flam. Liq. 3 Acute Tox. 4 (Inhalation) Skin Irrit. 2 Eye Irrit. 2A STOT SE 3
Naphthalene	(CAS No) 91-20-3	0.5 - 1.5	Acute Tox. 4 (Oral, Dermal) Carc. 2
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	0.1 - 1	Flam. Liq. 3 Acute Tox. 4 (Dermal, Inhalation) Skin Irrit. 2
Cumene	(CAS No) 98-82-8	< 0.1	Flam. Liq. 3 Acute Tox. 4 (Oral) Carc. 2

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression.

May cause respiratory tract irritation.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Treat for surrounding material.

Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

# 5.3. Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant

ignition source and flash back. Use water spray to keep fire-exposed containers cool.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

#### 6.2. Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

04/04/2014 EN (English) 2/7



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

#### 6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Avoid breathing gas/mist/vapors/spray. Do not swallow. Handle and open container with care. Use only non-sparking tools. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.

Hygiene measures : Launder

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Store locked up. Keep cool. Keep away from heat, sparks, and flame.

#### 7.3. Specific end use(s)

Not available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Kerosene, petroleum (8008-20-6)			
USA ACGIH	ACGIH TWA (mg/m³)	200 mg/m³	
Pseudocumene (95-63-6)	Pseudocumene (95-63-6)		
USA ACGIH	ACGIH TWA (ppm)	25 ppm	

Naphthalene (91-20-3)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (ppm)	15 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm

Xylenes (o-, m-, p- isomers) (1330-20-7)		
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm)	150 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm

Cumene (98-82-8)		
USA ACGIH	ACGIH TWA (ppm)	50 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	245 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm

#### 8.2. Exposure controls

Appropriate engineering controls :

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal protective equipment

: Avoid all unnecessary exposure.

Hand protection

Wear chemically resistant protective gloves.

Eye protection

: Safety glasses or goggles are recommended when using product.

Skin and body protection

: Wear suitable protective clothing.

Respiratory protection

: A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls

: Maintain levels below Community environmental protection thresholds.

Other information

: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

04/04/2014 EN (English) 3/7



#### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

: Amber. Odour : Petroleum odor. Odour threshold : No data available. : No data available. pН Relative evaporation rate (butylacetate=1) : No data available. : No data available. Melting point Freezing point : No data available. Boiling point : No data available. Flash point : ~ 49 °C (~ 120 °F) Self ignition temperature : No data available. Decomposition temperature : No data available. Flammability (solid, gas) : Flammable. Vapour pressure : No data available. : No data available. Relative vapour density at 20 °C Relative density : 0.815 - 0.835 Solubility : No data available. Log Pow No data available. : No data available. Log Kow Viscosity, kinematic : No data available. : No data available. Viscosity, dynamic Explosive properties : No data available. : No data available. Oxidising properties Explosive limits : No data available.

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under normal storage conditions. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat. Incompatible materials. Open flame.

# 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

100005	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h

Kerosene, petroleum (8008-20-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5.28 mg/l/4h	

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	>2000mg/kg

Solvent naphtha, petroleum, light aromatic (64742-95-6)	
LD50 oral rat	8400 mg/kg
LD50 dermal rabbit	> 2000 mg/kg



# Safety Data Sheet

ccording to the Hazard Communication Standard (CFR29	1910.1200) HazCom 2012.
Solvent naphtha, petroleum, light aromatic (6	34742-95-6)
LC50 inhalation rat (ppm)	3400 ppm/4h
LC50 inhalation rat (mg/l)	> 5.2 mg/l/4h
Pseudocumene (95-63-6)	
LD50 oral rat	2400 mg/kg
LD50 dramal rabbit	3400 mg/kg > 3160 mg/kg
LC50 inhalation rat (mg/l)	18 g/m³/4h
	10 9/11/411
Naphthalene (91-20-3)	
LD50 oral rat	490 mg/kg
LD50 dermal rabbit	> 20 g/kg
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	4300 mg/kg
LD50 dermal rabbit	> 1700 mg/kg
LC50 inhalation rat (mg/l)	47635 mg/l/4h
Cumene (98-82-8)	
LD50 oral rat	1400 mg/kg
LD50 dramal rabbit	> 3160 mg/kg
LC50 inhalation rat (mg/l)	39000 mg/m³/4 h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: May cause cancer.
Naphthalene (91-20-3)	
IARC group	2B
National Toxicity Program (NTP) Status	1,3
	1,0
Yulonge (o- m- n icomore) (4220-20-7)	
Xylenes (o-, m-, p- isomers) (1330-20-7)	
IARC group	3
	3
IARC group	3 2B
IARC group  Cumene (98-82-8)	
IARC group  Cumene (98-82-8)  IARC group	2B
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status	2B 1
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)	2B 1 : Based on available data, the classification criteria are not met.
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)	2B     1     Based on available data, the classification criteria are not met.     May cause drowsiness or dizziness.
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways.
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression.
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation.
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation.
IARC group  Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  12.2. Persistence and degradability	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  12.2. Persistence and degradability  100005  Persistence and degradability	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.  : May cause long-term adverse effects in the aquatic environment.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  12.2. Persistence and degradability  100005  Persistence and degradability  12.3. Bioaccumulative potential	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.  : May cause long-term adverse effects in the aquatic environment.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  12.2. Persistence and degradability  100005  Persistence and degradability  12.3. Bioaccumulative potential  100005	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.  : May cause long-term adverse effects in the aquatic environment.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  12.2. Persistence and degradability  100005  Persistence and degradability  12.3. Bioaccumulative potential  100005  Bioaccumulative potential	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.  : May cause long-term adverse effects in the aquatic environment.
Cumene (98-82-8)  IARC group  National Toxicity Program (NTP) Status  Reproductive toxicity  Specific target organ toxicity (single exposure)  Specific target organ toxicity (repeated exposure)  Aspiration hazard  Symptoms/injuries after inhalation  Symptoms/injuries after skin contact  Symptoms/injuries after eye contact  Symptoms/injuries after ingestion  SECTION 12: Ecological information  12.1. Toxicity  Ecology - general  12.2. Persistence and degradability  100005  Persistence and degradability  12.3. Bioaccumulative potential  100005	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs an cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.  : May cause long-term adverse effects in the aquatic environment.





# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Handle empty containers with care because residual vapours are flammable.

#### **SECTION 14: Transport information**

In accordance with DOT

14.1. UN number

UN-No. : UN1993

14.2. UN proper shipping name

DOT Proper Shipping Name : Flammable liquids, n.o.s. (Kerosene, Petroleum)

Department of Transportation Hazard Classes : 3

Hazard labels



Packing group : III

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

### Kerosene, petroleum (8008-20-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Solvent naphtha, petroleum, heavy aromatic (64742-94-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Solvent naphtha, petroleum, light aromatic (64742-95-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Pseudocumene (95-63-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1.0 %

#### Naphthalene (91-20-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

SARA Section 313 - Emission Reporting 0.1 %

# Xylenes (o-, m-, p- isomers) (1330-20-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1.0 %

#### Cumene (98-82-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

SARA Section 313 - Emission Reporting 1.0 %

#### 15.2. US State regulations

100005
--------

State or local regulations

This product contains chemicals known to the State of California to cause cancer.

04/04/2014 EN (English) 6/7



# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.


# SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

IARC	International Agency for Research on Cancer.
	<ul> <li>1 - Carcinogenic to humans;</li> <li>2A - Probably carcinogenic to humans;</li> <li>2B - Possibly carcinogenic to humans;</li> <li>3 - Not classifiable;</li> <li>4 - Probably not carcinogenic to humans.</li> </ul>
NTP	National Toxicology Program.
	<ul> <li>1 - Evidence of Carcinogenicity;</li> <li>2 - Known Human Carcinogens;</li> <li>3 - Reasonably anticipated to be Human Carcinogen;</li> <li>4 - Substances delisted from report on Carcinogens;</li> <li>5 - Twelfth Report - Items under consideration.</li> </ul>

# **SECTION 16: Other information**

Indication of changes: None.Date of issue: 04/04/2014Other information: None.NFPA health hazard: 2

NFPA fire hazard : 2
NFPA reactivity : 0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

EN (English)

7/7