

Date of issue: 04/04/2014 Revision date: 04/04/2014 Version: 1.0

SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: PENRAY FUEL PREP™ DIESEL FUEL CONDITIONER
Product code	: 100012
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Fuel Prep
1.3. Details of the supplier of the safety d	lata sheet
The Penray Companies, Inc. 440 Denniston Ct. 60090 Wheeling, IL T (800) 373-6729 rotto@penray.com	
1.4. Emergency telephone number	
Emergency number	: (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazards identification	
2.1. Classification of the substance or mi	xture
GHS-US classification	
Flammable Liquid 3 Acute toxicity 4 (Inhalation) Skin irritation 2 Carcinogenicity 1B Specific target organ toxicity - Single exposure 3 Aspiration hazard 1	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Flammable liquid and vapor. Harmful if inhaled. Causes skin irritation. May cause cancer. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
Precautionary statements (GHS-US)	: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If on skin (or hair): Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed. Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
No additional information available	
SECTION 3: Composition/information	n on ingredients
3.1. Substance	
Not applicable	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Name	Product identifier	%	GHS-US classification
Kerosene, petroleum	(CAS No) 8008-20-6	60 - 100	Flam. Liq. 3 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
Solvent naphtha, petroleum, heavy aromatic	(CAS No) 64742-94-5	3 - 7	Flam. Liq. 3 Asp. Tox. 1
Solvent naphtha, petroleum, light aromatic	(CAS No) 64742-95-6	1 - 5	Asp. Tox. 1
Pseudocumene	(CAS No) 95-63-6	0.5 - 1.5	Flam. Liq. 3 Acute Tox. 4 (Inhalation) Skin Irrit. 2 Eye Irrit. 2A STOT SE 3
Naphthalene	(CAS No) 91-20-3	0.5 - 1.5	Acute Tox. 4 (Oral, Dermal) Carc. 2
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	0.1 - 1	Flam. Liq. 3 Acute Tox. 4 (Dermal, Inhalation) Skin Irrit. 2
Cumene	(CAS No) 98-82-8	< 0.1	Flam. Liq. 3 Acute Tox. 4 (Oral) Carc. 2

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measure	25
First-aid measures after inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never giv anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking o the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
4.0 Indication of one immediate me	disal attention and encoded to atmost product

Indication of any immediate medical attention and special treatment needed 4.3. Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Advice for firefighters	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant ignition source and flash back. Use water spray to keep fire-exposed containers cool.

SECTION 6: Accidental release measures			
6.1.	6.1. Personal precautions, protective equipment and emergency procedures		
General	General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.		
6.2.	Methods and material for containme	ent and cleaning up	
For cont	tainment	 Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). 	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Methods for cleaning up	: Scoop up material and place in a di	sposal container. Provide ventilation.	
6.3. Reference to other s	Reference to other sections		
See section 8 for further information	ation on protective clothing and equipment and section 1	3 for advice on waste disposal.	
SECTION 7: Handling a	nd storage		
7.1. Precautions for safe	handling		
Precautions for safe handling	breathing gas/mist/vapors/spray. Do	- No smoking. Avoid contact with skin and eyes. Avoid o not swallow. Handle and open container with care. Use only not eat, drink or smoke. Use only outdoors or in a well-	
Hygiene measures	: Launder contaminated clothing before	pre reuse. Wash hands before eating, drinking, or smoking.	
7.2. Conditions for safe	storage, including any incompatibilities		
Storage conditions	: Keep out of the reach of children. K Store locked up. Keep cool. Keep a	eep container tightly closed and in a well-ventilated place. way from heat, sparks, and flame.	
7.3. Specific end use(s)			
Not available.			
SECTION 8: Exposure c	controls/personal protection		
8.1. Control parameters			
Kerosene, petroleum (8008-2	20-6)		
USA ACGIH	ACGIH TWA (mg/m³)	200 mg/m ³	
Pseudocumene (95-63-6)			
USA ACGIH	ACGIH TWA (ppm)	25 ppm	
Naphthalene (91-20-3)			
USA ACGIH	ACGIH TWA (ppm)	10 ppm	
USA ACGIH	ACGIH STEL (ppm)	15 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 mg/m ³	
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm	
Xylenes (o-, m-, p- isomers)	(1330-20-7)		
USA ACGIH	ACGIH TWA (ppm)	100 ppm	
USA ACGIH	ACGIH STEL (ppm)	150 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	435 mg/m ³	
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm	
Cumene (98-82-8)		50 mm	
USA ACGIH	ACGIH TWA (ppm)	50 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	245 mg/m ³	
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm	
8.2. Exposure controls			
Appropriate engineering control	recommended exposure limits.	xposures (airborne levels of dust, fume, vapor, etc.) below	
Personal protective equipment	: Avoid all unnecessary exposure.		
Hand protection Eye protection	: Wear chemically resistant protective : Safety glasses or goggles are recor	-	
Skin and body protection	: Wear suitable protective clothing.	ninended when dang product.	
Respiratory protection	: A NIOSH approved respirator is rec exposure limits may be exceeded. I	commended in poorly ventilated areas or when permissible Respirator selection must be based on known or anticipated product and the safe working limits of the selected respirator	
Environmental exposure control	-		
Other information		aterial is handled, processed or stored. Wash hands carefully cording to established industrial hygiene and safety practices.	
SECTION 9: Physical an	nd chemical properties		

9.1.	Information on basic physical and c	hemical properties
Physical	state	: Liquid

EN (English)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Colour	: Amber.	
Odour	: Petroleum odor.	
Odour threshold	: No data available.	
рН	: No data available.	
Relative evaporation rate (butylacetate=1)	: No data available.	
Melting point	: No data available.	
Freezing point	: No data available.	
Boiling point	: No data available.	
Flash point	: ~49 °C (~ 120 °F)	
Self ignition temperature	: No data available.	
Decomposition temperature	: No data available.	
Flammability (solid, gas)	: Flammable.	
Vapour pressure	: No data available.	
Relative vapour density at 20 °C	: No data available.	
Relative density	: 0.815 - 0.835	
Solubility	: No data available.	
Log Pow	: No data available.	
Log Kow	: No data available.	
Viscosity, kinematic	: No data available.	
Viscosity, dynamic	: No data available.	
Explosive properties	: No data available.	
Oxidising properties	: No data available.	
Explosive limits	: No data available.	

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
No dangerous reaction known under conditions of	normal use.	
10.2. Chemical stability		
Stable under normal storage conditions. May form	flammable/explosive vapour-air mixture.	
10.3. Possibility of hazardous reactions		
No dangerous reaction known under conditions of	normal use.	
10.4. Conditions to avoid		
Heat. Incompatible materials. Open flame.		
10.5. Incompatible materials		
Strong oxidizing agents.		
10.6. Hazardous decomposition products		
May include, and are not limited to: oxides of carbo	on.	
SECTION 11: Toxicological information	on and a second s	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
100012		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 20 mg/l/4h	
Kerosene, petroleum (8008-20-6)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5.28 mg/l/4h	
Solvent naphtha, petroleum, heavy aromatic	(64742-94-5)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	>2000mg/kg	
Solvent naphtha, petroleum, light aromatic (6	4742-95-6)	
LD50 oral rat	8400 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
04/04/2014	EN (English)	4/7



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Solvent naphtha, petroleum, light aromatic (64742-95-6)	
LC50 inhalation rat (ppm)	3400 ppm/4h
LC50 inhalation rat (mg/l)	> 5.2 mg/l/4h
Pseudocumene (95-63-6)	
LD50 oral rat	3400 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
LC50 inhalation rat (mg/l)	18 g/m³/4h
Naphthalene (91-20-3)	
LD50 oral rat	490 mg/kg
LD50 dermal rabbit	> 20 g/kg
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	4300 mg/kg
LD50 dermal rabbit	> 1700 mg/kg
LC50 inhalation rat (mg/l)	47635 mg/l/4h
Cumene (98-82-8)	
LD50 oral rat	1400 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
LC50 inhalation rat (mg/l)	39000 mg/m³/4 h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: May cause cancer.
Naphthalene (91-20-3)	
IARC group	2B
National Toxicity Program (NTP) Status	1,3
$\frac{1}{1}$	
Xylenes (o-, m-, p- isomers) (1330-20-7)	
Xylenes (o-, m-, p- isomers) (1330-20-7) IARC group	3
IARC group	3
IARC group Cumene (98-82-8)	
IARC group Cumene (98-82-8) IARC group	3 2B 1
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status	2B 1
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity	2B 1 : Based on available data, the classification criteria are not met.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure)	2B 1
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after skin contact	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1.	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general 12.2.	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general 12.2. Persistence and degradability	2B 1 Based on available data, the classification criteria are not met. May cause drowsiness or dizziness. Based on available data, the classification criteria are not met. May be fatal if swallowed and enters airways. Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. May cause long-term adverse effects in the aquatic environment.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general 12.2.	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general 12.2. Persistence and degradability	2B 1 Based on available data, the classification criteria are not met. May cause drowsiness or dizziness. Based on available data, the classification criteria are not met. May be fatal if swallowed and enters airways. Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. May cause long-term adverse effects in the aquatic environment.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general 12.2. Persistence and degradability 100012 Persistence and degradability	2B 1 Based on available data, the classification criteria are not met. May cause drowsiness or dizziness. Based on available data, the classification criteria are not met. May be fatal if swallowed and enters airways. Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. May cause long-term adverse effects in the aquatic environment.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general 12.2. Persistence and degradability 100012 Persistence and degradability 12.3. Bioaccumulative potential	2B 1 Based on available data, the classification criteria are not met. May cause drowsiness or dizziness. Based on available data, the classification criteria are not met. May be fatal if swallowed and enters airways. Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. May cause long-term adverse effects in the aquatic environment.
IARC group Cumene (98-82-8) IARC group National Toxicity Program (NTP) Status Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestion SECTION 12: Ecological information 12.1. Toxicity Ecology - general 12.2. Persistence and degradability 100012 Persistence and degradability 100012	2B 1 : Based on available data, the classification criteria are not met. : May cause drowsiness or dizziness. : Based on available data, the classification criteria are not met. : May be fatal if swallowed and enters airways. : Harmful if inhaled. May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation. : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. : May be fatal if swallowed and enters airways. This product or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. : May cause long-term adverse effects in the aquatic environment. Not established.

EN (English)



afety Data Sheet C

Safety Data Sheet according to the Hazard Communication Standard (CFR:	29 1910.1200) HazCom 2012.
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
UN-No.	: UN1993
14.2. UN proper shipping name	
DOT Proper Shipping Name	: Flammable liquids, n.o.s. (Kerosene, Petroleum)
Department of Transportation Hazard Classes	: 3
Hazard labels	
Packing group	: 111
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	n
15.1. US Federal regulations	
Kerosene, petroleum (8008-20-6)	
Listed on the United States TSCA (Toxic Subs	tances Control Act) inventory
Solvent naphtha, petroleum, heavy aromati	c (64742-94-5)
Listed on the United States TSCA (Toxic Subs	tances Control Act) inventory
Solvent naphtha, petroleum, light aromatic	(64742-95-6)
Listed on the United States TSCA (Toxic Subs	tances Control Act) inventory
Pseudocumene (95-63-6)	
Listed on the United States TSCA (Toxic Subs Listed on SARA Section 313 (Specific toxic ch	
SARA Section 313 - Emission Reporting	1.0 %
Naphthalene (91-20-3)	


SARA Section 313 - Emission Reporting	1.0 %
Naphthalene (91-20-3)	
Listed on the United States TSCA (Toxic Substa Listed on SARA Section 313 (Specific toxic cher	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	0.1 %
Xylenes (o-, m-, p- isomers) (1330-20-7)	
Listed on the United States TSCA (Toxic Substa Listed on SARA Section 313 (Specific toxic cher	
SARA Section 313 - Emission Reporting	1.0 %
Cumene (98-82-8)	
Listed on the United States TSCA (Toxic Substa Listed on SARA Section 313 (Specific toxic cher	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	1.0 %
15.2. US State regulations	
100012	
State or local regulations	This product contains chemicals known to the State of California to cause cancer.



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:		
IARC	International Agency for Research on Cancer.	
	 Carcinogenic to humans; Probably carcinogenic to humans; Possibly carcinogenic to humans; Not classifiable; Probably not carcinogenic to humans. 	
NTP	National Toxicology Program.	
	 Evidence of Carcinogenicity; Known Human Carcinogens; Reasonably anticipated to be Human Carcinogen; Substances delisted from report on Carcinogens; Twelfth Report - Items under consideration. 	

SECTION 16: Other information				
Indication of changes		None.		
Date of issue		04/04/2014		
Other information	:	None.		
NFPA health hazard NFPA fire hazard NFPA reactivity	-	2 2 0		



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

