

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	date: 11/12/2014 Supersedes:08/26/2014 Version:
SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Frade name	: 14378 Odor Buster New Car Scent
Product code	: 14378
.2. Relevant identified uses of the subs	tance or mixture and uses advised against
Jse of the substance/mixture	: Automotive interior odor neutralizer.
.3. Details of the supplier of the safety	data sheet
Tire Seal, Inc. 3574 Corona Street 33461 Lake Worth, Florida - USA T 561-582-2245 - F 561-582-1499 www.supercool.ac	
1.4. Emergency telephone number	
Emergency number	: USA PHONE:1-800-373-7542, INT'L: 1-484-951-2432 DGA/AAG ENVIRONMENTAL CONTRACT: DGA4000-048
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	nixture
Classification (GHS-US)	
Flam. Liq. 2 H225	
Carc. 1A H350	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS02 GHS08 GHS04
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor H350 - May cause cancer
Precautionary statements (GHS-US)	<ul> <li>P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting/ equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P280 - Wear protective gloves/protective clothing/eye protection/face protection P303 + P361 + P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rin skin with water/shower P308 + P313 - If exposed or concerned: Get medical advice/attention P370+P378 - In case of fire: Use BC powder, Foam, Carbon dioxide to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents / container in accordance with local / regional / national / international regulations.</li> </ul>
2.3. Other hazards	
Other hazards not contributing to the classification	: Contains gas under pressure; may burst if heated.
2.4. Unknown acute toxicity (GHS-US)	
No data available	
SECTION 3: Composition/informatio	n on ingredients
3.1. Substance	

### Not applicable

### Full text of H-phrases: see section 16

12/11/2014

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
ethanol	(CAS No) 64-17-5	60 - 100	Flam. Liq. 2, H225
			Carc. 1A, H350
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an un advice (show the label where possible)		f you feel unwell, seek medical
First-aid measures after inhalation	: If inhaled, remove to fresh air. If not bre mouth. If breathing is difficult give oxyg	eathing give artificial en. Get medical atte	respiration, preferably mouth-to- ention.
First-aid measures after skin contact	: Wash material off of the skin with plent sensation develops, get medical attenti	y of soap and water. ion. Wash contamina	. If redness, itching, or a burning ated clothing before reuse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. persist.		
First-aid measures after ingestion	<ul> <li>Rinse mouth with water. Give nothing t medical attention.</li> </ul>	o drink. Do NOT ind	uce vomiting. Get immediate
4.2. Most important symptoms and e	ifects, both acute and delayed		
Symptoms/injuries	: Not expected to present a significant ha	azard under anticipa	ted conditions of normal use.
4.3. Indication of any immediate med	ical attention and special treatment needed		
No additional information available			
SECTION 5: Firefighting measure	3		
5.1. Extinguishing media			
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Wa	ater spray.	
5.2. Special hazards arising from the		. ,	
Fire hazard	: Highly flammable liquid and vapor.		
Explosion hazard	: May form flammable/explosive vapor-a	ir mixture.	
5.3. Advice for firefighters	, , ,		
Firefighting instructions	: Use water spray or fog for cooling expo	osed containers. Exe	ercise caution when fighting any
	chemical fire.		
Protection during firefighting	: Do not enter fire area without proper pr	otective equipment,	including respiratory protection.
<b>SECTION 6: Accidental release m</b>	easures		
6.1. Personal precautions, protective	equipment and emergency procedures		
General measures	: Remove ignition sources. Use special of smoking.	care to avoid static e	electric charges. No naked lights. N
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protect	tion	
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
	otify authorities if liquid enters sewers or public	waters	
6.3. Methods and material for contain Methods for cleaning up	: Soak up spills with inert solids, such as		us earth as soon as possible. Colle
6.4 Deference to other costions	spillage. Store away from other materia	<b>ລ</b> າວ.	
6.4. Reference to other sections See Heading 8. Exposure controls and perso	nal protection.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling Additional hazards when processed	: Handle empty containers with care bec		s are flammable. Pressurized
Precautions for safe handling	<ul> <li>container: Do not pierce or burn, even</li> <li>Wash hands and other exposed areas smoking and when leaving work. Provid of vapor. No naked lights. No smoking.</li> </ul>	with mild soap and v de good ventilation i	n process area to prevent formatio
7.2. Conditions for safe storage, incl	uding any incompatibilities		
Storage conditions	: Do not store above 120°F. Avoid Extre	me heat, open flame	es or sparks.
12/11/2014	EN (English LIS)		2/

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible	products
--------------	----------

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

#### No additional information available

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
2-propanol (67-63-0)			
USA ACGIH	ACGIH TWA (ppm)	200 ppm	
USA ACGIH	ACGIH STEL (ppm)	200 ppm	
8.2. Exposure controls			
Personal protective equipment	: Avoid all unnecessary exposu	re.	
Hand protection		to the specific material handled is advised to prevent skin material: Nitrile, 4.5 mil thickness, tested at 3.5 ml and above er 240 minutes.	
Eye protection	: Chemical goggles or safety gl	asses.	
Respiratory protection	: In case of insufficient ventilation	on, wear suitable respiratory equipment.	
Other information	: Do not eat, drink or smoke du	ring use.	

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Clear.		
Color	: Colorless.		
Odor	: Fruity.		
Odor threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butyl acetate=1)	: <1		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: > 38 °C		
Flash point	: No data available		
Self ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Solubility	: No data available		
Log Pow	: No data available		
Log Kow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Explosive limits	: No data available		
9.2. Other information			
VOC content	: 97.25 %		

### SECTION 10: Stability and reactivity 10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established. Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

12/11/2014

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to reactar register, ren ri, ren co, menaay, n	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperature	s. Open flame.
10.5. Incompatible materials	
Avoid contact with strong oxidizers.	
J	
10.6. Hazardous decomposition products	
Carbon monoxide. Carbon dioxide and hydrocarbo	ons.
<b>SECTION 11: Toxicological informatic</b>	on la
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
2-propanol (67-63-0)	
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE (oral)	5045.000 mg/kg body weight
ATE (dermal)	12870.000 mg/kg body weight
ATE (vapors)	73.000 mg/l/4h
ATE (dust, mist)	73.000 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: May cause cancer.
2-propanol (67-63-0)	
IARC group	3
Reproductive toxicity	: Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
SECTION 12: Ecological information	
12.1. Toxicity	
2-propanol (67-63-0)	
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
EQ50 Destais 4	

4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
> 10000 mg/l (48 h; Daphnia magna)
9640 mg/l (96 h; Pimephales promelas; Lethal)
13299 mg/l (48 h; Daphnia magna)
> 1000 mg/I (72 h; Scenedesmus subspicatus; Growth rate)
1800 mg/l (72 h; Algae; Cell numbers)
Not established.
Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
1.19 g O <sup>2</sup> /g substance
2.23 g O <sup>2</sup> /g substance
2.40 g O <sup>2</sup> /g substance
0.49 % ThOD
Not established.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)	
Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2.4. Mobility in soil	
2-propanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
2.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ne
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14. Transport information	
SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / A	
14.1. UN number	
UN-No.(DOT)	: 1950
UN proper shipping name           DOT Proper Shipping Name	: Aerosols, LTD QTY
Department of Transportation (DOT) Hazard	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Classes	. 2.1 Old33 2.1 Hammable gas 45 OFR 175.115
Hazard labels (DOT)	: Limited Quantity
14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
	10
SECTION 15: Regulatory information	
15.1. US Federal regulations No additional information available	
15.2. International regulations	
CANADA	
14378 Odor Buster New Car Scent	
WHMIS Classification	Class A - Compressed Gas
	Class B Division 1 - Flammable Gas Class B Division 2 - Flammable Liquid
EU-Regulations	
No additional information available	
Cleanification according to Demotetics (TO)	
Classification according to Regulation (EC)	NO. 12/2/2000 [ULM]
Flam. Liq. 2 H225 Muta 1B H240	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Classification according to Directive 67/548/EEC or 1999/45/EC

#### 15.2.2. National regulations

#### 14378 Odor Buster New Car Scent

All components of this product are listed or are not regulated U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

#### 15.3. US State regulations

14378 Odor Buster New Car Scent()	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

2-propanol (67-63-0)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
No	No	No	No	
Petroleum gases, liquefied	Petroleum gases, liquefied, sweetened (68476-86-8)			
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
No	No	No	No	

### **SECTION 16: Other information**

#### Other information

Full text of H-phrases: see section 16:

Carc. 1A	Carcinogenicity Category 1A
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H350	May cause cancer

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	3
NFPA fire hazard	: 3 - Liquids and solids that can be ignited under almost all ambient conditions.	2 0
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	

: None.

SDS US (GHS HazCom 2012) - TSI

This information is furnished without warranty, expressed or implied, except that is accurate to the best knowledge of Tire Seal, Inc. The data on this sheet related only to the specific material designed herein. Tire Seal, Inc. assumes no legal responsibility for the use or reliance upon these data.