

Revision Date 03-Mar-2015

Version 1

SAFETY DATA SHEET

1. IDENTIFICATION		
Product identifier Product Name	HIGH TEMPERATURE THREADLOCKER RED 36ML	
Product Name	HIGH TEMPERATURE THREADLOCKER RED 30ML	
Other means of identification		
Product Code	27240	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Adhesive	
Uses advised against	No information available	
Details of the supplier of the safety	data sheet	
Manufacturer Address	Distributor	
ITW Permatex	ITW Permatex Canada	
10 Columbus Blvd.	35 Brownridge Road, Unit 1	
Hartford, CT 06106 USA	Halton Hills, ON Canada L7G 0C6	
	Telephone: (800) 924-6994	
Company Phone Number	1-87-Permatex	
	(877) 376-2839	
24 Hour Emergency Phone Number	Chem-Tel: 800-255-3924	
5,	International Emergency:	
	00+1+ 813-248-0585	
	Contract Number: MIS0003453	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Warning

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



Physical state Liquid

Odor Musty

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity

63.5% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No	Weight-%	Trade Secret
ETHOXYLATED BISPHENOL A	24448-20-2	40 - 70	*
DIMETHACRYLATE			
HYDROXYALKYL METHACRYLATE	27813-02-1	10 - 30	*
N,N-M-PHENYLENE DIMALEIMIDE	3006-93-7	7 - 13	*
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

36ML			
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation or rash occurs:. Wash contaminated clothing before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Ingestion	IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical,	, Foam		
Unsuitable extinguishing media None.			
Specific hazards arising from the on None in particular.	<u>chemical</u>		
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.		
Protective equipment and precauti As in any fire, wear self-contained bro protective gear.	<u>ions for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective e	equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and ski Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.		
Methods and material for containn	nent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		

Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.	
Conditions for safe storage, includ	ling any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible materials	Strong oxidizing agents, Peroxides, Reducing agent	
8. EX	POSURE CONTROLS/PERSONAL PROTECTION	
Control parameters		
-		
Exposure Guidelines NIOSH IDLH Immediately Dangerou	Is to Life or Health	
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Appropriate engineering controls		
Engineering Controls	Showers Eyewash stations Ventilation systems	
Individual protection measures, su	ich as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	
	9. PHYSICAL AND CHEMICAL PROPERTIES	
Information on basic physical and	chemical properties	
Physical state Appearance	Liquid Red	

Appearance	Red
Odor	Musty
Odor threshold	No information available
Property	Values
pH	Does not apply
Melting point / freezing point	No information available
Boiling point / boiling range	No information available
Flash point	> 93 °C / > 199 °F
Evaporation rate	No information available
Flammability (solid, gas)	No information available

Remarks • Method

Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	No information available No information available No information available >1 1.1 @ 20°C Negligible No information available No information available No information available No information available No information available No information available No information available	Air = 1
Oxidizing properties	No information available	
Other Information Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available <2% No information available No information available	

10. STABILITY AND REACTIVITY

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Peroxides, Reducing agent

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

hemical Name	Oral LD50	Dermal D50	Inhalation I C50	
Ingestion	Ingestion may cause irritation to mucous membranes.			
Skin contact	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.			
Eye contact	Contact with eyes may cau	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.		
Inhalation	May be harmful by inhalation	on.		

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROXYALKYL METHACRYLATE 27813-02-1	= 11200 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-

27240 - HIGH TEMPERATURE THREADLOCKER RED 36ML

N,N-M-PHENYLENE DIMALEIMIDE 3006-93-7	= 1370 mg/kg(Rat)	-	= 55 mg/m³(Rat)4 h
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.
IARC (International Agency for Res	earch on Cancer)

IARC (International Agency for Research on Cancel Not classifiable as a human carcinogen

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	2147 mg/kg
ATEmix (dermal)	4082 mg/kg
ATEmix (inhalation-dust/mist)	7.3 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

95.37452% of the mixture consists of components(s) of unknown hazards to the aquatic environment

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
Γ	HYDROXYALKYL	-	493: 48 h Leuciscus idus melanotus	-
	METHACRYLATE		mg/L LC50 static	
	27813-02-1			
Γ	DIMETHYLBENZYL	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
	HYDROPEROXIDE		mg/L LC50 static	
	80-15-9			

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
HYDROXYALKYL METHACRYLATE	0.97
27813-02-1	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

US EPA Waste Number

Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	-	-	-	U096

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable

14. TRANSPORT INFORMATION

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes

Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	X	X	X
METHACRYLIC ACID 79-41-4	Х	X	Х
1,4-NAPHTHOQUINONE 130-15-4	Х	X	Х
p-Methoxyphenol 150-76-5	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 1	Instability 0	-
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 03-Mar-2015

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet