

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 04/30/2014 Revision date: 04/30/2014 Version: 1.0



| Name | Product identifier | % | GHS-US classification |
|---|----------------------|---------|---|
| Distillates, petroleum, solvent-refined heavy paraffinic | (CAS No) 64741-88-4 | 30 - 60 | Not classified |
| Distillates, petroleum, hydrotreated light naphthenic | (CAS No) 64742-53-6 | 15 - 40 | Not classified |
| Distillates, petroleum, hydrotreated heavy naphthenic | (CAS No) 64742-52-5 | 10 - 30 | Asp. Tox. 1 |
| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts | (CAS No) 68649-42-3 | 1 - 5 | Skin Irrit. 2 Eye Dam. 1 |
| Phenol, (tetrapropenyl) derivatives | (CAS No) 74499-35-7 | 0.1 - 1 | Skin Irrit. 2 Eye Irrit. 2A Repr. 2 |
| Phenol, (tetrapropenyl) derivatives, calcium salts | (CAS No) 132752-19-3 | 0.1 - 1 | Repr. 1B |

04/30/2014



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| Name | Product identifier % GHS-US classification |
|---|--|
| The exact percentage (concentration) of co | omposition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. |
| SECTION 4: First aid measure | 25 |
| 4.1. Description of first aid mea | |
| First-aid measures after inhalation | : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. |
| First-aid measures after skin contact | : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. |
| First-aid measures after eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention. |
| First-aid measures after ingestion | : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never gi anything by mouth to an unconscious person. Get immediate medical advice/attention. |
| 4.2. Most important symptoms | and effects, both acute and delayed |
| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. |
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact. |
| Symptoms/injuries after eye contact | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. |
| Symptoms/injuries after ingestion | : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. |
| I.3. Indication of any immediate | e medical attention and special treatment needed |
| Symptoms may not appear immediately possible). | y. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where |
| SECTION 5: Firefighting meas | sures |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Powder, water spray, foam, carbon dioxide. |
| Insuitable extinguishing media | : Do not use a heavy water stream. |
| 5.2. Special hazards arising from | m the substance or mixture |
| Fire hazard | : Products of combustion may include, and are not limited to: oxides of carbon. |
| 5.3. Advice for firefighters | |
| | |

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.

| SECTI | SECTION 6: Accidental release measures | | | |
|----------|--|-----|---|--|
| 6.1. | Personal precautions, protective eq | uip | ment and emergency procedures | |
| General | measures | : | Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. | |
| 6.2. | Methods and material for containme | nt | and cleaning up | |
| For cont | ainment | : | Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). | |
| Methods | for cleaning up | : | Scoop up material and place in a disposal container. Provide ventilation. | |
| 6.3. | Reference to other sections | | | |
| See sect | tion 8 for further information on protective | e c | lothing and equipment and section 13 for advice on waste disposal. | |
| SECTI | ON 7: Handling and storage | | | |

| | | <u> </u> |
|--|---------------------------------|---|
| 7.1. | Precautions for safe handling | |
| Precaut | ions for safe handling | : Avoid contact with skin and eyes. Avoid breathing gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. |
| Hygiene | measures | : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. |
| 7.2. | Conditions for safe storage, in | ncluding any incompatibilities |
| Storage | conditions | : Keep out of the reach of children. Keep container tightly closed. Store locked up. |
| 7.3. | Specific end use(s) | |
| Not ava | ilable. | |
| SECTION 8: Exposure controls/personal protection | | |
| 8.1. | Control parameters | |



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| | solvent-refined heav | y paraffinic (64741-88-4) | |
|---|-----------------------|---|---|
| USA ACGIH | ACGIH TWA | (mg/m³) | 5 mg/m ³ |
| USA OSHA | OSHA PEL (1 | WA) (mg/m³) | 5 mg/m³ |
| Distillates, petroleum, | hydrotreated light n | aphthenic (64742-53-6) | |
| USA ACGIH | ACGIH TWA | (mg/m³) | 5 mg/m³ |
| USA OSHA | OSHA PEL (1 | WA) (mg/m³) | 5 mg/m ³ |
| Distillates, petroleum, | hydrotreated heavy | naphthenic (64742-52-5) | |
| USA ACGIH | ACGIH TWA | | 5 mg/m³ |
| USA OSHA | OSHA PEL (1 | WA) (mg/m³) | 5 mg/m ³ |
| Phosphorodithioic aci | d, 0,0-di-C1-14-alky | esters, zinc salts (68649-42-3) | |
| USA ACGIH | ACGIH TWA | | Not applicable. |
| USA OSHA | OSHA PEL (1 | WA) | Not applicable. |
| Phenol, (tetrapropeny |) derivatives (74499- | 35-7) | |
| USA ACGIH | ACGIH TWA | ~~ · ; | Not applicable. |
| USA OSHA | OSHA PEL (1 | WA) | Not applicable. |
| | | | |
| Phenol, (tetrapropeny | | n salts (132752-19-3) | |
| USA ACGIH | ACGIH TWA | | Not applicable. |
| USA OSHA | OSHA PEL (1 | WA) | Not applicable. |
| Eye protection Skin and body protection Respiratory protection Environmental exposure Other information | controls | Wear suitable protective clot In case of insufficient ventila be based on known or antici working limits of the selected Maintain levels below Comm Do not eat, smoke or drink who have a selected | tion, wear suitable respiratory equipment. Respirator selection must pated exposure levels, the hazards of the product and the safe |
| SECTION 9: Physic | al and chemical | properties | |
| | h basic physical and | | |
| Physical state | | : Liquid. | |
| Appearance | | : Clear. | |
| Colour | | : Amber. | |
| Odour | | : Petroleum odor. | |
| Ddour threshold | | : No data available. | |
| oH Salating generating and | | : No data available. | |
| Relative evaporation rate | (butylacetate=1) | : No data available. : No data available. | |
| Velting point Freezing point | | : No data available. | |
| Boiling point | | : No data available. | |
| Flash point | | : > 100 °C (> 212 °F) | |
| Self ignition temperature | | : No data available. | |
| Decomposition temperatu | ıre | : No data available. | |
| Flammability (solid, gas) | | : Not flammable. | |
| /apour pressure | | : No data available. | |
| Relative vapour density a | t 20 °C | : No data available. | |
| . , | | | |

Relative density Solubility

EN (English)

: No data available.

: 0.876 - 0.886



Safety Data Sheet

ication Standard (CER29 1910.1200) HazCom 2012. а

| according to the Hazard Communication St | andard (CFR29 1910.1200) HazCom 2012. | |
|--|---------------------------------------|--|
| Log Pow | : No data available. | |
| Log Kow | : No data available. | |
| Viscosity, kinematic | : No data available. | |
| Viscosity, dynamic | : No data available. | |
| Explosive properties | : No data available. | |
| Oxidising properties | : No data available. | |
| Explosive limits | : No data available. | |
| 9.2. Other information | | |
| No additional information available | | |
| SECTION 10: Stability and | reactivity | |
| | | |
| 10.1. Reactivity | | |
| No dangerous reaction known under | conditions of normal use. | |
| 10.2. Chemical stability | | |
| Stable under normal storage condition | ons. | |
| - | | |

10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

10.4. **Conditions to avoid**

Heat. Incompatible materials. Direct sunlight.

Incompatible materials

10.5.

Strong oxidizing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

| Acute toxicity | : Not classified |
|--|---|
| 3112 | |
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 inhalation rat (mg/l) | No data available. |
| Distillates, petroleum, solvent-refined heavy | paraffinic (64741-88-4) |
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 inhalation rat (mg/l) | 2.18 mg/l/4h |
| Distillates, petroleum, hydrotreated light nap | hthenic (64742-53-6) |
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 inhalation rat (mg/l) | 2.18 mg/l/4h |
| Distillates, petroleum, hydrotreated heavy na | phthenic (64742-52-5) |
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| LC50 inhalation rat (mg/l) | > 5 mg/l/4h |
| Methyl alcohol (67-56-1) | |
| LD50 oral rat | 5628 mg/kg |
| LD50 dermal rabbit | 15800 mg/kg |
| LC50 inhalation rat (mg/l) | 83.2 mg/l/4h |
| Skin corrosion/irritation | : Based on available data, the classification criteria are not met. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Reproductive toxicity | : May damage fertility or the unborn child. |
| Specific target organ toxicity (single exposure) | : Based on available data, the classification criteria are not met. |
| Specific target organ toxicity (repeated exposure) | : Based on available data, the classification criteria are not met. |

: May be fatal if swallowed and enters airways.

Aspiration hazard



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. |
|--------------------------------------|--|
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitisation by skin contact. |
| Symptoms/injuries after eye contact | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. |
| Symptoms/injuries after ingestion | : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. |

| SECTI | ON 12: Ecological information | |
|-----------|--------------------------------|---|
| 12.1. | Toxicity | |
| Ecology | - general | May cause long-term adverse effects in the aquatic environment. |
| 12.2. | Persistence and degradability | |
| 3112 | | |
| Persist | ence and degradability | Not established. |
| 12.3. | Bioaccumulative potential | |
| 3112 | | |
| Bioaccu | umulative potential | Not established. |
| 12.4. | Mobility in soil | |
| No additi | ional information available | |
| 12.5. | Other adverse effects | |
| No additi | ional information available | |
| SECTI | ON 13: Disposal considerations | |
| 13.1. | Waste treatment methods | |

Waste disposal recommendations

: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

| SECTION 14: Transport information | | |
|-----------------------------------|---|--|
| In accordance with DOT | | |
| 14.1. UN number | | |
| Not applicable | | |
| 14.2. UN proper shipping name | | |
| Not applicable | | |
| 14.3. Additional information | | |
| Other information | : No supplementary information available. | |
| Special transport precautions | : Do not handle until all safety precautions have been read and understood. | |

| SECTION 15: Regulatory information | | |
|---|--|--|
| 15.1. US Federal regulations | | |
| | | |
| Distillates, petroleum, solvent-refined heavy paraff | inic (64741-88-4) | |
| Listed on the United States TSCA (Toxic Substances C | Control Act) inventory | |
| Distillates, petroleum, hydrotreated light naphthen | ic (64742-53-6) | |
| Listed on the United States TSCA (Toxic Substances C | Control Act) inventory | |
| Distillates, petroleum, hydrotreated heavy naphthe | nic (64742-52-5) | |
| Listed on the United States TSCA (Toxic Substances C | Control Act) inventory | |
| Phosphorodithioic acid, 0,0-di-C1-14-alkyl esters, | zinc salts (68649-42-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Phenol, (tetrapropenyl) derivatives (74499-35-7) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Phenol, (tetrapropenyl) derivatives, calcium salts (132752-19-3) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| 15.2. US State regulations | | |
| 3112 | | |
| State or local regulations | This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. | |



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

| SOURCE AGENCY CARCINOGEN CLASSIFICATIONS: | | |
|---|--|--|
| IARC | International Agency for Research on Cancer. | |
| | Carcinogenic to humans; Probably carcinogenic to humans; Possibly carcinogenic to humans; Not classifiable; Probably not carcinogenic to humans. | |
| NTP | National Toxicology Program. | |
| | Evidence of Carcinogenicity; Known Human Carcinogens; Reasonably anticipated to be Human Carcinogen; Substances delisted from report on Carcinogens; Twelfth Report - Items under consideration. | |

| SECTION 16: Other information | | |
|---|---|-------------|
| Indication of changes | : | None. |
| Date of issue | : | 04/30/2014 |
| Other information | : | None. |
| NFPA health hazard NFPA fire hazard NFPA reactivity | | 2 1 0 |



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

