Trade Name:

MSDS NO. Revision Date: Date Printed Johnsens Engine Degreaser, 12 oz. 4645 ^{09/05/2008} 12/30/2008

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Synonyms: Emergency Telephone (24 hr.): Johnsens Engine Degreaser, 12 oz. None CHEMTREC 1-800-424-9300

Supplier:

Technical Chemical Company, P.O. Box 139, Cleburne, Texas 76033

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | Weight % | OSHA TWA | OSHA STEL | OSHA SKIN |
|--|----------|------------|------------|------------|
| Butane 106-97-8 | 1-3 | Not Listed | Not Listed | Not Listed |
| 2-Butoxyethanol 111-76-2 | 7-11 | Not Listed | Not Listed | Not Listed |
| NP-9 Surfactant | 2-4 | Not Listed | Not Listed | Not Listed |
| Heavy Aromatic Naphtha 68477-31-6 | 8-12 | Not Listed | Not Listed | Not Listed |
| Propane 74-98-6 | 1-3 | Not Listed | Not Listed | Not Listed |
| Ethoxylated Branch Alcohol 78330-19-5 | 2-7 | Not Listed | Not Listed | Not Listed |
| NP-4 Surfactant | 0.5-2 | Not Listed | Not Listed | Not Listed |
| Nonylphenol Ethoxylate 9016-45-9 | <2 | Not Listed | Not Listed | Not Listed |
| DeTrope CA-100 Mixture | <2 | Not Listed | Not Listed | Not Listed |

| Component | Weight % | OSHA Z PEL | OSHA Z TWA | OSHA Z Ceiling |
|--|----------|---------------------------------|---------------------------------|------------------------------|
| Butane 106-97-8 | 1-3 | Not Listed | 1900 mg/m ³ 800 ppm | Not Listed |
| 2-Butoxyethanol 111-76-2 | 7-11 | Not Listed | Not Listed | 120 mg/m ³ 25 ppm |
| NP-9 Surfactant | 2-4 | Not Listed | Not Listed | Not Listed |
| Heavy Aromatic Naphtha 68477-31-6 | 8-12 | Not Listed | Not Listed | Not Listed |
| Propane 74-98-6 | 1-3 | 1800 mg/m ³ 1000 ppm | 1800 mg/m ³ 1000 ppm | Not Listed |
| Ethoxylated Branch Alcohol 78330-19-5 | 2-7 | Not Listed | Not Listed | Not Listed |
| NP-4 Surfactant | 0.5-2 | Not Listed | Not Listed | Not Listed |
| Nonylphenol Ethoxylate 9016-45-9 | <2 | Not Listed | Not Listed | Not Listed |
| DeTrope CA-100 Mixture | <2 | Not Listed | Not Listed | Not Listed |

| Trade Name: MSDS NO. Revision Date: Date Printed | Johnsens Engine Degre 4645 09/05/2008 12/30/2008 | aser, 12 oz. | |
|---|---|----------------|-------------------|
| Component | ACGIH TLV TWA | ACGIH TLV STEL | ACGIH TLV Ceiling |
| Butane 106-97-8 | 1000 ppm | Not Listed | Not Listed |
| 2-Butoxyethanol 111-76-2 | 20 ppm | Not Listed | Not Listed |
| NP-9 Surfactant | Not Listed | Not Listed | Not Listed |
| Heavy Aromatic Naphtha 68477-31-6 | Not Listed | Not Listed | Not Listed |
| Propane 74-98-6 | 1000 ppm | Not Listed | Not Listed |
| Ethoxylated Branch Alcohol 78330-19-5 | Not Listed | Not Listed | Not Listed |
| NP-4 Surfactant | Not Listed | Not Listed | Not Listed |
| Nonylphenol Ethoxylate 9016-45-9 | Not Listed | Not Listed | Not Listed |
| DeTrope CA-100 Mixture | Not Listed | Not Listed | Not Listed |

3. HAZARDS IDENTIFICATION

Emergency Overview:

Content under pressure. Keep away from heat, sparks and flame. Causes respiratory irritation. Possible redness and defatting may result from prolonged skin exposure to this matieral. Ingestion of this product may cause gastrointestinal distress with symptoms of nausea, vomiting, diarrhea and abdominal pain. Gross inhalation overexposure may cause: respiratory track irritation, kidney damage, blood, liver damage, lung damage and central nervous system depression. Causes moderate eye irritation. This material is a skin irritant.

HMIS Classification: NFPA Rating: Health: *2 Flammability: 4 Physical Hazard: 2 Health: 3 Flammability: 4 Reactivity: 0

4. FIRST AID MEASURES

| Eye Contact: | In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing. |
|---------------|--|
| Ingestion: | Get immediate medical attention. Induce vomiting immediately as directed by medical personnel. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. If vomiting occurs, keep head lower than hips to prevent aspiration. |
| Inhalation: | If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention. |
| Skin Contact: | Wash with soap and water for 15 minutes. If irritation persists or signs of toxicity occur, seek medical attention. Remove contaminated clothing and shoes, and launder before reuse. |

5. FIRE FIGHTING MEASURES

Flammable Properties

| Flash Point °F(°C): Flash Point Method: Flammable Limits in Air - Lower (%): Flammable Limits in Air - Upper (%): Autoignition Temperature °F(°C): Extinguishing Media: Protection Of Fire-Fighters: | -200 F (Propellant) TAG Closed Cup 1.1% Not Determined 460 F (Lowest Component) Dry chemical. Carbon dioxide. Use water spray to keep containers cool that are exposed to heat or flames. Foam. |
|--|---|
| Special Fire-Fighting Procedures: | Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Vapor may |
| Hazardous Combustion Products: | cause flash fire. Carbon Dioxide. Carbon Monoxide. |

Trade Name:

MSDS NO. **Revision Date:**

Date Printed

Johnsens Engine Degreaser, 12 oz. 4645 09/05/2008 12/30/2008

FIRE FIGHTING MEASURES 5.

Aerosol Comments:

NFPA Level 1 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Spill Procedures: Action to be taken if material is released or spilled:

Environmental Precautions:

Wear appropriate protective clothing and equipment to prevent skin and eye contact. Contain any liquid from leaking containers. Avoid all sources of ignition; heat, sparks and open flames. Do not puncture or incinerate container. Contents under pressure. Wear proper protective equipment as specified in the protective equipment section. Remove sources of ignition. Leaking containers should be removed to an isolated, well-ventilated area and transferred to other suitable containers. Wipe, scrape, or soak up in an inert material and put in a container intended for flammable materials for disposal. Do not allow to enter sanitary drains, sewer or surface and subsurface waters. Keep out of lakes, ponds or streams

HANDLING AND STORAGE 7.

Handling and Storage:

Caution: Contents under pressure. Keep away from heat and open flame. Use only in a well ventilated area. Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Avoid contact with skin and eyes. Do not puncture, incinerate or store above 120 F. Exposure to high temperatures may cuase bursting. DO NOT store in the passenger compartment of an automobile.

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

Engineering Controls: Use in a well ventilated area. Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Eyes: Chemical goggles; also wear a face shield if splashing hazard exists. Skin Protection: Avoid skin contact. Wear protective clothing and gloves. **Respiratory Protection:** Do not breath mist or vapor. Use in a well ventilated area. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: Odor: |
|----------------------------|
| pH Value: |
| Vapor Pressure: |
| Vapor Density (Air=1): |
| Boiling Point (°F): |
| Melting/Freezing Point: |
| Solubility in Water: |
| Bulk Density at 20°C: |
| Molecular Weight: |
| Specific Gravity (H20=1): |
| Viscosity: |
| Evaporation Rate: |
| VOC Content(%): |
| Decomposition Temperature: |

Colorless to light yellow liquid SLIGHT ALCŎHÓL 9.0 Not Determined Not Determined Not Determined Not Determined. Solubility in Water: Not Determined Mixture .98 @ 60 F (liquid) Not Determined. Not Determined Not determined. Not Determined

STABILITY AND REACTIVITY 10.

| Chemical Stability: Conditions to Avoid: | STABLE. Keep away from heat,sparks and flame. Avoid any source of ignition. Do not expose to heat or store at temperatures above 120 F. |
|---|---|
| Materials to Avoid: | Contact with oxidizing agents. |
| Hazardous Decomposition Products: | Carbon monoxide. Carbon dioxide. Oxides of nitrogen. |
| Hazardous Polymerization: | WILL NOT OCCUR |

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Trade Name: MSDS NO. Revision Date: Date Printed Johnsens Engine Degreaser, 12 oz. 4645 09/05/2008 12/30/2008

| Component | Route | Species | Dose |
|--|------------|---------|--------------------------------|
| Butane 106-97-8 | NA | NA | LC50 658 gm/m ³ /4H |
| 2-Butoxyethanol | Inhalation | Rats | Not known. |
| 111-76-2 NP-9 Surfactant | Inhalation | Rats | Not known. |
| Heavy Aromatic Naphtha 68477-31-6 | Inhalation | Rats | Not known. |
| Propane 74-98-6 | NA | NA | Not known. |
| Ethoxylated Branch Alcohol 78330-19-5 | Inhalation | Rats | Not known. |
| NP-4 Surfactant | Inhalation | Rats | Not known. |
| Nonylphenol Ethoxylate 9016-45-9 | Inhalation | Rats | Not known. |
| DeTrope CA-100 Mixture | Inhalation | Rats | Not known. |

Carcinogenicity:

| Component | IARC | NTP | OSHA |
|--|------------|------------|------------|
| Butane | Not Listed | Not Listed | Not Listed |
| 106-97-8 2-Butoxyethanol | Not Listed | Not Listed | Not Listed |
| 111-76-2 | | | |
| NP-9 Surfactant | Not Listed | Not Listed | Not Listed |
| Heavy Aromatic Naphtha 68477-31-6 | Not Listed | Not Listed | Not Listed |
| Propane 74-98-6 | Not Listed | Not Listed | Not Listed |
| Ethoxylated Branch Alcohol 78330-19-5 | Not Listed | Not Listed | Not Listed |
| NP-4 Surfactant | Not Listed | Not Listed | Not Listed |
| Nonylphenol Ethoxylate 9016-45-9 | Not Listed | Not Listed | Not Listed |
| DeTrope CA-100 Mixture | Not Listed | Not Listed | Not Listed |

12. ECOLOGICAL INFORMATION

Remarks:

Ecological testing has not been conducted on this product.

13. DISPOSAL CONSIDERATION

Waste Classification: Waste Management: Disposal Method: Not determined. Not determined. Disposal should be made in accordance with federal, state and local regulations.

Trade Name:

MSDS NO. Revision Date: Date Printed

4645 09/05/2008 12/30/2008

14. TRANSPORTATION INFORMATION

U.S. DOT:

Proper Shipping Name: Hazard Class: UN/NA Number: DOT Packing Group: ORM-D CONSUMER COMMODITY ORM-D Not Applicable Not Applicable

Johnsens Engine Degreaser, 12 oz.

IMDG:

| Proper Shipping Name: | Aeroslols (Limited Quantity) |
|-----------------------|------------------------------|
| Hazard Class: | 2.1 |
| Hazard Subclass: | Not determined. |
| UN No.: | UN1950 |
| Packing Group: | PG II |
| Marine Pollutant: | No |
| | |

15. REGULATORY INFORMATION

US Federal Regulations:

| Component | SARA 313 | SARA 302 | TPQ | RQ | |
|--|------------|------------|------------|------------|--|
| Butane | Not Listed | Not Listed | Not Listed | Not Listed | |
| 106-97-8 | | | | | |
| 2-Butoxyethanol | Not Listed | Not Listed | Not Listed | Not Listed | |
| 111-76-2 | | | | | |
| NP-9 Surfactant | Not Listed | Not Listed | Not Listed | Not Listed | |
| | | | | | |
| Heavy Aromatic Naphtha | Not Listed | Not Listed | Not Listed | Not Listed | |
| 68477-31-6 | Not Listed | Not Listed | Not Listed | Not Listed | |
| Propane | NOL LISTED | NOT LISTED | NOL LISIEU | NOT LISTED | |
| 74-98-6 | Not Listed | Not Listed | Not Listed | Not Listed | |
| Ethoxylated Branch Alcohol 78330-19-5 | Not Listed | Not Elotod | Not Elotod | Not Eloted | |
| NP-4 Surfactant | Not Listed | Not Listed | Not Listed | Not Listed | |
| | | | | | |
| Nonylphenol Ethoxylate | Not Listed | Not Listed | Not Listed | Not Listed | |
| 9016-45-9 | | | | | |
| DeTrope CA-100 | Not Listed | Not Listed | Not Listed | Not Listed | |
| Mixture | | | | | |

US OSHA HEALTH CLASSIFICATION: SARA 311/312 Hazard Catagories: Hazardous per OSHA 29 CFR 1910.1200 Not Determined.

State Regulations:

| Trade Name: MSDS NO. Revision Date: Date Printed | Johnsens Engi 4645 09/05/2008 12/30/2008 | ne Degreaser, 12 oz. | | |
|---|---|--|--|--|
| Component | California Prop. 65 Cancer list | California - Prop 65 Developmental Toxicity | California Prop. 65 Reproductive Female | California Prop. 65 Reproductive Male |
| Butane 106-97-8 | Not Listed | Not Listed | Not Listed | Not Listed |
| 2-Butoxyethanol 111-76-2 | Not Listed | Not Listed | Not Listed | Not Listed |
| NP-9 Surfactant | Not Listed | Not Listed | Not Listed | Not Listed |
| Heavy Aromatic Naphtha 68477-31-6 | Not Listed | Listed. | Listed. | Not Listed |
| Propane 74-98-6 | Not Listed | Not Listed | Not Listed | Not Listed |
| Ethoxylated Branch Alcohol 78330-19-5 | Not Listed | Not Listed | Not Listed | Not Listed |
| NP-4 Surfactant | Not Listed | Not Listed | Not Listed | Not Listed |
| Nonylphenol Ethoxylate 9016-45-9 | Not Listed | Not Listed | Not Listed | Not Listed |
| DeTrope CA-100 Mixture | Not Listed | Not Listed | Not Listed | Not Listed |

| Component | New Jersey Right-to-Know List: |
|-----------------------------|--|
| Butane 106-97-8 | Substance no. 0273 Substance no. 2422 Substance no. 2423 Substance no. 2425 Substance no. 2426 Substance no. 2427 Substance no. 2428 Substance no. 2428 Substance no. 2429 Substance no. 2430 |
| 2-Butoxyethanol 111-76-2 | Substance no. 0275 |
| Propane 74-98-6 | Substance no. 2422 Substance no. 2423 Substance no. 2425 Substance no. 2426 Substance no. 2427 Substance no. 2428 Substance no. 2429 Substance no. 2430 Substance no. 1594 |

 U.S. TSCA:
 One or more components of this product is not listed on the TSCA Inventory.

 Canadian Inventory:
 One or more components of this product is not listed on the Canadian DSL or NDSL Inventory.

 Consumer Product Safety Improvement Act of 2008 General Conformity Certification
 One or more components of this product is not listed on the Canadian DSL or NDSL Inventory.

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

| Trade Name: |
|----------------|
| MSDS NO. |
| Povision Data: |

Date Printed

Johnsens Engine Degreaser, 12 oz. 4645 09/05/2008 12/30/2008

16. OTHER INFORMATION

General Notes: Disclaimer: Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system. The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.