

Date of issue: 05/02/2014 Revision date: 05/02/2014 Version: 1.0

SECTION 1: Identification of the su	bstance/mixture and of the company/u	Indertaking	
1.1. Product identifier			
Product name	: PENRAY NOX-ICE		
Product code	: 5113		
1.2. Relevant identified uses of the sub	ostance or mixture and uses advised against		
Use of the substance/mixture	: Gas line antifreeze.		
1.3.         Details of the supplier of the safet           The Penray Companies, Inc.         440 Denniston Ct.           60090 Wheeling, IL         7 (800) 373-6729           rotto@penray.com         1000000000000000000000000000000000000	y uata sheet		
1.4. Emergency telephone number			
Emergency number	: (800) 373-6729 CHEMTREC (800) 424-9300 CHEMTREC International +1 (703) 527-3887	24 hr	
<b>SECTION 2: Hazards identification</b>			
2.1. Classification of the substance or	mixture		
GHS-US classification			
Flammable Liquid 2 Eye irritation 2A Specific target organ toxicity - Single exposure Aspiration hazard 1	3		
2.2. Label elements			
Hazard pictograms (GHS-US)		>	
Signal word (GHS-US)	GHS02 GHS07 GHS08 : Danger		
Hazard statements (GHS-US)	<ul> <li>Highly flammable liquid and vapor. Causes so dizziness. May be fatal if swallowed and enter</li> </ul>		on. May cause drowsiness or
Precautionary statements (GHS-US)	Keep away from heat/sparks/open flames/hot closed. Ground/Bond container and receiving electrical/ventilating/lighting equipment. Use of measures against static discharge. Wear prot hands thoroughly after handling. Avoid breatt a well-ventilated area. If on skin (or hair): Tak water/shower. If in eyes: Rinse cautiously wit lenses, if present and easy to do. Continue rii advice/attention. If inhaled: Remove person to a poison center/doctor if you feel unwell. If sw Do NOT induce vomiting. Keep cool. Store in closed. Store locked up. Dispose of contents national and international regulations.	surfaces. – No s equipment. Use only non-sparkin ective gloves/ey ing gas/mist/vap e off immediatel h water for sever nsing. If eye irrita o fresh air and ko vallowed: Immed a well-ventilated	e explosion-proof g tools. Take precautionary e protection/face protection. Wash pors/spray. Use only outdoors or in y all contaminated. Rinse skin with ral minutes. Remove contact ation persists: Get medical eep comfortable for breathing. Call liately call a poison center/doctor. d place. Keep container tightly
2.3. Other hazards			
No additional information available			
<b>SECTION 3: Composition/informati</b>	on on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification

Name	Product identifier	%	GHS-US classification
Isopropanol	(CAS No) 67-63-0	60 - 100	Flam. Liq. 2 Eye Irrit. 2A STOT SE 3
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	0.1 - 1	Flam. Liq. 3 Acute Tox. 4 (Dermal, Inhalation) Skin Irrit. 2



## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Name		Product identifier	%	GHS-US classification	
The exact percentage (concentration) of compositio	The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.				
SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures after inhalation	:	If inhaled, remove to fresh air. If not breathing give oxygen. Get medical advice/attention if y		espiration. If breathing is difficult,	
First-aid measures after skin contact	:	In case of contact, immediately flush skin with develops and persists.	plenty of water	. Call a physician if irritation	
First-aid measures after eye contact	:	In case of contact, immediately flush eyes with do, remove contact lenses, if worn. If irritation			
First-aid measures after ingestion	:	If swallowed, do NOT induce vomiting unless anything by mouth to an unconscious person.			
4.2. Most important symptoms and effe	ects	, both acute and delayed			
Symptoms/injuries after inhalation	:	May cause drowsiness, dizziness and central tract irritation.	nervous system	n depression. May cause respirato	
Symptoms/injuries after skin contact	:	May cause skin irritation. Symptoms may inclusion.	ude redness, dry	ying, defatting and cracking of the	
Symptoms/injuries after eye contact	:	Causes serious eye irritation. Symptoms may tear production, with marked redness and swe			
Symptoms/injuries after ingestion	:	May be fatal if swallowed and enters airways. cause chemical pneumonitis. May cause stor		, , ,	
		cause enernical pricurionitis. May cause stori	10011 01311 035, 110	addea of vorniting.	

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	e extinguishing media	: Powder, foam, carbon dioxide.
Unsuita	ble extinguishing media	: Do not use a heavy water stream.
5.2.	Special hazards arising from the s	ostance or mixture
Fire ha	zard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3.	Advice for firefighters	
Protect	ion during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distan ignition source and flash back. Use water spray to keep fire-exposed containers cool.

SECTION 6: Accidental release measures			
6.1.	Personal precautions, protective equi	pment and emergency procedures	
General	measures :	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.	
6.2.	Methods and material for containment	and cleaning up	
For cont	ainment :	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods	for cleaning up :	Scoop up material and place in a disposal container. Provide ventilation.	
6.3.	Reference to other sections		
See sec	tion 8 for further information on protective of	clothing and equipment and section 13 for advice on waste disposal.	
SECTI	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Precauti	ons for safe handling :	Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Avoid breathing gas/mist/vapors/spray. Do not swallow. Handle and open container with care. Use only non-sparking tools. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.	
Hygiene	measures :	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.	
7.2.	Conditions for safe storage, including	any incompatibilities	
Storage	conditions :	Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Store locked up. Keep cool. Keep away from heat, sparks, and flame.	
7.3.	Specific end use(s)		

05/02/2014



## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### **SECTION 8: Exposure controls/personal protection**

8.1.	Control	parameters

Isopropanol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

Xylenes (o-, m-, p- isomers) (1330-20-7)		
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm)	150 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm

#### 8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.

: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully

before eating or smoking. Handle according to established industrial hygiene and safety practices.

Environmental exposure controls Other information

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	hemical properties
Physical state	: Liquid.
Appearance	: Clear.
Colour	: Colourless.
Odour	: Solvent.
Odour threshold	: No data available.
рН	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: ~82 °C (~180 °F)
Flash point	: ~ 12 °C (~ 54 °F)
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Flammable.
Vapour pressure	: ~31.58 mm Hg @ 20 °C (68 °F)
Relative vapour density at 20 °C	: > 1 (Air = 1)
Relative density	: 0.780 - 0.795
Solubility	: Soluble.
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: 1.1 - 12 vol %
9.2. Other information	
No additional information available	

EN (English)



### Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

0			
SECT	ION 10: Stability and reactivity		
10.1.	Reactivity		
No dan	gerous reaction known under conditions of normal use.		
10.2.	Chemical stability		
Stable under normal storage conditions. May form flammable/explosive vapour-air mixture.			
10.3.	Possibility of hazardous reactions		
No dangerous reaction known under conditions of normal use.			
10.4.	Conditions to avoid		
Heat. Incompatible materials. Open flame.			
10.5.	Incompatible materials		
Strong oxidizing agents.			
10.6.	Hazardous decomposition products		
May inc	May include, and are not limited to: oxides of carbon.		

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects	
Acute toxicity	Not classified
5113	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
Isopropanol (67-63-0)	
LD50 oral rat	4396 mg/kg
LD50 dermal rat	12800 mg/kg
LD50 dermal rabbit	12870 mg/kg
LC50 inhalation rat (mg/l)	72.6 mg/l/4h
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	4300 mg/kg
LD50 dermal rabbit	> 1700 mg/kg
LC50 inhalation rat (ppm)	5000 ppm/4h
LC50 inhalation rat (mg/l)	47635 mg/l/4h
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.

IARC group	3				
Xylenes (o-, m-, p- isomers) (1330-20-7)					
IARC group	3				
Reproductive toxicity	: Based on available data, the classification criteria are not met.				
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.				
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.				
Aspiration hazard	: May be fatal if swallowed and enters airways.				
Symptoms/injuries after inhalation	: May cause drowsiness, dizziness and central nervous system depression. May cause respiratory tract irritation.				
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.				
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.				
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.				

# SECTION 12: Ecological information 12.1. Toxicity Ecology - general : May cause long-term adverse effects in the aquatic environment.

Isopropanol (67-63-0)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

12.2. Persistence and degradability	
5113	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
5113	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
<b>SECTION 13: Disposal consideration</b>	S
13.1. Waste treatment methods	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
UN-No.	UN1219
14.2. UN proper shipping name	
Proper Shipping Name	: Isopropanol
Department of Transportation Hazard Classes	: 3
Hazard labels	
Packing group (DOT)	: 11
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
SECTION 15: Regulatory information	
15.1. US Federal regulations	

15.1. US rederal regulations					
Isopropanol (67-63-0)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)					
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.				
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)				
Xylenes (o-, m-, p- isomers) (1330-20-7)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)					
SARA Section 313 - Emission Reporting	1.0 %				
15.2. US State regulations					
5113					
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.				


#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

IARC	International Agency for Research on Cancer.
	1 - Carcinogenic to humans; 2A - Probably carcinogenic to humans;
	2B - Possibly carcinogenic to humans; 3 - Not classifiable:
	4 - Probably not carcinogenic to humans.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

IARC	International Agency for Research on Cancer.	
NTP	National Toxicology Program.	
	<ol> <li>Evidence of Carcinogenicity;</li> <li>Known Human Carcinogens;</li> <li>Reasonably anticipated to be Human Carcinogen;</li> <li>Substances delisted from report on Carcinogens;</li> <li>Twelfth Report - Items under consideration.</li> </ol>	

SECTION 16: Other information					
Indication of changes	:	None.			
Date of issue	:	04/21/2014			
Other information	:	None.			
NFPA health hazard NFPA fire hazard NFPA reactivity	: : :	2 3 0			



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

