

FVP FULL SYNTHETIC 5W-20 MOTOR OIL - 5 QUART

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 28-Nov-2023 Revision Date 28-Nov-2023 Revision Number 1

1. Identification

Product identifier

Product Name FVP Full Synthetic 5W-20 Motor Oil - 5 Quart

Other means of identification 5W-20

Product Code(s) 5W20FS-5QT

Synonyms Full synthetic Engine oil, lubricant

Recommended use of the chemical and restrictions on use

Recommended use Engine oil

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address Supplier adress:

Pinnacle Oil Holdings, LLC. Factory Motor Parts

8175-B Allison Ave. 1380 Corporate Center Curve, Suite 200

Indianapolis, IN 46268 **Eagan, MN 55121** 317-875-9465

www.pinnoil.com

E-mail

sds@pinnoil.com

Emergency telephone number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

Emergency telephone 1-800-424-9300 (NORTH AMERICA)

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015).

Label elements

Hazard statements

Not classified.

Other information

May be harmful in contact with skin.

(M)SDS Number Page 1 / 10

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Synonyms Engine oil, lubricant

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	0 - 87.15	-	-
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	27.15 - 87.15	-	-
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	0 - 87.15	-	-
Paraffin oils, petroleum, catalytic dewaxed heavy	64742-70-7	0.44 - 0.89	-	-
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9	0.44 - 0.89	-	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	0.44 - 0.89	-	-
Phosphorodithioic acid, O,O-diisooctyl ester, zinc salt	28629-66-5	0 - 0.61	-	-
Succinic anhydride, octadecenyl	28777-98-2	0.09 - 0.44	-	-
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis (phosphorodithioate)	2215-35-2	0 - 0.25	-	-

Revision Date: 28-Nov-2023

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur.

Skin contact Wash skin with soap and water. Get medical attention if symptoms occur.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

(M)SDS Number Page 2 / 10

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the

chemical

None known based on information supplied.

Hazardous combustion products Carbon oxides.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Revision Date: 28-Nov-2023

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid breathing vapors or mists. Ensure adequate ventilation. Use personal protective

equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containmentStop leak if you can do it without risk. Move containers from spill area.

Methods for cleaning up Wash spillages into an effluent treatment plant or proceed as follows: Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see

Section 13).

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of

ignition.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Protect from direct sunlight. Store away from incompatible materials. Keep away from food, drink and animal feeding stuffs. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

8. Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

(M)SDS Number Page 3 / 10

exposure limits established by the region specific regulatory bodies.

Revision Date: 28-Nov-2023

Appropriate engineering controls

Engineering controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Prevent entry into waterways, sewers, basements or confined areas.

Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or General hygiene considerations

clothing. Wash hands before eating, drinking or smoking.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Amber Color

Mild Petroleum Odor

Odor threshold No information available

Remarks • Method **Property** Values No data available pН No data available Melting point / freezing point Initial boiling point and boiling range No data available

> 220 °C / > 428.0 °F

Flash point

Evaporation rate No data available **Flammability** No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

@ 20 °C Vapor pressure < 0.1 mmHg

Relative vapor density No data available

0.84 - 0.855 Relative density Water solubility Insoluble in water

Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available **Decomposition temperature** No data available

Kinematic viscosity > 35 cSt @ 40 °C: ASTM D445 Dynamic viscosity No data available

Other information

(M)SDS Number Page 4/10 Explosive properties
Oxidizing properties
No information available.
No information available.
No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Incompatible materials.

Incompatible materials Oxidizing materials.

Hazardous decomposition products Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. May be harmful in contact

Revision Date: 28-Nov-2023

with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known.

Acute toxicity .

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

 ATEmix (oral)
 > 5,000 mg/kg

 ATEmix (dermal)
 > 2,000 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
Distillates (petroleum), hydrotreated	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-

(M)SDS Number Page 5 / 10

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
heavy paraffinic			
Paraffin oils, petroleum, catalytic dewaxed heavy	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Distillates, petroleum, solvent-dewaxed light paraffinic	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5399 mg/m³ (Rat) 4 h
Distillates (petroleum), solvent-dewaxed heavy paraffinic	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m³ (Rat) 4 h
Phosphorodithioic acid, O,O-diisooctyl ester, zinc salt	= 2000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Zinc	2000 - 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 2 mg/L (Rat) 1 h
O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis (phosphorodithioate)			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The classification listed below for the petroleum distillates in this product pertains to those

that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates

Revision Date: 28-Nov-2023

in this product do not meet that criteria to be classified as carcinogens.

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical name	ĂCGÍH	IARC	NTP	OSHA
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	A2	Group 1	Known	X
Paraffin oils, petroleum, catalytic dewaxed heavy 64742-70-7	A2	Group 1	Known	X
Distillates, petroleum, solvent-dewaxed light paraffinic 64742-56-9	A2	Group 1	Known	Х
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

(M)SDS Number Page 6 / 10

Aspiration hazard

No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Lubricating oils (petroleum),	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
C20-50, hydrotreated neutral oil-based 72623-87-1		Oncorhynchus mykiss)		Daphnia magna)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based 72623-86-0	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Distillates, petroleum, solvent-dewaxed light paraffinic 64742-56-9	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Zinc O,O,O',O'-tetrakis(1,3-dimethylb utyl) bis (phosphorodithioate) 2215-35-2	EC50: 1.0 - 5.0mg/L (96h, Pseudokirchneriella subcapitata)	LC50: >100mg/L (96h, Pimephales promelas) LC50: 25 - 50mg/L (96h, Pimephales promelas)	-	EC50: 4.0 - 6.0mg/L (48h, Daphnia magna)

Revision Date: 28-Nov-2023

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Phosphorodithioic acid, O,O-diisooctyl ester, zinc salt 28629-66-5	2.87
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis (phosphorodithioate) 2215-35-2	2.21

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California waste information This product contains one or more substances that are listed with the State of California as

a hazardous waste.

(M)SDS Number Page 7/10

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Revision Date: 28-Nov-2023

Chemical name	SARA 313 - Threshold Values %
Phosphorodithioic acid, O,O-diisooctyl ester, zinc salt - 28629-66-5	1.0
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis (phosphorodithioate) - 2215-35-2	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphorodithioic acid, O,O-diisooctyl ester, zinc salt 28629-66-5	-	X	-	-
Zinc O,O,O',O'-tetrakis(1,3-di methylbutyl) bis (phosphorodithioate) 2215-35-2	-	X	-	-

(M)SDS Number Page 8 / 10

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Revision Date: 28-Nov-2023

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates, petroleum, solvent-dewaxed light paraffinic 64742-56-9	-	Х	-
Paraffin oils, petroleum, catalytic dewaxed heavy 64742-70-7	-	Х	-
Phosphorodithioic acid, O,O-diisooctyl ester, zinc salt 28629-66-5	Х	-	Х
Zinc O,O,O',O'-tetrakis(1,3-dimethylb utyl) bis (phosphorodithioate) 2215-35-2	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 0 Flammability 1 Instability 0 Special hazards - HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

(M)SDS Number Page 9 / 10

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 28-Nov-2023

Revision Date 28-Nov-2023

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date: 28-Nov-2023

End of Safety Data Sheet

(M)SDS Number Page 10 / 10