

Valvoline<sup>™</sup> High Mileage with MaxLife<sup>™</sup> Technology SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 06/14/2023	Print Date: 06/21/2023
SECTION 1. IDENTIFICATION		
Product name	: Valvoline™ High Mileage with MaxLife™ Technolog 10W-30 Motor Oil	Y SAE
Product code	: 797976	
Manufacturer or supplier's	details	
	: Valvoline Global Operations	
Address	: 100 Valvoline Way Lexington, KY 40509 United States of America (USA)	
Telephone	: 1-800-TEAMVAL (1-800-832-6825)	
E-mail address	: SDS@valvolineglobal.com	
Emergency telephone number	: +1-800-VALVOLINE (+1-800-825-8654)	

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023

#### Components

CAS-No.	Concentration (% w/w)
64742-54-7	>= 50 - < 60
64742-54-7	>= 30 - < 40
64742-55-8	>= 1 - < 1.5
	64742-54-7 64742-54-7

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	No symptoms known or expected.
Notes to physician	:	No hazards which require special first aid measures.
		Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing	:	High volume water jet



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 06/14/2023 Pi   06 06		
media			
Hazardous combustion products	: carbon dioxide and carbon monoxide		
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to lo circumstances and the surrounding environment.	ocal	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefightin necessary.	ng if	

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

#### Personal protective equipment

Respiratory protection	No personal respiratory protective equipme required.	ent normally
Eye protection	Safety glasses	
Skin and body protection	Protective suit	
Hygiene measures	General industrial hygiene practice.	

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	amber
Odour	:	mild
Odour Threshold	:	No data available



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Version: 2.0	Re	vision Date: 06/14/2023	Print Date: 06/21/2023
рН	:	No data available	
Melting point/freezing point	:	No data available	
Boiling point/boiling range	:	> 424 °F / > 218 °C (1013 hPa)	
Flash point	:	> 390 °F / > 199 °C	
		Method: Cleveland open cup	
Evaporation rate	:	< 1	
Flammability (solid, gas)	:	No data available	
Self-ignition	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	< 1.0 mmHg (68 °F / 20 °C)	
Relative vapour density	:	> 1 AIR=1	
Relative density	:	No data available	
Density	:	0.863 g/cm3 (60.1 °F / 15.6 °C)	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	ca. 70 mm2/s (104 °F / 40 °C)	
Oxidizing properties	:	No data available	



Valvoline<sup>™</sup> High Mileage with MaxLife<sup>™</sup> Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	excessive heat
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result

: Slight, transient irritation

#### **Components:**

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Global		
rsion: 2.0	Revision Date: 06/14/2023	Print Dat 06/21/202
Assessment Result	<ul><li>Slight, transient irritation</li><li>Slight, transient irritation</li></ul>	
HYDROTREATED LI	GHT PARAFFINIC DISTILLATE:	
Assessment	: Slight, transient irritation	
Result	: Slight, transient irritation	
Serious eye damage	/eye irritation	
Not classified based of	on available information.	
Product:		
Result	: Slight, transient irritation	
Remarks	: Expected based on components.	
Components:		
DISTILLATES (PETR	OLEUM), HYDROTREATED HEAVY PARAFFINIC:	
Result Assessment	<ul><li>No eye irritation</li><li>No eye irritation</li></ul>	
Result	COLEUM), HYDROTREATED HEAVY PARAFFINIC: : No eye irritation	
Assessment	: No eye irritation	
HYDROTREATED LI	GHT PARAFFINIC DISTILLATE:	
Result	: Slight, transient irritation	
Assessment	: Slight, transient irritation	
Respiratory or skin	sensitisation	
Skin sensitisation		
Not classified based of	on available information.	
Respiratory sensitis	ation	
Not classified based of	on available information.	
Germ cell mutagenie	sity	
Not classified based of	on available information.	
Carcinogenicity	on available information.	
Components:		
•	CLEUM), HYDROTREATED HEAVY PARAFFINIC:	20/ (Deculation
Carcinogenicity -	: Classified based on DMSO extract content <	3% (Regulation

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

	Revision Date: 06/14/2023	Print Date 06/21/202
Assessmen	t (EC) 1272/2008, Annex VI, Part 3, Note L)	
DISTILLAT	ES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:	
Carcinogeni Assessmen		3% (Regulation
HYDROTRE	EATED LIGHT PARAFFINIC DISTILLATE:	
Carcinogeni Assessmen		3% (Regulation
IARC	Group 1: Carcinogenic to humans Distillates (petroleum), solvent-dewaxed heavy paraffinic (Mineral oils, untreated or mildly treated)	64742-65-0
OSHA	No component of this product present at levels greater than or on OSHA's list of regulated carcinogens.	equal to 0.1% is
NTP	Known to be human carcinogen Distillates (petroleum), solvent-dewaxed heavy paraffinic (Mineral Oils: Untreated and Mildly Treated)	64742-65-0
Reproducti	-	
	ed based on available information. gle exposure	
-	ed based on available information.	
-	eated exposure ed based on available information.	
Aspiration	toxicity	
Not classifie	ed based on available information.	
<u>Componen</u>	ts:	
	ES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:	
	on toxicity classification	
No aspiratio	on toxicity classification EATED LIGHT PARAFFINIC DISTILLATE: I if swallowed and enters airways.	
No aspiratio	EATED LIGHT PARAFFINIC DISTILLATE: I if swallowed and enters airways.	



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023

#### SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity
-------------

Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified based on available information.

Chronic aquatic toxicity	:	Not classified based on available information.
--------------------------	---	--

#### **Components:**

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 10 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Aquatic invertebrates): 10 mg/l

#### Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Ecotoxicology Assessment		
Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

Giubai			
Version: 2.0	Re	evision Date: 06/14/2023	Print Date: 06/21/2023
HYDROTREATED LIGHT P	٩RA	FFINIC DISTILLATE:	
Ecotoxicology Assessment	:		
Acute aquatic toxicity	:	Not classified based on available information.	
Chronic aquatic toxicity	:	Not classified based on available information.	
Persistence and degradabi	lity		
Bioaccumulative potential			
Components:			
Partition coefficient: n-	<b>//), ⊢</b> ∶	IYDROTREATED HEAVY PARAFFINIC: log Pow: Expected > 7	
octanol/water			
Mobility in soil			
No data available			
Other adverse effects			
Product:			
Ozone-Depletion Potential	:	Protection of Stratospheric Ozone - CAA Section 6 Substances	
		Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as def U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. B).	
Additional ecological information	:	No data available	

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### UNRTDG



Valvoline<sup>™</sup> High Mileage with MaxLife<sup>™</sup> Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

#### **National Regulations**

49 CFR Not regulated as a dangerous good

#### Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazard	S	
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodit hioate	2215-35-2	>= 0.1 - < 1 %
		Zinc, bis[O,O- bis(2-ethylhexyl) phosphorodithioa to-S,S']-, (T-4)-	4259-15-8	>= 0.1 - < 1 %



Valvoline<sup>™</sup> High Mileage with MaxLife<sup>™</sup> Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023

< 0.1 %

PHOSPHORODI 84605-29-8 THIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTY L AND ISO-PR) ESTERS, ZINC SALTS

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### US State Regulations

#### Massachusetts Right To Know HYDROTREATED LIGHT PARAFFINIC DISTILLATE 64742-55-8 Pennsylvania Right To Know DISTILLATES (PETROLEUM), HYDROTREATED HEAVY 64742-54-7 PARAFFINIC DISTILLATES (PETROLEUM), HYDROTREATED HEAVY 64742-54-7 PARAFFINIC **PROPRIETARY SUBSTANCE OF HITEC 11188 -**Not Assigned 000000276110 HYDROTREATED LIGHT PARAFFINIC DISTILLATE 64742-55-8 Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) 2215-35-2 bis(phosphorodithioate Distillates, petroleum, solvent-refined heavy paraffinic 64741-88-4 Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0 Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4259-15-8 4)-DISTILLATES (PETROLEUM), SOLVENT-DEWAXED 64742-65-0 **HEAVY PARAFFINIC**



Valvoline™ High Mileage with MaxLife™ Technology SAE 10W-30 Motor Oil

/ersion: 2.0	Revision Date: 06/14/2023		Print Date: 06/21/2023		
	PHOSPHORODITHIOIC ACID, MIXED 0,0-BIS(1,3- DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS	84605-29-8			
	DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC (<3 % DMSO EXTRACT)	64742-65-0			
	DIPHENYLAMINE	122-39-4			
Maine Cl	Maine Chemicals of High Concern				
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7			
	PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS	84605-29-8			
	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0			
	DIPHENYLAMINE	122-39-4			
Vermont	Chemicals of High Concern				
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7			
	PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS	84605-29-8			
	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0			
	DIPHENYLAMINE	122-39-4			
Washing	ton Chemicals of High Concern				
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7			
	PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS	84605-29-8			
	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0			
	DIPHENYLAMINE	122-39-4			
Californi	a List of Hazardous Substances				
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7			
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7			
Californi	a Permissible Exposure Limits for Chemical Contaminants				
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7			
	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7			
The com	ponents of this product are reported in the following invent	ories:			
TCSI	: On the inventory, or in compliance with	n the inventory	,		
TSCA	: All substances listed as active on the T	SCA inventor	у		



Valvoline<sup>™</sup> High Mileage with MaxLife<sup>™</sup> Technology SAE 10W-30 Motor Oil

Version: 2.0	Revision Date: 06/14/2023	Print Date: 06/21/2023
AIIC	: Not in compliance with the inventory	
DSL	: All components of this product are on the Canadian I	DSL
ENCS	: On the inventory, or in compliance with the inventory	
KECI	: On the inventory, or in compliance with the inventory	
PICCS	: On the inventory, or in compliance with the inventory	
IECSC	: On the inventory, or in compliance with the inventory	
NZIoC	: On the inventory, or in compliance with the inventory	

### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

**Further information** 




Valvoline<sup>™</sup> High Mileage with MaxLife<sup>™</sup> Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023



#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
		Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration;



Valvoline<sup>™</sup> High Mileage with MaxLife<sup>™</sup> Technology SAE 10W-30 Motor Oil

Version: 2.0

Revision Date: 06/14/2023

Print Date: 06/21/2023

NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Revision Date** 

: 06/14/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Internal information : R0355563