

# SAFETY DATA SHEET

Revision Date 29-Mar-2021

Version 2

1. IDENTIFICATION				
Product identifier				
Product Name	Rain-X Lubricant			
Other means of identification				
Product Code	11176			
Document	SKU 800001809			
Recommended use of the chemica				
Recommended Use	Lubricant			
Uses advised against	No information available			
Details of the supplier of the safety	/ data sheet			
Supplier Address	Manufacturer Address	Distributor		
ITW Global Brands				
16200 Park Row, Suite 120				
Houston, TX 77084				
	May Also Be Distributed by:			
	ITW Permatex Canada			
	101-2360 Bristol Circle			
Oakville, ON Canada L6H 6M5				
Company Phone Number	Telephone: (800) 924-6994 1-855-888-1988			
24-hour emergency phone number				
(CHEMTREC) 1-800-424-9300 or 1-7				
(RMPDC) 1-877-504-9352 (U.S.)				

E-mail address: SDS@itwgb.com

# 2. HAZARDS IDENTIFICATION

# **Classification**

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Carcinogenicity	Category 1B	
Flammable liquid and vapor	Category 3	

# Label elements

**Emergency Overview** 

<u>Signal word</u> Danger

May cause cancer Combustible liquid



## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid contact with eyes and respiratory system

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

# Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Keep out of reach of children

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information Causes mild skin irritation.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
WATER	7732-18-5	60 - 100
ISOPROPYL ALCOHOL	67-63-0	1 - 5
2-BUTOXYETHANOL	111-76-2	1 - 5

# 4. FIRST AID MEASURES

## Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		

Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.			
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.			
Most important symptoms and effe	ects, both acute and delayed			
Symptoms	See section 2 for more information.			
Indication of any immediate medica	al attention and special treatment needed			
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media Dry chemical, CO2, sand, earth, wate Unsuitable extinguishing media	r spray or regular foam			
None				
Specific hazards arising from the c Will not burn or support combustion.	hemical			
Explosion data   Sensitivity to Mechanical Impact None.   Sensitivity to Static Discharge None.				
Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective e	quipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.			
Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
Methods and material for containm	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
	7. HANDLING AND STORAGE			
Precautions for safe handling				
Advice on safe handling	Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.			

# Conditions for safe storage, including any incompatibilities

# Storage Conditions

Keep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of children.

Incompatible materials

None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ISOPROPYL ALCOHOL	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	_
2-BUTOXYETHANOL	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	_
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

# Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses or goggles if splashing is likely to occur.	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	None under normal use conditions. Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1. Information on basic physical a</u> Physical state Appearance Odor Odor threshold	and chemical properties Liquid Clear Colorless Alcohol No information available	
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	Values3.0 - 4.0No information available>82 °C / 181 °F60 °CNo information availableNo information available	<u>Remarks • Method</u>

Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Hyphen Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

Other Information Softening point Molecular weight Density Bulk density SADT (self-accelerating decomposition temperature) 1.0 @ 25 °C Soluble in water No information available No information available

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

# Reactivity

Stable under normal use

#### <u>Chemical stability</u> Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

# Conditions to avoid

Keep from freezing.

#### Incompatible materials None known

Hazardous Decomposition Products

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
WATER	> 90 mL/kg (Rat)	-	-	
7732-18-5				
ISOPROPYL ALCOHOL	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> (Rat) 4 h	
67-63-0				
2-BUTOXYETHANOL	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (	
111-76-2			Rat ) 4 h	

# Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Revision Date 29-Mar-2021

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.					
Germ cell mutagenicity		No information available.				
Carcinogenicity	The table be	low indicates whether each	agency has listed any ing	gredient as a carcinogen.		
Chemical name	ACGIH	IARC	NTP	OSHA		
ISOPROPYL ALCOHOL	-	Group 3	-	Х		
67-63-0		-				
2-BUTOXYETHANOL	A3	Group 3	-	-		
111-76-2		-				
ACGIH (American Confe	rence of Governmental Inc	lustrial Hygienists)				
A3 - Animal Carcinogen						
IARC (International Ager	icy for Research on Cance	er)				
Group 1 - Carcinogenic to	Humans					
Not classifiable as a huma	n carcinogen					
OSHA (Occupational Saf	ety and Health Administra	tion of the US Department of	f Labor)			
X - Present						
Chronic toxicity	May cause a	dverse effects on the bone	marrow and blood-formin	g system. May cause		
-	adverse liver	effects.				
Target organ effects	Blood, Centra	al nervous system, Eyes, h	ematopoietic system. Kidi	nev. Liver. Respiratory		
i al got ol gall ollooto	system, Skin		;;;;;;;;;			
	System, okn.					
The following values are	calculated based on ch	anter 3.1 of the GHS docu	iment			
	19562 mg/kg	•	intent			
ATEmix (oral)	0					
ATEmix (dermal)	45045 mg/kg	y				
ATEmix (inhalation-du						
ATEmix (inhalation-va	por) 23684 mg/l					

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

# Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

#### **Mobility**

Soluble in water.

Chemical name	Partition coefficient
ISOPROPYL ALCOHOL 67-63-0	0.05
2-BUTOXYETHANOL 111-76-2	0.81

## Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
ISOPROPYL ALCOHOL	Toxic
67-63-0	Ignitable

# **14. TRANSPORT INFORMATION**

DOT UN/ID No Proper shipping name Transport hazard class(es) Packing Group	UN 1987 Alcohols, N.O.S, Isopropyl Alcohol Mixture 3 III
IATA UN number or ID number Proper shipping name Transport hazard class(es) Packing group	UN 1987 Alcohols, N.O.S, Isopropyl Alcohol Mixture 3 III
IMDG UN number or ID number Proper shipping name Transport hazard class(es) Packing Group	UN 1987 Alcohols, N.O.S, Isopropyl Alcohol Mixture 3 III

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
ISOPROPYL ALCOHOL - 67-63-0	1.0
2-BUTOXYETHANOL - 111-76-2	1.0
SARA 311/312 Hazard Categories	

Acute health hazard

No

Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

# California Proposition 65

This product does not contain any Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
WATER	-	-	Х
7732-18-5			
ISOPROPYL ALCOHOL	Х	X	Х
67-63-0			
2-BUTOXYETHANOL	Х	X	Х
111-76-2			

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

# WHMIS Hazard Class

D2A - Very toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards	1	Fla
HMIS	Health hazards	1	Fla

ammability 1 ammability 1 Instability 0 Physical hazards 0

Personal protection A

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

**Revision Date** 

29-Mar-2021

## **Disclaimer**

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

**End of Safety Data Sheet**