

Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0	Revision Date: 06/16/2023	Print Date: 06/21/2023
SECTION 1. IDENTIFICATION		
Product name	: Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil	
Product code	: 881147	
Manufacturer or supplier's	s details	
Company name of supplier	: Valvoline Global Operations	
Address	: 100 Valvoline Way Lexington, KY 40509 United States of America (USA)	
Telephone	: 1-800-TEAMVAL (1-800-832-6825)	
E-mail address	: SDS@valvolineglobal.com	
Emergency telephone number	: +1-800-VALVOLINE (+1-800-825-8654)	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Components

•		
Chemical name	CAS-No.	Concentration (% w/w)
DISTILLATES (PETROLEUM),	64742-54-7	>= 40 - < 50
HYDROTREATED HEAVY		
PARAFFINIC		
DISTILLATES (PETROLEUM),	64742-54-7	>= 40 - < 50
HYDROTREATED HEAVY		
PARAFFINIC		
DISTILLATES (PETROLEUM),	64742-54-7	>= 1.5 - < 5
HYDROTREATED HEAVY		
PARAFFINIC		
Actual concentration is withheld as	a trade secret	

SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	No symptoms known or expected.
Notes to physician	:	No hazards which require special first aid measures.
		Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0	Re	evision Date: 06/16/2023	Print Date: 06/21/2023
Hazardous combustion products	:	carbon dioxide and carbon monoxide	
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to circumstances and the surrounding environment.	local
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefigh necessary.	ting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Hygiene measures : General industrial hygiene practice.

Appearance	: liquid	
Colour	: amber	
Odour	: mild	
Odour Threshold	: No data avai	lable



SAFETY DATA SHEET

Valvoline[™] Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0	Re	vision Date: 06/16/2023	Print Date: 06/21/2023
рН	:	No data available	
Melting point/freezing point	:	No data available	
Boiling point/boiling range	:	estimated 626 °F / 330 °C	
Flash point	:	> 390 °F / > 199 °C	
		Method: closed cup	
Evaporation rate	:	< 1 Ethyl Ether	
Flammability (solid, gas)	:	No data available	
Self-ignition	:	No data available	
Upper explosion limit / Upper flammability limit	:	6 %(V) Calculated Explosive Limit	
Lower explosion limit / Lower flammability limit	:	1 %(V) Calculated Explosive Limit	
Vapour pressure	:	0.1333333 hPa (68 °F / 20 °C) Calculated Vapor Pressure	
Relative vapour density	:	> 1 AIR=1	
Relative density	:	No data available	
Density	:	0.849 g/cm3	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	6 :	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	ca. 50 mm2/s (104 °F / 40 °C)	



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0	Revision	Date: 06/16/2023	Print Date: 06/21/2023
Oxidizing properties	: No o	data available	
SECTION 10. STABILITY AND F	EACTIVIT	Y	
Reactivity	: No o	decomposition if stored and applied as directed.	
Chemical stability	: No o	decomposition if stored and applied as directed.	
Possibility of hazardous reactions		ble under recommended storage conditions. nazards to be specially mentioned.	
Conditions to avoid	: Non	e known.	
Incompatible materials	: Stro	ng oxidizing agents	
Hazardous decomposition products	: No l	nazardous decomposition products are known.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg
---------------------	---	-----------------------

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	: LD50 (Rat): > 15 g/kg
---------------------	-------------------------

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg

Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg
-----------------------	---------------------------

Skin corrosion/irritation

Not classified based on available information.



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	
Result	

Slight, transient irritation Slight, transient irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	: Slight, transient irritation
Result	: Slight, transient irritation

:

:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Result	:	No eye irritation
Assessment	:	No eye irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Result	:	No eye irritation
Assessment	:	No eye irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Result	:	No eye irritation
Assessment	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity - : (Assessment

: Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

•		
Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

- **IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

No aspiration toxicity classification

Further information

Product:



Valvoline[™] Advanced Full Synthetic SAE 5W-20 Motor Oil

Global		
Version: 3.0	Revision Date: 06/16/2023	Print Date: 06/21/2023
Remarks	: No data available	
SECTION 12. ECOLOGICAL INFO	RMATION	
Ecotoxicity		
Product:		
Ecotoxicology Assessment Acute aquatic toxicity	: Not classified based on available information.	
Chronic aquatic toxicity	: Not classified based on available information.	
Components:		
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:	
Ecotoxicology Assessment Acute aquatic toxicity	: Not classified based on available information.	
Chronic aquatic toxicity	: Not classified based on available information.	
DISTILLATES (PETROLEUM Toxicity to fish), HYDROTREATED HEAVY PARAFFINIC: : LL50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h	
Toxicity to algae/aquatic plants	: EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h	
Toxicity to fish (Chronic toxicity)	: NOEC (Fish): 10 mg/l	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Aquatic invertebrates): 10 mg/l	
Ecotoxicology Assessment		
Acute aquatic toxicity	: Not classified based on available information.	
Chronic aquatic toxicity	: Not classified based on available information.	

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:



Valvoline[™] Advanced Full Synthetic SAE 5W-20 Motor Oil

sion: 3.0	Re	evision Date: 06/16/2023	Print Date: 06/21/2023
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h	
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h	
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 10 mg/l	
	:	NOEC (Aquatic invertebrates): 10 mg/l	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information.	
Chronic aquatic toxicity	:	Not classified based on available information.	
Persistence and degradabili No data available	ty		
Bioaccumulative potential			
Components:			
DISTILLATES (PETROLEUM Partition coefficient: n- octanol/water		IYDROTREATED HEAVY PARAFFINIC: log Pow: Expected > 7	
Mobility in soil No data available			
Other adverse effects			
Product:			
Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Par Protection of Stratospheric Ozone - CAA Section 60 Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as def U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. B).	02 Class I ined by the
Additional ecological information	:	No data available	



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards



Valvoline[™] Advanced Full Synthetic SAE 5W-20 Motor Oil

aionai		
Version: 3.0	Revision Date: 06/16/2023	Print Date: 06/21/2023
SARA 313	: This material does not contain any che known CAS numbers that exceed the t reporting levels established by SARA T	hreshold (De Minimis)
Clean Air Act		

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

64742-54-7
64742-54-7
64742-54-7
Not Assigned Not Assigned 64742-54-7
64742-54-7
64742-54-7
64742-54-7



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

	 D		Drint Data		
Version: 3.0	Re	vision Date: 06/16/2023	Print Date: 06/21/2023		
PA	RAFFINIC				
California Lis	st of Hazardous Su	bstances			
	STILLATES (PETRO RAFFINIC	LEUM), HYDROTREATED HEAVY	64742-54-7		
	STILLATES (PETRO RAFFINIC	LEUM), HYDROTREATED HEAVY	64742-54-7		
California Permissible Exposure Limits for Chemical Contaminants					
	STILLATES (PETRO RAFFINIC	LEUM), HYDROTREATED HEAVY	64742-54-7		
	STILLATES (PETRO RAFFINIC	LEUM), HYDROTREATED HEAVY	64742-54-7		
DIS		LEUM), HYDROTREATED HEAVY	64742-54-7		
The compon	ents of this produc	t are reported in the following invento	ries:		
TCSI	:	On the inventory, or in compliance with t	the inventory		
TSCA	:	All substances listed as active on the TS	SCA inventory		
AIIC	:	Not in compliance with the inventory			
DSL	:	All components of this product are on th	e Canadian DSL		
ENCS	:	On the inventory, or in compliance with t	the inventory		
KECI	:	On the inventory, or in compliance with t	the inventory		
PICCS	:	On the inventory, or in compliance with t	the inventory		
IECSC	:	On the inventory, or in compliance with t	the inventory		
NZIoC	:	On the inventory, or in compliance with t	the inventory		

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil


Version: 3.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

SECTION 16. OTHER INFORMATION





Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
		Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -



Valvoline™ Advanced Full Synthetic SAE 5W-20 Motor Oil

Version: 3.0

Revision Date: 06/16/2023

Print Date: 06/21/2023

Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIOC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 06/16/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Internal information : R0396047