## **FVP Boat Hull Cleaner**

## Safety Data Sheet A000410

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/09/2015 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Identification

Product form : Mixture

Product name : FVP Boat Hull Cleaner

Product code : BLU-PRO-L-032 & BLU-PRO-L128

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Factory Motor Parts 1380 Corporate Center Curve, Suite 200 Eagan, MN 55121 1-866-387-3343

Emergency number : Infotrac - 800-535-5053

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS-US** classification

Skin Corr. 1A H314 - Causes severe skin burns and eye damage

Eye Dam. 1 H318 - Causes serious eye damage

Full text of H-phrases: see section 16

## 2.2. Label elements

## **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash ... thoroughly afterhandling

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continuerinsing P310 - Immediately call a poison center/doctor/... P321 - Specific treatment (see ... on this label) P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

No additional information available

Not applicable

## **SECTION 3: Composition/Information on ingredients**

## 3.1. Substance

Not applicable

11/09/2015 EN (English US) SDS ID: A000410 Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Sodium Bisulfate	(CAS No) 7681-38-1	3 - 5	Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a poison center or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a poison center or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after eye contact : Causes serious eye damage

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Reactivity : Thermal decomposition generates : Corrosive vapors.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

## 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during

pregnancy/while nursing.

11/09/2015 EN (English US) SDS ID: A000410 2/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Wash ... thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Blue

Odor : characteristic
Odor threshold : No data available

pH : 1

Melting point : No data available Freezing point : No data available **Boiling point** : No data available : No data available Flash point Relative evaporation rate (butyl acetate=1) : No data available : No data available Flammability (solid, gas) **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties : No data available Vapor pressure

Relative density : 1.036

Relative vapor density at 20 °C : No data available

Solubility : Water: Solubility in water of component(s) of the mixture :

•: 10 g/100ml •: 285 g/l (soluble) •: Complete •: Complete

Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Thermal decomposition generates: Corrosive vapors.

11/09/2015 EN (English US) SDS ID: A000410 3/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.2. **Chemical stability**

Not established.

#### Possibility of hazardous reactions 10.3.

Not established.

#### **Conditions to avoid** 10.4.

Direct sunlight. Extremely high or lowtemperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

## **Hazardous decomposition products**

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapors.

## **SECTION 11: Toxicological information**

## Information on toxicological effects

Acute toxicity : Not classified

Sodium Bisulfate (7681-38-1)	
LD50 oral rat	2140 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Read-across)
ATE US (oral)	2140.000 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 1
Serious eye damage/irritation	: Causes serious eye damage. pH: 1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

: Causes serious eye damage.

# **SECTION 12: Ecological information**

Symptoms/injuries after eye contact

#### 12.1. **Toxicity**

Sodium Bisulfate (7681-38-1)		
LC50 fish 1	7960 mg/l (LC50; EPA 600/4-90/027; 96 h; Pimephales promelas; Static system; Fresh water; Read-across)	
EC50 Daphnia 1	190 mg/l (EC50; 48 h; Daphnia magna)	

#### 12.2. Persistence and degradability

The Blu Stuff		
Persistence and degradability	Not established.	
Sodium Bisulfate (7681-38-1)		
Persistence and degradability	Biodegradability: not applicable. Hydrolysis in water. Highly mobile in soil.	
ThOD	Not applicable (inorganic)	

#### 12.3. **Bioaccumulative potential**

The Blu Stuff	
Bioaccumulative potential	Not established.

11/09/2015 EN (English US) SDS ID: A000410 4/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Bisulfate (7681-38-1)	
BCF other aquatic organisms 1	0.5 (BCF; Other)
Log Pow	-2.2 (Estimated value; KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF <500).

## 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (Sodium Bisulfate), 8, II

UN-No.(DOT) : UN3264

Proper Shipping Name (DOT) : Corrosive liquid, acidic, inorganic, n.o.s.

Sodium Bisulfate

Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are

not authorized.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T11 - 6 178.274(d)(2) Normal...... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passengeraircraft/rail (49 CFR 173.27)

(49 011( 175.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

11/09/2015 EN (English US) SDS ID: A000410 5/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : B - (i) The material may be

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Emergency Response Guide (ERG) Number : 154

Other information : No supplementary information available.

#### **TDG**

No additional information available

## Transport by sea

No additional information available

### Air transport

No additional information available

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

## Sodium Bisulfate (7681-38-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

### **CANADA**

No additional information available

## **EU-Regulations**

No additional information available

## **National regulations**

No additional information available

## 15.3. US State regulations

No additional information available

## **SECTION 16: Other information**

Other information : None.

## Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

## SDS US (GHS HazCom 2012)

The information contained herein is based upon data believed to be reliable. Blu Products, LLC provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Blu Products, LLC knows of no medical condition, other than those noted on this safety data sheet, which are generally recognized as being aggravated by exposure to this product.

11/09/2015 EN (English US) SDS ID: A000410 6/6