### **Safety Data Sheet**



### **Section 1: Identification**

**Product identifier** 

Product Name Ultra Cleen Professional Fuel Injector Cleaner

Product Code CSF53

Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** For professional use only

Restrictions on use Read and follow label directions only

Details of the supplier of the safety data sheet

Manufacturer Gold Eagle Co.

4400 S. Kildare Avenue Chicago, IL 60632-4372

United States

http://www.goldeagle.com/

**Telephone (General)** 773-376-4400

**Emergency telephone number** 

**Manufacturer** 1-800-535-5053 - (INFOTRAC #22283)

#### Section 2: Hazard Identification

**United States (US)** 

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 Flammable Liquids 2

Aspiration 1 Skin Irritation 2 Eye Irritation 2

Acute Toxicity Inhalation 4

Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation

Specific Target Organ Toxicity Single Exposure 3: Narcotic Éffects

Germ Cell Mutagenicity 2 Reproductive Toxicity 1B

Specific Target Organ Toxicity Repeated Exposure 2

Label elements

OSHA HCS 2012

#### **DANGER**







**Hazard statements** 

Highly flammable liquid and vapour

May be fatal if swallowed and enters airways

Preparation Date: 09/June/2015

Revision Date: 09/June/2015

Page 1 of 9

Format: GHS Language: English (US)

OSHA HCS 2012

Causes skin irritation

Causes serious eye irritation

Harmful if inhaled

May cause respiratory irritation

May cause drowsiness or dizziness Suspected of causing genetic defects. May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

### **Precautionary statements**

#### Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

Keep container tightly closed.

Ground and/or bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe mists, vapours, and/or spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

In case of fire: Use appropriate media for extinction.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

If on skin: Wash with plenty of water .

Take off contaminated clothing and wash before reuse. Specific treatment, see supplemental first aid information. If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ŚWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

IF exposed or concerned: Get medical advice/attention.

#### Storage/Disposal

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Store locked up.

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

international r

### Supplemental information

## Other hazards

OSHA HCS 2012

0 - 15 percent of this product consists of an ingredient of unknown toxicity.

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

#### Other information

#### NFPA



# Section 3 - Composition/Information on Ingredients

Preparation Date: 09/June/2015
Revision Date: 09/June/2015
Page 2 of 9
Format: GHS Language: English (US)
OSHA HCS 2012

### **Substances**

Material does not meet the criteria of a substance.

#### **Mixtures**

Composition						
Chemical Name Identifiers % LD50/LC50 Classifications According to Regulation/Directive				Classifications According to Regulation/Directive		
Xylene	CAS:1330-	0% TO	NDA	OSHA HCS 2012: Flam. Liq. 3; Acute Tox. 4 (Inhl); Skin Irrit. 2; Eye Irrit. 2;		
Aylene	20-7	60%	INDA	Repr. 1B (Inhl); STOT SE 3: Narc.; STOT SE 3: Resp. Irrit.		
Isopropyl alcohol	CAS:67-63-0	0% TO	NDA	OSHA HCS 2012: Flam. Liq. 2; Eye Irrit. 2; Muta. 2; Repr. 2; STOT SE 3:		
ізоргоруї аісопої		25%		Narc.; STOT SE 3: Resp. Irrit.; STOT RE 2 (Eyes, Inhl)		
2-Pentanone, 4-	CAS:123-42-	0% TO	NDA	OSHA HCS 2012: Flom Lig 2: STOT SE 2: Norg: Evo Irrit 2: App. Toy. 1		
hydroxy-4-methyl-	2	15%	NUA	OSHA HCS 2012: Flam. Liq. 3; STOT SE 3: Narc.; Eye Irrit. 2; Asp. Tox. 1		

### **Section 4: First-Aid Measures**

## **Description of first aid measures**

**Inhalation** Call a physician or poison control center immediately. If not breathing, give artificial

respiration. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

Skin Remove clothing and wash thoroughly before use. IF ON SKIN: Wash with plenty of

soap and water. If skin irritation occurs: Get medical advice/attention.

**Eye** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Ingestion** Call a physician or poison control center immediately. If swallowed, do not induce

vomiting: seek medical advice immediately and show this container or label.

#### Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

#### Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-Fighting Measures

### **Extinguishing media**

**Suitable Extinguishing Media** LARGE FIRES: Dry chemical, CO2, alcohol-resistant foam or water spray.

SMALL FIRES: CO2 (except for Cyanides), dry chemical, dry sand, alcohol-resistant

foam.

**Unsuitable Extinguishing** 

Media

No data available.

Firefighting Procedures As an immediate precautionary measure, isolate spill or leak area for at least 50

meters (150 feet) in all directions.

Contact may irritate or burn skin and eyes.

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Keep out of low areas.

Keep unauthorized personnel away.

Stav upwind.

Ventilate closed spaces before entering.

### Special hazards arising from the substance or mixture

Unusual Fire and Explosion Flame may be invisible.

Preparation Date: 09/June/2015

Revision Date: 09/June/2015

Page 3 of 9

Format: GHS Language: English (US)

OSHA HCS 2012

Hazards HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.

Runoff may create fire or explosion hazard.

**Hazardous Combustion** 

**Products** 

Vapor explosion hazard indoors, outdoors or in sewers.

Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

#### **Section 6 - Accidental Release Measures**

### Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes, and clothing. Stay upwind. Ventilate the area before

entry. Wear a self-contained breathing apparatus and appropriate Personal Protective

Equipment (PPE) Do not walk through spilled material.

**Emergency Procedures**ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least

100 meters (330 feet) in all directions. Evacuate area. Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.

## **Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas. Prevent spreading of vapors through sewers, ventilation systems and confined areas. Runoff from fire control or dilution water may cause pollution.

### Methods and material for containment and cleaning up

Containment/Clean-up Measures

Absorb or cover with dry earth, sand or other non-combustible material and transfer to

containers.

All equipment used when handling the product must be grounded.

A vapor suppressing foam may be used to reduce vapors.

Dike far ahead of spill; use dry sand to contain the flow of material.

Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE)

Use non-sparking equipment when picking up flammable spill.

# Section 7 - Handling and Storage

#### Precautions for safe handling

Handling Ko

Keep away from fire - No Smoking. Keep away from heat and sparks. Avoid contact with skin, eyes, and clothing. Do not breathe (dust, vapor or spray mist) Use only in well ventilated areas.

## Conditions for safe storage, including any incompatibilities

Storage Keep away from fire. Store in a well-ventilated place. Keep container tightly closed.

Store below 150 F. Store in a well-ventilated place. Keep container tightly closed.

## **Section 8 - Exposure Controls/Personal Protection**

### Control parameters

Exposure Limits/Guidelines					
	Result	ACGIH	NIOSH	OSHA	
2-Pentanone, 4- hydroxy-4-methyl- (123-42-2)	TWAs	50 ppm TWA	50 ppm TWA; 240 mg/m3 TWA	50 ppm TWA; 240 mg/m3 TWA	
Isopropyl alcohol	TWAs	200 ppm TWA	400 ppm TWA; 980 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA	
(67-63-0)	STELs	400 ppm STEL	500 ppm STEL; 1225 mg/m3 STEL	Not established	

Preparation Date: 09/June/2015

Revision Date: 09/June/2015

Format: GHS Language: English (US)

OSHA HCS 2012

OSHA HCS 2012

Xylene	TWAs	100 ppm TWA	Not established	100 ppm TWA; 435 mg/m3 TWA
(1330-20-7)	STELs	150 ppm STEL	Not established	Not established

#### **Exposure controls**

Engineering Prevent vapor build up by providing adequate ventilation during and after use. Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapor etc)

below recommended exposure limits.

### **Personal Protective Equipment**

**Pictograms** 

DO



**Respiratory** In case of insufficient ventilation, wear suitable respiratory equipment. Follow the

OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure

limits are exceeded or symptoms are experienced.

**Eye/Face** Wear safety glasses. **Hands** Wear appropriate gloves.

**Skin/Body** Wear protective gloves/protective clothing/eye protection/face protection.

General Industrial Hygiene

Considerations

**Environmental Exposure** 

**Controls** 

Avoid contact with skin and eyes. Wash hands before eating, drinking, or smoking.

Handle in accordance with good industrial hygiene and safety practice.

Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow

best practice for site management and disposal of waste.

## **Section 9 - Physical and Chemical Properties**

## Information on Physical and Chemical Properties

Material Description				
Physical Form	Liquid	Appearance/Description	Water white to pale yellow solvent blend.	
Color	Water-white to pale yellow.	Odor	No data available	
Odor Threshold	No data available			
General Properties				
Boiling Point	160 F(71.1111 C)	Melting Point	No data available	
Decomposition Temperature	No data available	рН	No data available	
Specific Gravity/Relative Density	= 0.86 Water=1	Water Solubility	Appreciable 10 to 99 %	
Viscosity	3 Centistoke (cSt, cS) or mm2/sec @ 40 C(104 F)			
Volatility	,			
Vapor Pressure	No data available	Vapor Density	No data available	
Evaporation Rate	No data available	VOC (Wt.)	100 %	
VOC (Vol.)	100 %	Volatiles (Wt.)	100 %	
Volatiles (Vol.)	100 %			
Flammability				
Flash Point 54 C(129.2 F) TOC (Tagliabue Open Cup)		UEL	No data available	
LEL	No data available	Autoignition	No data available	
Flammability (solid, gas)	No data available			

# Section 10: Stability and Reactivity

Preparation Date: 09/June/2015

Revision Date: 09/June/2015

Page 5 of 9

Format: GHS Language: English (US)

OSHA HCS 2012

## Reactivity

No dangerous reaction known under conditions of normal use.

## **Chemical stability**

Stable under normal temperatures and pressures.

## Possibility of hazardous reactions

Hazardous polymerization will not occur.

### **Conditions to avoid**

Keep away from heat, sparks, and flame. Store below 150 F. Do not apply heat or flame to container. Keep separate from strong oxidizing agents.

## Incompatible materials

Strong oxidants.

## **Hazardous decomposition products**

Carbon dioxide and carbon monoxide under incomplete combustion.

# **Section 11 - Toxicological Information**

## Information on toxicological effects

		Components
2-Pentanone, 4-hydroxy-4- methyl- (0% TO 15%)	123- 42-2	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2520 mg/kg; Behavioral:Tremor; Behavioral:Convulsions or effect on seizure threshold; Liver:Other changes; Inhalation-Human TCLo • 1900 mg/m³; Lungs, Thorax, or Respiration:Respiratory depression; Inhalation-Rat TCLo • 100000 mg/m³ 20 Minute(s); Sense Organs and Special Senses:Eye:Conjunctive irritation; Behavioral:Somnolence (general depressed activity); Skin-Rabbit LD50 • 13500 mg/kg; Irritation: Eye-Human • 100 ppm 15 Minute(s); Skin-Rabbit • 500 mg-Open • Mild irritation; Multi-dose Toxicity: Inhalation-Rat TCLo • 4494 mg/m³ 6 Week(s)-Intermittent; Kidney, Ureter, and Bladder:Changes in tubules (including acute renal failure, acute tubular necrosis); Blood:Pigmented or nucleated red blood cells; Nutritional and Gross Metabolic:Gross Metabolite Changes:Weight loss or decreased weight gain; Inhalation-Rat TCLo • 1000 mg/m³ 60 Day(s)-Intermittent; Cardiac:Arrhythmias (including changes in conduction)
Xylene (0% TO 60%)	1330- 20-7	Acute Toxicity: Ingestion/Oral-Rat LD50 • 4300 mg/kg; Liver:Other changes; Kidney, Ureter, and Bladder:Other changes; Inhalation-Rat LC50 • 5000 ppm 4 Hour(s); Inhalation-Man LCLo • 10000 ppm 6 Hour(s); Behavioral:General anesthetic; Lungs, Thorax, or Respiration:Cyanosis; Blood:Other changes; Inhalation-Human TCLo • 200 ppm; Sense Organs and Special Senses:Olfaction:Other changes; Sense Organs and Special Senses:Eye:Conjunctive irritation; Lungs, Thorax, or Respiration:Other changes; Skin-Rabbit LD50 • >1700 mg/kg; Irritation: Eye-Rabbit • 5 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation; Reproductive: Inhalation-Rabbit TCLo • 1 g/m³ 24 Hour(s)(7-20D preg); Reproductive Effects:Effects on Fertility:Abortion; Inhalation-Rat TCLo • 50 mg/m³ 6 Hour(s)(1-21D preg); Reproductive Effects:Effects on Fertility:Post-implantation mortality; Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Craniofacial (including nose and tongue)
Isopropyl alcohol (0% TO 25%)	67- 63-0	Acute Toxicity: Ingestion/Oral-Rat LD50 • 5000 mg/kg; Behavioral:General anesthetic; Inhalation-Rat LC50 • 16000 ppm 8 Hour(s); Inhalation-Guinea Pig TCLo • 980 mg/m³ 24 Hour(s); Sense Organs and Special Senses:Ear:Other; Behavioral:General anesthetic; Lungs, Thorax, or Respiration:Other changes; Skin-Rabbit LD50 • 12800 mg/kg; Irritation: Eye-Rabbit • 100 mg • Severe irritation; Skin-Rabbit • 500 mg • Mild irritation; Multi-dose Toxicity: Inhalation-Mouse TCLo • 5000 ppm 6 Hour(s) 13 Week(s)-Intermittent; Behavioral:Somnolence (general depressed activity); Liver:Changes in liver weight; Blood:Pigmented or nucleated red blood cells; Inhalation-Rat TCLo • 1000 mg/m³ 6 Hour(s) 4 Week(s)-Intermittent; Sense Organs and Special Senses:Eye:Optic nerve neuropathy; Inhalation-Rat TCLo • 500 mg/m³ 4 Hour(s) 122 Day(s)-Intermittent; Liver:Multiple effects; Kidney, Ureter, and Bladder:Other changes; Nutritional and Gross Metabolic:Gross Metabolite Changes:Weight Ioss or decreased weight gain; Inhalation-Rat TCLo • 20 mg/m³ 24 Hour(s) 90 Day(s)-Continuous; Brain and Coverings:Other degenerative changes; Lungs, Thorax, or Respiration:Other changes; Liver:Multiple effects; Inhalation-Rat TCLo • 100 mg/m³ 4 Hour(s) 17 Week(s)-Intermittent; Kidney, Ureter, and Bladder:Other changes in urine composition;

Preparation Date: 09/June/2015 Revision Date: 09/June/2015 Blood: Changes in serum composition (e.g., TP, bilirubin cholesterol); Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels: True cholinesterase:

**Mutagen:** Cytogenetic analysis • Inhalation-Rat • 1030 μg/m³ 16 Week(s)-Intermittent;

Reproductive: Inhalation-Rat TCLo • 3500 ppm 7 Hour(s)(1-19D preg); Reproductive Effects: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus); Inhalation-Rat TCLo • 10000 ppm 7 Hour(s)(1-19D preg); Reproductive Effects: Effects on Fertility: Pre-implantation mortality; Reproductive Effects: Effects on Embryo or Fetus: Fetal death; Inhalation-Rat TCLo • 7000 ppm 7 Hour(s)(1-19D preg); Reproductive Effects: Specific Developmental Abnormalities: Musculoskeletal system

GHS Properties	Classification			
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Inhalation 4 - ATEmix (Inhl) = 7083 ppmV			
Aspiration Hazard	OSHA HCS 2012 • Aspiration 1			
Carcinogenic ty	OSHA HCS 2012 • Data lacking			
Germ Cell Mutagenicity	OSHA HCS 2012 • Germ Cell Mutagenicity 2			
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Irritation 2			
Skin sensitization	OSHA HCS 2012 • Data lacking			
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 2			
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation			
Toxicity for Reproduction	OSHA HCS 2012 • Toxic to Reproduction 1B			
Respiratory sensitization	OSHA HCS 2012 • Data lacking			
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Irritation 2			

## **Potential Health Effects**

Inhalation

Acute (Immediate) May cause respiratory irritation. May affect the central nervous system. Symptoms

may include dizziness, drowsiness, lethargy, coma and death. May be harmful.

Chronic (Delayed) No data available

Skin

Acute (Immediate) Causes skin irritation.

Chronic (Delayed) No data available

Eye

Acute (Immediate) Causes serious eye irritation.

Chronic (Delayed) No data available

Ingestion

Acute (Immediate) May be fatal. Material may be aspirated into lungs during ingestion and/or subsequent

vomiting. Aspiration of this material will cause severe lung injury, chemical

pneumonitis, pulmonary edema or death.

Chronic (Delayed) No data available

## Section 12 - Ecological Information

## **Toxicity**

No data available

# Persistence and degradability

Format: GHS Language: English (US) OSHA HCS 2012 Non-mandatory section - information about this substance not complied for this reason.

### Bioaccumulative potential

Non-mandatory section - information about this substance not complied for this reason.

**Mobility in Soil** 

Non-mandatory section - information about this substance not complied for this

Other adverse effects

Non-mandatory section - information about this substance not complied for this reason

### **Section 13 - Disposal Considerations**

#### Waste treatment methods

Product waste Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Packaging waste Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

### **Section 14 - Transport Information**

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	NDA	3	II	NDA
DOT	NDA	Limited Quantity	NDA	NDA	NDA

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

None specified.

No data available

Acute, Fire

## **Section 15 - Regulatory Information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

Other Information

WARNING: This product contains a chemical known to the State of California to

cause cancer, birth defects, or other reproductive harm.

### **Section 16 - Other Information**

Last Revision Date 09/June/2015
Preparation Date 09/June/2015

Disclaimer/Statement of

Liability

Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the

Gold Eagle Co. bears legal responsibility. The user should review any

recommendations in the specific context of the intended use to determine whether

Preparation Date: 09/June/2015
Revision Date: 09/June/2015
Page 8 of 9
Format: GHS Language: English (US)
OSHA HCS 2012

they are appropriate.

Preparation Date: 09/June/2015
Revision Date: 09/June/2015
Page 9 of 9
Page 9 of 9
Preparation Date: 09/June/2015
Page 9 of 9