Safety Data Sheet

Issue Date: 08-Apr-2025 Revision Date: 08-Apr-2025 Version 1

--

1. IDENTIFICATION

Product identifier

Product Name Q1 Blue -20°F

Other means of identification

SDS # SPLASH-064

Product Code 850526-35 (1 gallon), 850555 (55 gallon drum)

UN/ID No UN1993

Recommended use of the chemical and restrictions on use
Recommended Use Windshield washer fluid.

Details of the supplier of the safety data sheet

Manufacturer Address

FMP

1380 Corporate Center Curve, Suite 200

Eagan, MN 55121 Phone: 888-784-0802

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Blue liquid Physical state Liquid Odor Alcohol

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

Signal word

Danger

Hazard statements

Harmful if swallowed Toxic in contact with skin Toxic if inhaled Causes damage to organs Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use explosion-proof electrical/ ventilating / lighting/ equipment

Use only non-sparking tools

Take action to prevent static discharges

Keep cool

Wear protective gloves/clothing and eye/face protection

<u>Precautionary Statements - Response</u>

IF exposed: Call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Call a POISON CENTER or doctor if you feel unwell

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Methanol	67-56-1	30-32

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Call a poison control center or doctor for treatment

advice.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Call a poison center or doctor/physician if you feel unwell. Wash

contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician.

D---- 0/0

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse

mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If large quantities are swallowed, get emergency medical help

immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Harmful if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes damage to organs.

Can cause irritation to eyes and mucous membranes. Sore throat, shortness of breath,

coughing and congestion. Irritation, itching, dermatitis.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Dry chemical. Carbon dioxide (CO2). Foam.

Large Fire Water spray or fog. Foam.

Unsuitable Extinguishing Media High volume water jet.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor. Vapors may travel to source of ignition and flash back. Closed containers may explode if exposed to extreme heat.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Explosion data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ventilate area of leak or spill. Use personal protection recommended in Section 8. Isolate

hazard area. Keep unnecessary and unprotected personnel from entering. Remove all

sources of ignition. No smoking in spill area.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Dike with suitable absorbent material like granulated clay. Gather and store in a sealed

container pending a waste disposal evaluation.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Keep cool. Wear protective gloves/protective clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials Strong acids. Strong reducing agents. Strong oxidizing agents. Magnesium. Water-reactive

materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	_
		(vacated) S*	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Showers.

Eyewash stations. Local exhaust ventilation recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear chemical safety goggles.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory Protection Under normal conditions, respirator is not normally required. If the exposure limit is

exceeded and engineering controls are not feasible, a half face piece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full face piece particulate respirator (NIOSH type N100 filter) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, Glycerin, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full face piece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in Oxygen-deficient atmospheres.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceBlue liquidOdorAlcohol

Color Blue Odor Threshold Not determined

Property Values Remarks • Method

pH 8.0

Melting point / freezing point -28.9°C / -20.02°F Initial boiling point and boiling 87°C / 188.6°F

range

Flash point 33°C / 91.4°F

Evaporation rate 2.1 N-butyl acetate

Flammability (Solid, Gas) Liquid - Not Applicable

Flammability Limit in Air

Upper flammability or explosive 6%

limits

Lower flammability or explosive 36%

limits

Vapor Pressure 128 hPa Relative vapor density 1.11

Relative Density 0.952

Soluble in water **Water Solubility** Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** No data available **Decomposition temperature** Not determined Kinematic viscosity Not determined Dynamic viscosity Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Other information

VOC Content 31%

Liquid Density 7.9422 lb/gal

10. STABILITY AND REACTIVITY

(air = 1)

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Avoid temperatures exceeding the flash point. Heat, flames and sparks.

Incompatible materials

Strong acids. Strong reducing agents. Strong oxidizing agents. Magnesium. Water-reactive materials.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2).

Page 5/9

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Toxic in contact with skin.

Inhalation Toxic if inhaled.

Ingestion Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
Denatonium Benzoate 3734-33-6	= 584 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.2 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

STOT - single exposure Causes damage to organs.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 331.68 mg/kg
ATEmix (dermal) 995.00 mg/kg
ATEmix (inhalation-dust/mist) 1.66 mg/l
ATEmix (inhalation-vapor) 9.95 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methanol		LC50: =28200mg/L (96h,	
67-56-1		Pimephales promelas)	
		LC50: >100mg/L (96h, Pimephales	
		promelas)	
		LC50: 19500 - 20700mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 18 - 20mL/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 13500 - 17600mg/L (96h,	
		Lepomis macrochirus)	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Methanol	-0.77
67-56-1	

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol		Included in waste stream:		U154
67-56-1		F039		

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Methanol	Toxic
67-56-1	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Inner packagings not over 5L/5kg may be reclassified as a Limited Quantity

UN/ID No UN1993

Proper Shipping Name Flammable liquids, n.o.s. (Methanol)

Transport hazard class(es) 3
Packing Group |||

IATA

UN number or ID number UN1992

Proper Shipping Name Flammable liquid, toxic, n.o.s. (Methanol)

Transport hazard class(es) 3
Subsidiary hazard class 6.1
Packing group III

Inner packagings not over 5L/5kg may be reclassified as a Limited Quantity

UN number or ID number UN1992

Proper Shipping Name Flammable liquid, toxic, n.o.s. (Methanol)

Transport hazard class(es) 3
Subsidiary Hazard Class 6.1
Packing Group III

D---- 7/0

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
Methanol	Х	ACTIVE	Х	Х	Х	X	Х	Х	Х
Denatonium Benzoate	Х	ACTIVE	Х	X	X	X	X	Х	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Methanol - 67-56-1	67-56-1	30-32	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methanol	X	X	X
67-56-1			

16. OTHER INFORMATION

NFPA Health hazards Flammability Instability Special hazards

HMIS Health hazards Flammability Physical hazards Personal Protection

- Not determined

Issue Date:08-Apr-2025Revision Date:08-Apr-2025Revision Note:New product

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 9 / 9

ADDITIONAL PRODUCT INFORMATION DISCLOSURE -20 Windshield Washer Fluid as of 1/24/2020

Formula % CAS#		Raw Material	Functional Purpose	List of Concern	
69.8449	7732-18-5	Water			
30.1500 67-56-1	67-56-1	Methanol	Reduces freeze point	CA Prop 65	https://oehha.ca.gov/proposition-65/proposition-65-list.
				US NTP Reproductive or Developmental Toxicants	https://ntp.niehs.nih.gov/whatwestudy/assessments/noncancer/completed/index.html
					https://ntp.niehs.nih.gov/ntp/ohat/methanol/methanol_monograph.pdf
				CA Non-Cancer Hazards	https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary
0.0028	3734-33-6	Denatonium Benzoate	Bittering agent		
0.0023	1116737*	Patent Blue Dye L85000	Dye/colorant		
100 0000					

100.00000
*WERKS NUMBER
https://www.dec.ny.gov/docs/materials_minerals_pdf/deansingprodfin.pdf

https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=201720180SB258