

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Aug 31, 2024

05 00 [0923]

PRODUCT NUMBER

19354994

PRODUCT NAME

ACDelco® Lacquer Touch-Up Paint, Iridium Metallic (GXG WA 121V)

MANUFACTURER'S NAME

DISTRIBUTED BY

Distributed by ACDelco
300 Renaissance Center
Detroit, MI 48265
1-800-223-3526

Manufactured by THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

19354994 = | Acute | Chronic | Fire |

Product Weight

6.73 lb/gal

Specific Gravity

0.81

FLASH POINT

-20 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	10	16
Butane 106-97-8	N	N	N	10	14
Toluene 108-88-3	N	Y	Y	8	7
Ethylbenzene 100-41-4	N	Y	Y	0.2	0.2
Xylene 1330-20-7	N	Y	Y	1	1
Ethanol 64-17-5	N	N	N	1	1
Methyl Ethyl Ketone 78-93-3	N	Y	N	6	6
Methyl Acetate 79-20-9	N	N	N	44	38
Ethyl Acetate 141-78-6	N	Y	N	2	2
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	6	5

Volatile Organic Compounds - U.S. EPA / Canada

	19354994	
	LB/Gal	g/L
Coating Density	6.73	806
	By wt	By vol
Total Volatiles	90.5%	93.6%
Federally exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.4%
Organic Volatiles	46.5%	55.1%
Percent Non-Volatile	9.5%	6.4%
VOC Content	LB/Gal	g/L
Total	3.13	375
Less exempt solvents	5.08	609
Of solids	48.70	5836
Of solids	4.89 lb/lb	4.89 kg/kg
	By wt	
By wt LVP-VOC	46.5%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.87**

Volatile Organic Compounds - California

	19354994	
	LB/Gal	g/L
Coating Density	6.73	806
	By wt	By vol
Total Volatiles	90.5%	93.6%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.4%
Organic Volatiles	46.5%	55.1%
Percent Non-Volatile	9.5%	6.4%
VOC Content	LB/Gal	g/L
Total	3.13	375
Less exempt solvents	5.08	609
Of solids	48.70	5836
Of solids	4.89 lb/lb	4.89 kg/kg
	By wt	
By wt LVP-VOC	46.5%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.85**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	19354994	
	LB/Gal	g/L
Coating Density	6.73	806
	By wt	By vol
Total Volatiles	90.5%	93.6%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.4%
Organic Volatiles	46.5%	55.1%
Percent Non-Volatile	9.5%	6.4%
VOC Content	LB/Gal	g/L
Total	3.13	375
Less exempt solvents	5.08	609
Of solids	48.70	5836
Of solids	4.89 lb/lb	4.89 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	19354994	
	By wt	By vol
Total Volatiles	90.5%	93.6%
VOC Content	LB/Gal	g/L
Total	6.09	730

Volatile Organic Compounds - EU Directive 2010/75/EU

	19354994	
	By wt	By vol
Total Volatiles	90.5%	93.6%
VOC Content	LB/Gal	g/L
Total	6.09	730

Volatile Organic Compounds - Mexico

	19354994	
	LB/Gal	g/L
Coating Density	6.73	806
	By wt	By vol
Total Volatiles	90.5%	93.6%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	90.5%	93.6%
Percent Non-Volatile	9.5%	6.4%
VOC Content	LB/Gal	g/L
Total	6.09	730
Less exempt solvents	6.09	730
Of solids	94.79	11359
Of solids	9.52 lb/lb	9.52 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	19354994	
	LB/Gal	kg/L
Volatile HAPS	0.60	0.072
Of solids	9.39	1.125
Of solids	0.94 lb/lb	0.94 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.51 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.