

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation  
Jun 9, 2023

05 00 [1363]

## PRODUCT NUMBER

19355001

## PRODUCT NAME

ACDelco® Lacquer Touch-Up Paint, Bluebell Blue Metallic (GUC WA 727U)

## MANUFACTURER'S NAME

DISTRIBUTED BY

Distributed by ACDelco

300 Renaissance Center

Detroit, MI 48265

1-800-223-3526

Manufactured by THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

19355001 = | Acute | Chronic | Fire |

## Product Weight

6.75 lb/gal

## Specific Gravity

0.81

## FLASH POINT

-20 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	10	16
Butane 106-97-8	N	N	N	N	10	14
Toluene 108-88-3	N	Y	Y	Y	8	7
Ethylbenzene 100-41-4	N	Y	Y	Y	0.3	< 1
Xylene 1330-20-7	N	Y	Y	Y	1	1
Ethanol 64-17-5	N	N	N	N	1	1
Methyl Ethyl Ketone 78-93-3	N	Y	N	N	7	7
Methyl Acetate 79-20-9	N	N	N	N	44	39
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	6	5

### Volatile Organic Compounds - U.S. EPA / Canada

	19355001	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.9%	93.3%
Federally exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.5%
Organic Volatiles	45.9%	54.8%
Percent Non-Volatile	10.1%	6.7%
VOC Content	LB/Gal	g/L
Total	3.09	370
Less exempt solvents	5.03	603
Of solids	46.30	5548
Of solids	4.52 lb/lb	4.52 kg/kg
	By wt	
By wt LVP-VOC	45.9%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.90**

### Volatile Organic Compounds - California

	19355001	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.9%	93.3%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.5%
Organic Volatiles	45.9%	54.8%
Percent Non-Volatile	10.1%	6.7%
VOC Content	LB/Gal	g/L
Total	3.09	370
Less exempt solvents	5.03	603
Of solids	46.30	5548
Of solids	4.52 lb/lb	4.52 kg/kg
	By wt	
By wt LVP-VOC	45.9%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.88**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	19355001	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.9%	93.3%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.5%
Organic Volatiles	45.9%	54.8%
Percent Non-Volatile	10.1%	6.7%
VOC Content	LB/Gal	g/L
Total	3.09	370
Less exempt solvents	5.03	603
Of solids	46.30	5548
Of solids	4.52 lb/lb	4.52 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	19355001	
	By wt	By vol
Total Volatiles	89.9%	93.3%
VOC Content	LB/Gal	g/L
Total	6.06	726

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	19355001	
	By wt	By vol
Total Volatiles	89.9%	93.3%
VOC Content	LB/Gal	g/L
Total	6.06	726

**Volatile Organic Compounds - Mexico**

	19355001	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.9%	93.3%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	89.9%	93.3%
Percent Non-Volatile	10.1%	6.7%
VOC Content	LB/Gal	g/L
Total	6.06	726
Less exempt solvents	6.06	726
Of solids	90.73	10872
Of solids	8.85 lb/lb	8.85 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	19355001	
	LB/Gal	kg/L
Volatile HAPS	0.64	0.077
Of solids	9.62	1.153
Of solids	0.93 lb/lb	0.93 kg/kg

### Air Quality Data

**Density of Organic Solvent Blend**

6.50 lb/gal

**Photochemically Reactive**

No

### Additional Regulatory Information

**US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

### Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.