

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Jun 8, 2023

04 00 [1047]

PRODUCT NUMBER

19355064

PRODUCT NAME

ACDelco® Lacquer Touch-Up Paint, Splash Metallic (GW7 WA 392A)

MANUFACTURER'S NAME

DISTRIBUTED BY

Distributed by ACDelco
300 Renaissance Center
Detroit, MI 48265
1-800-223-3526

Manufactured by THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

19355064 = | Acute | Chronic | Fire |

Product Weight

6.75 lb/gal

Specific Gravity

0.81

FLASH POINT

-20 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	10	16
Butane 106-97-8	N	N	N	N	10	14
Toluene 108-88-3	N	Y	Y	Y	7	6
Ethylbenzene 100-41-4	N	Y	Y	Y	0.6	< 1
Xylene 1330-20-7	N	Y	Y	Y	4	3
Ethanol 64-17-5	N	N	N	N	1	1
Methyl Ethyl Ketone 78-93-3	N	Y	N	N	4	4
Methyl Acetate 79-20-9	N	N	N	N	44	39
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	6	5

Volatile Organic Compounds - U.S. EPA / Canada

	19355064	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.2%	92.5%
Federally exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.5%
Organic Volatiles	45.2%	54.0%
Percent Non-Volatile	10.8%	7.5%
VOC Content	LB/Gal	g/L
Total	3.05	365
Less exempt solvents	4.96	594
Of solids	40.63	4869
Of solids	4.18 lb/lb	4.18 kg/kg
	By wt	
By wt LVP-VOC	45.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.01**

Volatile Organic Compounds - California

	19355064	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.2%	92.5%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.5%
Organic Volatiles	45.2%	54.0%
Percent Non-Volatile	10.8%	7.5%
VOC Content	LB/Gal	g/L
Total	3.05	365
Less exempt solvents	4.96	594
Of solids	40.63	4869
Of solids	4.18 lb/lb	4.18 kg/kg
	By wt	
By wt LVP-VOC	45.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.98**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	19355064	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.2%	92.5%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.5%
Organic Volatiles	45.2%	54.0%
Percent Non-Volatile	10.8%	7.5%
VOC Content	LB/Gal	g/L
Total	3.05	365
Less exempt solvents	4.96	594
Of solids	40.63	4869
Of solids	4.18 lb/lb	4.18 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	19355064	
	By wt	By vol
Total Volatiles	89.2%	92.5%
VOC Content	LB/Gal	g/L
Total	6.02	721

Volatile Organic Compounds - EU Directive 2010/75/EU

	19355064	
	By wt	By vol
Total Volatiles	89.2%	92.5%
VOC Content	LB/Gal	g/L
Total	6.02	721

Volatile Organic Compounds - Mexico

	19355064	
	LB/Gal	g/L
Coating Density	6.75	808
	By wt	By vol
Total Volatiles	89.2%	92.5%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	89.2%	92.5%
Percent Non-Volatile	10.8%	7.5%
VOC Content	LB/Gal	g/L
Total	6.02	721
Less exempt solvents	6.02	721
Of solids	80.20	9610
Of solids	8.25 lb/lb	8.25 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	19355064	
	LB/Gal	kg/L
Volatile HAPS	0.72	0.086
Of solids	9.64	1.155
Of solids	0.99 lb/lb	0.99 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.51 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.