

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Jun 9, 2023

04 00 [1047]

PRODUCT NUMBER

19355065

PRODUCT NAME

ACDelco® Lacquer Touch-Up Paint, Creamy Beige Metallic (GV8 WA 394A)

MANUFACTURER'S NAME

DISTRIBUTED BY

Distributed by ACDelco

300 Renaissance Center

Detroit, MI 48265

1-800-223-3526

Manufactured by THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

19355065 = | Acute | Chronic | Fire |

Product Weight

6.76 lb/gal

Specific Gravity

0.81

FLASH POINT

-20 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	10	16
Butane 106-97-8	N	N	N	N	10	14
Toluene 108-88-3	N	Y	Y	Y	9	8
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	< 1
Ethanol 64-17-5	N	N	N	N	1	1
Methyl Ethyl Ketone 78-93-3	N	Y	N	N	8	8
Methyl Acetate 79-20-9	N	N	N	N	44	39
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	6	5

Volatile Organic Compounds - U.S. EPA / Canada

	19355065	
	LB/Gal	g/L
Coating Density	6.76	810
	By wt	By vol
Total Volatiles	90.1%	93.8%
Federally exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.6%
Organic Volatiles	46.1%	55.2%
Percent Non-Volatile	9.9%	6.2%
VOC Content	LB/Gal	g/L
Total	3.11	373
Less exempt solvents	5.07	607
Of solids	50.10	6004
Of solids	4.65 lb/lb	4.65 kg/kg
	By wt	
By wt LVP-VOC	46.1%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.86**

Volatile Organic Compounds - California

	19355065	
	LB/Gal	g/L
Coating Density	6.76	810
	By wt	By vol
Total Volatiles	90.1%	93.8%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.6%
Organic Volatiles	46.1%	55.2%
Percent Non-Volatile	9.9%	6.2%
VOC Content	LB/Gal	g/L
Total	3.11	373
Less exempt solvents	5.07	607
Of solids	50.10	6004
Of solids	4.65 lb/lb	4.65 kg/kg
	By wt	
By wt LVP-VOC	46.1%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.83**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	19355065	
	LB/Gal	g/L
Coating Density	6.76	810
	By wt	By vol
Total Volatiles	90.1%	93.8%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	44.0%	38.6%
Organic Volatiles	46.1%	55.2%
Percent Non-Volatile	9.9%	6.2%
VOC Content	LB/Gal	g/L
Total	3.11	373
Less exempt solvents	5.07	607
Of solids	50.10	6004
Of solids	4.65 lb/lb	4.65 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	19355065	
	By wt	By vol
Total Volatiles	90.1%	93.8%
VOC Content	LB/Gal	g/L
Total	6.09	729

Volatile Organic Compounds - EU Directive 2010/75/EU

	19355065	
	By wt	By vol
Total Volatiles	90.1%	93.8%
VOC Content	LB/Gal	g/L
Total	6.09	729

Volatile Organic Compounds - Mexico

	19355065	
	LB/Gal	g/L
Coating Density	6.76	810
	By wt	By vol
Total Volatiles	90.1%	93.8%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	90.1%	93.8%
Percent Non-Volatile	9.9%	6.2%
VOC Content	LB/Gal	g/L
Total	6.09	729
Less exempt solvents	6.09	729
Of solids	97.93	11735
Of solids	9.09 lb/lb	9.09 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	19355065	
	LB/Gal	kg/L
Volatile HAPS	0.59	0.071
Of solids	9.61	1.152
Of solids	0.89 lb/lb	0.89 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.49 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.