

**ENVIRONMENTAL DATA SHEET**  
(Certified Product Data Sheet)

Date of Preparation  
Jun 9, 2023

02 00 [1102]

**PRODUCT NUMBER**

19417773

**PRODUCT NAME**

ACDelco® Lacquer Touch-Up Paint, Flare Met-1 (GSJ WA 251F)

**MANUFACTURER'S NAME**

DISTRIBUTED BY

Distributed by ACDelco  
300 Renaissance Center  
Detroit, MI 48265  
1-800-223-3526

Manufactured by THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue  
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

**Hazard Category (for SARA 311.312)**

19417773 = | Acute | Chronic | Fire |

**Product Weight**

6.76 lb/gal

**Specific Gravity**

0.81

**FLASH POINT**

26 °F PMCC

**Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	10	16
Butane 106-97-8	N	N	N	N	10	14
Toluene 108-88-3	N	Y	Y	Y	9	8
Ethanol 64-17-5	N	N	N	N	1	2
Methyl Ethyl Ketone 78-93-3	N	Y	N	N	8	8
Methyl Acetate 79-20-9	N	N	N	N	44	38
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	6	5

**Volatile Organic Compounds - U.S. EPA / Canada**

	19417773	
	LB/Gal	g/L
Coating Density	6.76	809
	By wt	By vol
Total Volatiles	90.2%	93.7%
Federally exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	43.6%	38.2%
Organic Volatiles	46.5%	55.5%
Percent Non-Volatile	9.8%	6.3%
VOC Content	LB/Gal	g/L
Total	3.14	376
Less exempt solvents	5.09	610
Of solids	50.16	6010
Of solids	4.73 lb/lb	4.73 kg/kg
	By wt	
By wt LVP-VOC	46.5%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.87**

**Volatile Organic Compounds - California**

	19417773	
	LB/Gal	g/L
Coating Density	6.76	809
	By wt	By vol
Total Volatiles	90.2%	93.7%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	43.6%	38.2%
Organic Volatiles	46.5%	55.5%
Percent Non-Volatile	9.8%	6.3%
VOC Content	LB/Gal	g/L
Total	3.14	376
Less exempt solvents	5.09	610
Of solids	50.16	6010
Of solids	4.73 lb/lb	4.73 kg/kg
	By wt	
By wt LVP-VOC	46.5%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.84**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	19417773	
	LB/Gal	g/L
Coating Density	6.76	809
	By wt	By vol
Total Volatiles	90.2%	93.7%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	43.6%	38.2%
Organic Volatiles	46.5%	55.5%
Percent Non-Volatile	9.8%	6.3%
VOC Content	LB/Gal	g/L
Total	3.14	376
Less exempt solvents	5.09	610
Of solids	50.16	6010
Of solids	4.73 lb/lb	4.73 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	19417773	
	By wt	By vol
Total Volatiles	90.2%	93.7%
VOC Content	LB/Gal	g/L
Total	6.09	730

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	19417773	
	By wt	By vol
Total Volatiles	90.2%	93.7%
VOC Content	LB/Gal	g/L
Total	6.09	730

**Volatile Organic Compounds - Mexico**

	19417773	
	LB/Gal	g/L
Coating Density	6.76	809
	By wt	By vol
Total Volatiles	90.2%	93.7%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	90.2%	93.7%
Percent Non-Volatile	9.8%	6.3%
VOC Content	LB/Gal	g/L
Total	6.09	730
Less exempt solvents	6.09	730
Of solids	97.18	11645
Of solids	9.16 lb/lb	9.16 kg/kg

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	19417773	
	LB/Gal	kg/L
Volatile HAPS	0.59	0.071
Of solids	9.50	1.138
Of solids	0.89 lb/lb	0.89 kg/kg

### Air Quality Data

**Density of Organic Solvent Blend**

6.50 lb/gal

**Photochemically Reactive**

No

### Additional Regulatory Information

**US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

### Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.