

Versi 3.1	ion	Revision Date: 03/29/2023		DS Number: 00000001150	Date of last issue: 10/16/2019 Date of first issue: 08/10/2017				
SEC	SECTION 1. IDENTIFICATION								
	Produc	t name	:	CYCLO CARB CLNR AERO 12/12.50Z					
Product code		:	C1						
Manufacturer or supplier's of Company name of supplier				LC					
Address		:	Dallas TX 75225						
	Email Address		:	EHS@niteoproducts.com					
Telephone		:	1-844-696-4836						
	Emerge ber	ency telephone num-	:	1-800-424-9300 /	1-703-741-5970				
	Recom	mended use of the c	hen	nical and restriction	ons on use				
	Recom	mended use	:	CARB & CHOKE	CLEANER				
	Restric	tions on use	:	Use only outdoors	s or in a well-ventilated area.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable aerosols	:	Category 1
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Neurologic: other (neuropsychological effects, audi- tory dysfunction and effects on color vision))
Aspiration hazard	:	Category 1

GHS label elements



Version 3.1	Revision Date: 03/29/2023	SDS Number: 600000001150	Date of last issue: 10/16/2019 Date of first issue: 08/10/2017		
Haza	rd pictograms				
Signa	al word	: Danger			
Hazard statements		May be fatal if Causes skin irr Causes seriou May cause dro Suspected of o May cause dar logical effects,	 Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging the unborn child. May cause damage to organs (Neurologic: other (neuropsychological effects, auditory dysfunction and effects on color vision) through prolonged or repeated exposure if inhaled. 		
Preca	autionary statements	Prevention:			
		Do not handle understood. Keep away fro smoking. Do not spray o Pressurized co Do not breathe Wash skin tho Use only outdo	instructions before use. until all safety precautions have been read and m heat/ sparks/ open flames/ hot surfaces. No on an open flame or other ignition source. ontainer: Do not pierce or burn, even after use. e dust/ fume/ gas/ mist/ vapours/ spray. roughly after handling. pors or in a well-ventilated area. e gloves/ protective clothing/ eye protection/ face		
		IF ON SKIN: W IF INHALED: F for breathing. C well. IF IN EYES: R Remove conta rinsing. IF exposed or Do NOT induct If skin irritation If eye irritation Take off conta Storage: Store in a well- Store locked u	occurs: Get medical advice/ attention. persists: Get medical advice/ attention. minated clothing and wash before reuse. -ventilated place. Keep container tightly closed. p. unlight. Do not expose to temperatures exceeding		
		Disposal:			
		Dispose of cor plant.	ntents/ container to an approved waste disposal		



Version	Revision Da
3.1	03/29/2023

ate: SDS Number: 60000001150

Date of last issue: 10/16/2019 Date of first issue: 08/10/2017

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Acetone	67-64-1	>= 50 - < 70
Toluene	108-88-3	>= 20 - < 30
Heptane, branched, cyclic and linear	426260-76-6	>= 10 - < 20
Carbon dioxide	124-38-9	>= 5 - < 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on clothes, remove clothes. Remove contaminated clothing. If irritation develops, get med- ical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Obtain medical attention. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	This material (or a component) has produced hyperglycemia and ketosis following substantial ingestion. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.



Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2019	
3.1	03/29/2023	600000001150	Date of first issue: 08/10/2017	

Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if inhaled.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2) Dry chemical Alcohol-resistant foam
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation. Avoid breathing dust. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Evacuate personnel to safe areas. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against	:	Take necessary action to avoid static electricity discharge
fire and explosion		(which might cause ignition of organic vapours).



Version 3.1	Revision Date: 03/29/2023	SDS Number: 600000001150	Date of last issue: 10/16/2019 Date of first issue: 08/10/2017	
		ignition. Use only e	r from open flames, hot surfaces and sources of xplosion-proof equipment. ay on a naked flame or any incandescent material.	
Advic	Advice on safe handling		 Open drum carefully as content may be under pressure. Provide sufficient air exchange and/or exhaust in work room Do not breathe vapours/dust. Do not smoke. Take precautionary measures against static discharges. Avoid contact with skin and eyes. Dispose of rinse water in accordance with local and national regulations. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the ap- plication area. For personal protection see section 8. 	
Cond	Conditions for safe storage		Aerosol is pressurized. Keep away from direct sun and temperatures over 50 °C. Do not open by force to fire even after use. Do not spray on flames or ects. ainer tightly closed in a dry and well-ventilated which are opened must be carefully resealed and t to prevent leakage. bel precautions. g.	
	er information on stor- tability	: No decom	position if stored and applied as directed.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm	NIOSH REL
			590 mg/m3	
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm	OSHA P0
		0751	1,800 mg/m3	
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
Toluene	108-88-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL
		ST	150 ppm 560 mg/m3	NIOSH REL
		TWA	200 ppm	OSHA Z-2

Components with workplace control parameters



Vers 3.1		SDS Number: 600000001150		last issue: 10/16/2019 first issue: 08/10/2017	
			CEIL	300 ppm	OSHA Z-2
			Peak	500 ppm (10 minutes)	OSHA Z-2
			TWA	100 ppm 375 mg/m3	OSHA P0
			STEL	150 ppm 560 mg/m3	OSHA P0
	Heptane, branched, cyclic and linear	426260-76-6	TWA	400 ppm	ACGIH
Γ			STEL	500 ppm	ACGIH
Γ	Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
Γ			STEL	30,000 ppm	ACGIH
			TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
			ST	30,000 ppm 54,000 mg/m3	NIOSH REL
			TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
			TWA	10,000 ppm 18,000 mg/m3	OSHA P0
			STEL	30,000 ppm 54,000 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
Toluene	108-88-3	Toluene	In blood	Prior to last shift of work- week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g Creatinine	ACGIH BEI

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

:



Version 3.1	Revision Date: 03/29/2023	SDS Number 60000000115				
		apparent	adverse effects.			
Pers	Personal protective equipment					
Resp	piratory protection	proved filt In the cas	In the case of vapour formation use a respirator with an ap- proved filter. In the case of dust or aerosol formation use respirator with an approved filter.			
Hand	d protection					
R	Remarks		stant gloves (consult your safety equipment suppli- uitability for a specific workplace should be dis- th the producers of the protective gloves. Discard it show tears, pinholes, or signs of wear.			
Eye	Eye protection		mical splash goggles when there is the potential for of the eyes to liquid, vapor or mist.			
Skin	and body protection	centration Wear as a Imperviou	istant clothing			
Hygi	ene measures	practice. When usir	accordance with good industrial hygiene and safety ng do not smoke. ng do not eat or drink.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	aerosol
Colour	:	No data available
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	-17.8 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available

SAFETY DATA SHEET



CYCLO® CARB CLEANER VOC

Vers 3.1	sion	Revision Date: 03/29/2023		S Number: 000001150	Date of last issue: 10/16/2019 Date of first issue: 08/10/2017
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	
	Relative	e vapour density	:	No data available	
	Density	,	:	No data available	
	Solubili Wat	ty(ies) er solubility	:	slightly soluble	
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty :osity, kinematic	:	No data available	
	Molecu	lar weight	:	No data available	
	VOC %	By Weight	:	44 %	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact

Eye contact Skin contact Ingestion



Version 3.1	Revision Date: 03/29/2023		0S Number: 0000001150	Date of last issue: 10/16/2019 Date of first issue: 08/10/2017
Acut	e toxicity			
Not c	classified based on ava	ailable	information.	
<u>Prod</u>	luct:			
Acute	e inhalation toxicity	:	Acute toxicity e Exposure time: Test atmosphe Method: Calcul	re: vapour
<u>Com</u>	ponents:			
Acet	one:			
Acute	e oral toxicity	:	LD50 (Rat, fem	nale): 5,800 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat, fem Exposure time: Test atmosphe	: 4 h
Acute	e dermal toxicity	:	LD50 (Rabbit):	> 7,426 mg/kg
Tolu	ene:			
Acute	e oral toxicity	:	LD50 (Rat): > 5	5,000 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat, ma Exposure time: Test atmosphe	: 4 h
Acute	e dermal toxicity	:	LD50 (Rabbit):	12,124 mg/kg
-	corrosion/irritation			
Prod	luct:			
Rem	arks: May cause skin i	rritatio	n and/or dermat	itis.
Com	ponents:			
Acet Resu	one: Ilt: Possibly irritating to	o skin		

Result: Repeated exposure may cause skin dryness or cracking.

Toluene:

Result: Irritating to skin.

Heptane, branched, cyclic and linear:

Result: Irritating to skin.

Carbon dioxide:

Assessment: No skin irritation Result: No skin irritation



VersionRevision Date:SDS Number:3.103/29/202360000001150

Date of last issue: 10/16/2019 Date of first issue: 08/10/2017

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Acetone:

Result: Irritating to eyes. Assessment: Irritating to eyes.

Toluene:

Result: Irritating to eyes.

Heptane, branched, cyclic and linear:

Result: Possibly irritating to eyes

Carbon dioxide: Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Toluene:

Species: Guinea pig Method: Directive 67/548/EEC, Annex V, B.6. Result: Not a skin sensitizer.

Heptane, branched, cyclic and linear:

Result: Substance is not considered to be potential skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or



Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2019
3.1	03/29/2023	60000001150	Date of first issue: 08/10/2017

equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Toluene:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Acetone:

Exposure routes: Inhalation Target Organs: Nervous system Assessment: May cause drowsiness or dizziness.

Toluene:

Exposure routes: Inhalation Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.

Heptane, branched, cyclic and linear:

Exposure routes: Inhalation Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs (Neurologic: other (neuropsychological effects, auditory dysfunction and effects on color vision)) through prolonged or repeated exposure if inhaled.

Components:

Toluene:

Exposure routes: Inhalation Target Organs: Neurologic: other (neuropsychological effects, auditory dysfunction and effects on color vision) Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Acetone:

May be harmful if swallowed and enters airways.



Version	Revision Date:	SDS Number:
3.1	03/29/2023	60000001150

Date of last issue: 10/16/2019 Date of first issue: 08/10/2017

Toluene:

May be fatal if swallowed and enters airways.

Heptane, branched, cyclic and linear:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity		
Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR		
UN/ID No.	:	UN 1950
Proper shipping name	:	Aerosols, flammable
Class	:	2.1
Packing group	:	Not assigned by regulation
Labels	:	2.1
Packing instruction (cargo	:	203
aircraft)		
Packing instruction	:	203
(passenger aircraft)		
IMDG-Code		
UN number		UN 1950
	•	0111000



Version 3.1	Revision Date: 03/29/2023		0S Number: 0000001150	Date of last issue: 10/16/2019 Date of first issue: 08/10/2017
Class Packing Labels EmS C Marine Transp	pollutant	: : : :		egulation OL 73/78 and the IBC Code
Nation	al Regulations	-		
	t NA number shipping name	:	UN 1950 Aerosols	
Class Packing Labels	g group	: : :	2.1 Not assigned by r 2.1	egulation

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

: 126

: no

CERCLA Reportable Quantity

ERG Code

Marine pollutant

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Acetone	67-64-1	100	100 (F003)
Ethylbenzene	100-41-4	100	100 (F003)
Xylene	1330-20-7	100	100 (F003)
Toluene	108-88-3	100	100 (F005)
Benzene	71-43-2	10	10 (D018)
Toluene	108-88-3	1000	3724

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	Flammable (gases, aerose Skin corrosion or irritation Serious eye damage or ey Reproductive toxicity Specific target organ toxic Aspiration hazard	e irritation	
SARA 313	The following components are subject to reporting levels es tablished by SARA Title III, Section 313:		oorting levels es-
	Toluene	108-88-3	>= 20 - < 30 %




Version	Revision Date:	SDS Number:
3.1	03/29/2023	60000001150

Date of last issue: 10/16/2019 Date of first issue: 08/10/2017

California Prop. 65

WARNING: This product can expose you to chemicals including Benzene, Ethylbenzene, which is/are known to the State of California to cause cancer, and Toluene, Benzene, n-Hexane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN