

# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019

 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

#### **SECTION 1. IDENTIFICATION**

Product name : CYCLO BPC NONCHLR 10% VOC AERO 12/14OZ

Product code : C111CA10VOC

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num-

ber

: 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : BRAKE PARTS CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable aerosols : Category 1

Eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure

Category 3 (Central nervous system)

exposure

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

Category 2 (Neurologic: other (neuropsychological effects, audi-

tory dysfunction and effects on color vision))

**GHS** label elements

Hazard pictograms :







Signal word : Danger



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019

 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

Hazard statements : Extremely flammable aerosol.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Suspected of damaging the unborn child.

May cause damage to organs (Neurologic: other (neuropsychological effects, auditory dysfunction and effects on color vision))

through prolonged or repeated exposure if inhaled.

Precautionary statements : Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

## Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

#### Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding

50 °C/ 122 °F.

## Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

Chemical name   CAS-No.   Concentration (% w/w)	
---	--



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

Version Revision Date: SDS Number: Date of last issue: 10/15/2019 3.1 03/29/2023 600000001262 Date of first issue: 08/08/2017

Acetone	67-64-1	>= 70 - < 90
Carbon dioxide	124-38-9	>= 5 - < 10
Toluene	108-88-3	>= 5 - < 10
Heptane, branched, cyclic and linear	426260-76-6	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Obtain medical attention.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

May cause drowsiness or dizziness. Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

This material (or a component) has produced hyperglycemia

and ketosis following substantial ingestion.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Carbon dioxide (CO2)

Dry chemical

Alcohol-resistant foam



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019

 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Remove all sources of ignition. Ensure adequate ventilation.

Avoid breathing dust.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Evacuate personnel to safe areas.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Keep away from open flames, hot surfaces and sources of

ianition.

Use only explosion-proof equipment.

Do not spray on a naked flame or any incandescent material.

Advice on safe handling : Open drum carefully as content may be under pressure.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Take precautionary measures against static discharges.

Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019

 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

No smoking.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
		ST	30,000 ppm 54,000 mg/m3	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
		TWA	10,000 ppm 18,000 mg/m3	OSHA P0
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0
Toluene	108-88-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL
		ST	150 ppm 560 mg/m3	NIOSH REL



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019

 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm (10 minutes)	OSHA Z-2
		TWA	100 ppm 375 mg/m3	OSHA P0
		STEL	150 ppm 560 mg/m3	OSHA P0
Heptane, branched, cyclic and linear	426260-76-6	TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH

## Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
Toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g Creatinine	ACGIH BEI

**Engineering measures** 

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

## Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an ap-

proved filter.

In the case of dust or aerosol formation use respirator with an

approved filter.

Hand protection



# CYCLO® BRAKE PARTS CLEANER NON-**CHLOR 10% VOC**

Revision Date: Version SDS Number: Date of last issue: 10/15/2019 03/29/2023 60000001262 Date of first issue: 08/08/2017 3.1

Remarks Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Choose body protection according to the amount and con-Skin and body protection

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing Flame-resistant clothing

Safety shoes

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** aerosol

Colour No data available

Odour hydrocarbon-like

Odour Threshold No data available

pΗ No data available

Melting point/freezing point No data available

Boiling point/boiling range No data available

-17.22 °C Flash point

Method: closed cup

Evaporation rate No data available

Self-ignition No data available

Upper explosion limit / Upper

flammability limit

13 %(V)

Lower explosion limit / Lower : 1.2 %(V)

flammability limit

Vapour pressure No data available

Relative vapour density No data available

Density No data available



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

Version Revision Date: SDS Number: Date of last issue: 10/15/2019 3.1 03/29/2023 600000001262 Date of first issue: 08/08/2017

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Molecular weight : No data available

VOC % By Weight : 10 %

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

## **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019

 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

#### Components:

Acetone:

Acute oral toxicity : LD50 (Rat, female): 5,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 76 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 7,426 mg/kg

Toluene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, males): 25.7 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 12,124 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks: May irritate skin.

### **Components:**

Acetone:

Result: Possibly irritating to skin

Result: Repeated exposure may cause skin dryness or cracking.

Carbon dioxide:

Assessment: No skin irritation Result: No skin irritation

Toluene:

Result: Irritating to skin.

### Heptane, branched, cyclic and linear:

Result: Irritating to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

Version Revision Date: SDS Number: Date of last issue: 10/15/2019 3.1 03/29/2023 600000001262 Date of first issue: 08/08/2017

#### Components:

Acetone:

Result: Irritating to eyes. Assessment: Irritating to eyes.

Carbon dioxide:

Result: No eye irritation

Toluene:

Result: Irritating to eyes.

Heptane, branched, cyclic and linear:

Result: Possibly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Toluene:

Species: Guinea pig

Method: Directive 67/548/EEC, Annex V, B.6.

Result: Not a skin sensitizer.

Heptane, branched, cyclic and linear:

Result: Substance is not considered to be potential skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

Version Revision Date: SDS Number: Date of last issue: 10/15/2019 3.1 03/29/2023 600000001262 Date of first issue: 08/08/2017

## **Components:**

#### Toluene:

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

## STOT - single exposure

May cause drowsiness or dizziness.

#### **Components:**

#### Acetone:

Exposure routes: Inhalation Target Organs: Nervous system

Assessment: May cause drowsiness or dizziness.

#### Toluene:

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

#### Heptane, branched, cyclic and linear:

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

## STOT - repeated exposure

May cause damage to organs (Neurologic: other (neuropsychological effects, auditory dysfunction and effects on color vision)) through prolonged or repeated exposure if inhaled.

### **Components:**

#### Toluene:

Exposure routes: Inhalation

Target Organs: Neurologic: other (neuropsychological effects, auditory dysfunction and effects

on color vision)

Assessment: May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

### Acetone:

May be harmful if swallowed and enters airways.

#### Toluene:

May be fatal if swallowed and enters airways.

### Heptane, branched, cyclic and linear:

May be fatal if swallowed and enters airways.



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

Version Revision Date: SDS Number: Date of last issue: 10/15/2019 3.1 03/29/2023 600000001262 Date of first issue: 08/08/2017

### **Further information**

#### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vom-

iting.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

information

Additional ecological : An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## **International Regulations**

**IATA-DGR** 

UN/ID No. : UN 1950

Proper shipping name : Aerosols, flammable

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1 Packing instruction (cargo : 203

aircraft)

Packing instruction : 203

(passenger aircraft)

**IMDG-Code** 

UN number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019

 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

EmS Code : F-D, S-U Marine pollutant : no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

**49 CFR** 

UN/ID/NA number : UN 1950 Proper shipping name : Aerosols

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1 ERG Code : 126 Marine pollutant : no

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Acetone	67-64-1	100	100 (F003)
Ethylbenzene	100-41-4	100	100 (F003)
Xylene	1330-20-7	100	100 (F003)
Toluene	108-88-3	100	100 (F005)
Benzene	71-43-2	10	10 (D018)
Acetone	67-64-1	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Serious eye damage or eye irritation

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Toluene 108-88-3 >= 5 - < 10 %

## California Prop. 65

WARNING: This product can expose you to chemicals including Benzene, Ethylbenzene, which is/are known to the State of California to cause cancer, and Toluene, Benzene, n-Hexane, which



# CYCLO® BRAKE PARTS CLEANER NON-CHLOR 10% VOC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2019


 3.1
 03/29/2023
 600000001262
 Date of first issue: 08/08/2017

is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16. OTHER INFORMATION**

#### **Further information**

### NFPA:



Special hazard

Revision Date : 03/29/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN