

Version 2.2	Revision Date: 03/29/2023		DS Number: 00000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018
SECTIO	N 1. IDENTIFICATION			
Pro	duct name	:	CYCLO BELT DF	RSG AERO 6/8 OZ
Pro	duct code	:	C1246	
	nufacturer or supplier's npany name of supplier			LC
Ado	Iress	:	Dallas TX 75225	
Em	ail Address	:	EHS@niteoprodu	icts.com
Tele	ephone	:	1-844-696-4836	
Em ber	ergency telephone num-	:	1-800-424-9300 /	1-703-741-5970
Red	commended use of the c	her	nical and restriction	ons on use
Red	commended use	:	BELT DRESSING	3
Res	strictions on use	:	Use only outdoors	s or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable aerosols	:	Category 1
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Nervous system)
Aspiration hazard	:	Category 1

GHS label elements



Version 2.2	Revision Date: 03/29/2023	SDS Number: 60000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018
Hazar	d pictograms		
Signal	word	: Danger	
Hazar	d statements	May be fatal if Causes skin ir Causes seriou May cause dro Suspected of May cause da	nmable aerosol. swallowed and enters airways. ritation. is eye irritation. owsiness or dizziness. damaging fertility. mage to organs (Nervous system) through pro- eated exposure if inhaled.
Preca	utionary statements	Do not handle understood. Keep away fro smoking. Do not spray o Pressurized co Do not breatho Wash skin tho Use only outdo	instructions before use. until all safety precautions have been read and om heat/ sparks/ open flames/ hot surfaces. No on an open flame or other ignition source. ontainer: Do not pierce or burn, even after use. e dust/ fume/ gas/ mist/ vapours/ spray. roughly after handling. oors or in a well-ventilated area. we gloves/ protective clothing/ eye protection/ face
		IF ON SKIN: V IF INHALED: I for breathing. Well. IF IN EYES: R Remove conta rinsing. IF exposed or Do NOT induc If skin irritation If eye irritation Take off conta Storage: Store in a well Store locked u Protect from s 50 °C/ 122 °F.	o occurs: Get medical advice/ attention. persists: Get medical advice/ attention. minated clothing and wash before reuse. -ventilated place. Keep container tightly closed. p. unlight. Do not expose to temperatures exceeding



Version	Revision Da
2.2	03/29/2023

Revision Date:	SDS Number:
03/29/2023	60000001218

Date of last issue: 01/05/2023 Date of first issue: 01/04/2018

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum)	64742-49-0	>= 30 - < 50
Propane	74-98-6	>= 20 - < 30
Butane	106-97-8	>= 10 - < 20
n-Hexane	110-54-3	>= 5 - < 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on clothes, remove clothes. Seek medical advice. Remove contaminated clothing. If irritation develops, get med- ical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Obtain medical attention. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.



Vers 2.2	sion	Revision Date: 03/29/2023		OS Number: 0000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018
				Causes skin irritat Causes serious e May cause drows Suspected of dam	ye irritation. iness or dizziness. naging fertility. ge to organs through prolonged or repeated
SEC	TION 5	. FIREFIGHTING MEA	SU	RES	
	Suitabl	e extinguishing media	:	Water spray Carbon dioxide (C Dry chemical Alcohol-resistant f	
	Unsuita media	able extinguishing	:	High volume wate	er jet
	Specifi fighting	c hazards during fire-	:	Do not allow run-o courses.	off from fire fighting to enter drains or water
	Hazaro ucts	lous combustion prod-	:	Carbon oxides	
	Specifi ods	c extinguishing meth-	:	Product is compa	tible with standard fire-fighting agents.
	Furthe	r information	:	cumstances and t Fire residues and be disposed of in	measures that are appropriate to local cir- he surrounding environment. contaminated fire extinguishing water must accordance with local regulations. to cool fully closed containers.
	Specia for firef	l protective equipment ïghters	:	In the event of fire	e, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation. Avoid breathing dust. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Evacuate personnel to safe areas. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET



CYCLO® BELT DRESSING

Version 2.2	Revision Date: 03/29/2023	SDS Number: 60000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018				
SECTION	7. HANDLING AND ST	ORAGE					
	e on protection against nd explosion	(which might Keep away fre ignition. Use only expl	ary action to avoid static electricity discharge cause ignition of organic vapours). om open flames, hot surfaces and sources of osion-proof equipment. on a naked flame or any incandescent material.				
Advic	e on safe handling	Provide suffic Do not breath Do not smoke Take precauti Avoid contact Dispose of rin regulations. Container haz Smoking, eati plication area	precautionary measures against static discharges. contact with skin and eyes. se of rinse water in accordance with local and national ations. iner hazardous when empty. ing, eating and drinking should be prohibited in the ap-				
Conditions for safe storage		exposure and or throw into f red-hot object Keep containe place. Containers wi	er tightly closed in a dry and well-ventilated hich are opened must be carefully resealed and o prevent leakage.				
	er information on stor- tability	: No decompos	sition if stored and applied as directed.				

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Naphtha (petroleum)	64742-49-0	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
Propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
Butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL

Components with workplace control parameters



sion	Revision Date: 03/29/2023			umber:)001218		Date of las Date of firs					
					T۷	VA	800 ppm 1,900 mg		0	SHA P0	
					S	EL	1,000 pp	m		CGIH	
n-Hex	ane		110	-54-3		VA	50 ppm			CGIH	
					T٧	VA	50 ppm		NI	OSH RE	
					-			180 mg/m3			
					IV	VA	500 ppm 1,800 mg/m3		03	SHA Z-1	
					T۷	VA	50 ppm 180 mg/i		OSHA P0		
Biolo	gical occupational	expos	sure li	imits					1		
Comp	oonents	CAS-	No.	Control paramete	ers	Biological specimen	Sam- pling time	Permissi concentration		Basis	
n-Hex	ane	110-5	4-3	2,5- Hexaned one	i-	Urine	End of shift	0.5 mg/l		ACGIH BEI	
	onal protective equ iratory protection	ipmen :	In t pro In t	ved filter.	dus	our formatio					
Hand	protection										
Re	emarks	:	er). cus	The suital sed with the	bility ne p	oves (consu for a specif roducers of tears, pinho	ic workplac the protect	ce should b ive gloves.	be di	is-	
Eye p	rotection	:				lash goggle yes to liquid			oten	itial for	
cent Wea Impo Flan				Choose body protection according to the amount and con- centration of the dangerous substance at the work place. Wear as appropriate: Impervious clothing Flame-resistant clothing Safety shoes							
Hygiene measures			Handle in accordance with good industrial hygiene and se practice. When using do not smoke. When using do not eat or drink.					l safety			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: aerosol

SAFETY DATA SHEET



CYCLO® BELT DRESSING

Version 2.2	Revision Date: 03/29/2023		S Number: 0000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018	
Coloui	r	:	not determined		
Odour		:	hydrocarbon-like		
Odour	Threshold	:	No data available	9	
рН		:	No data available	9	
Melting	g point/range	:	No data available)	
Boiling	g point/boiling range	:	No data available)	
Flash	Flash point		-104.45 °C Method: closed cup		
Evapo	ration rate	:	No data available)	
Flamm	nability (solid, gas)	:	No data available)	
Self-i	gnition	:	No data available	9	
	explosion limit / Upper ability limit	:	9.5 %(V)		
	explosion limit / Lower ability limit	:	1.2 %(V)		
Vapou	ir pressure	:	No data available)	
Relativ	ve vapour density	:	No data available	9	
Densit	У	:	0.8 g/cm3		
	lity(ies) ater solubility	:	insoluble		
	on coefficient: n- bl/water	:	No data available		
Decon	nposition temperature	:	No data available		
Viscos Vis	sity cosity, dynamic	:	No data available	9	
Vis	cosity, kinematic	:	No data available)	
Molec	ular weight	:	No data available	9	
VOC %	% By Weight	:	85 %		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.



ersion .2	Revision Date: 03/29/2023		S Number: 0000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018		
Possil tions	bility of hazardous reac-	:		n if stored and applied as directed. m explosive mixture with air.		
Condi	tions to avoid	:	Heat, flames and sparks.			
Incom	patible materials	:	Strong oxidizing agents			
	Hazardous decomposition products		: Carbon oxides			
	11. TOXICOLOGICAL I	-	-			
Inhala Eye c	ition ontact contact		Aposure			
	e toxicity assified based on availa	ble i	nformation.			
<u>Produ</u> Acute	<u>uct:</u> dermal toxicity	:	Acute toxicity esti Method: Calculati	mate: 4,480 mg/kg on method		
Comp	oonents:					
Naph	tha (petroleum):					
Acute	oral toxicity	:	LD50 (Rat): > 5,0 Method: OECD Te			
Acute	dermal toxicity	:	LD50 (Rabbit): > 2 Method: OECD To			
Butar	ne:					
Acute	oral toxicity	:	LD50 (Rat): > 5 g/	/kg		
Acute	dermal toxicity	:	LD50 (Rabbit): > 3	3.16 g/kg		
n-Hex	ane:					
Acute	oral toxicity	:	LD50 (Rat, male a	and female): ca. 16 g/kg		
Acute	inhalation toxicity	:	LC50 (Rat, male): Exposure time: 2 ⁴ Test atmosphere: Remarks: No mor	ł h		
Acute	dermal toxicity	:		le and female): > 2,000 mg/kg adverse effect has been observed in acut sts.		



Version	Revision Date:	SDS Number:
2.2	03/29/2023	60000001218

Date of last issue: 01/05/2023 Date of first issue: 01/04/2018

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

Naphtha (petroleum):

Species: Rabbit Result: Irritating to skin.

Butane:

Result: Possibly irritating to skin

n-Hexane:

Result: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Naphtha (petroleum):

Species: Rabbit Result: Irritating to eyes.

Butane:

Result: Possibly irritating to eyes

n-Hexane: Result: Possibly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Naphtha (petroleum):

Test Type: Buehler Test Species: Guinea pig Result: Not a skin sensitizer.



sion	Revision Date: 03/29/2023	SDS Number: 600000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018				
Germ	cell mutagenicity						
Not cl	assified based on avai	lable information.					
<u>Comp</u>	oonents:						
Propa	ane:						
Genotoxicity in vitro		Test system: Metabolic act	 Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative 				
	nogenicity assified based on avai	lable information.					
<u>Comp</u>	oonents:						
Naph	tha (petroleum):						
Carcir ment	nogenicity - Assess-	: Not classifiab	ole as a human carcinogen.				
IARC			of this product present at levels greater than of identified as probable, possible or confirmed len by IARC.				
OSH	A		of this product present at levels greater than o on OSHA's list of regulated carcinogens.				
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoge by NTP.					
-	oductive toxicity acted of damaging ferti	lity.					
Comp	oonents:						
Naph	tha (petroleum):						
-	ductive toxicity - As-		ification not possible from current data. ty classification not possible from current data.				
n-Hex	ane:						
Repro sessm	ductive toxicity - As- nent		damaging fertility., Some evidence of adverse xual function and fertility, based on animal exp				
	- single exposure ause drowsiness or di	zziness					
	oonents:						
Naph	tha (petroleum):						

Exposure routes: Inhalation Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.



Version	Revision Date:	SDS Number:
2.2	03/29/2023	60000001218

Date of last issue: 01/05/2023 Date of first issue: 01/04/2018

n-Hexane:

Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs (Nervous system) through prolonged or repeated exposure if inhaled.

Components:

n-Hexane:

Exposure routes: Inhalation Target Organs: Nervous system Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Naphtha (petroleum):

May be fatal if swallowed and enters airways.

n-Hexane:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

SECTION 12. ECOLOGICAL INFORMATION

To	oxia	city

i enterty		
Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.



 Version
 Revision Date:
 SDS Number:

 2.2
 03/29/2023
 60000001218

Date of last issue: 01/05/2023 Date of first issue: 01/04/2018

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

UN/ID No. Proper shipping name Class Packing group Labels		UN 1950 Aerosols, flammable 2.1 Not assigned by regulation 2.1
Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	:	203 203
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant		UN 1950 AEROSOLS 2.1 Not assigned by regulation 2.1 F-D, S-U no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR UN/ID/NA number Proper shipping name	:	UN 1950 Aerosols
Class Packing group Labels ERG Code Marine pollutant	:	2.1 Not assigned by regulation 2.1 126 no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
n-Hexane	110-54-3	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



>= 5 - < 10 %

CYCLO® BELT DRESSING

Version 2.2	Revision Date: 03/29/2023	SDS Number: 600000001218	Date of last issue: 01/05/2023 Date of first issue: 01/04/2018	
SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.				
SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Serious eye damage or eye irritation Reproductive toxicity Specific target organ toxicity (single or repeated exposure) Aspiration hazard Serious area				
SAR	A 313	: The following c	components are subject to reporting levels es-	

n-Hexane


The following components are subject to reporting levels es-
tablished by SARA Title III, Section 313:

110-54-3

California Prop. 65

WARNING: This product can expose you to chemicals including n-Hexane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION



Revision Date : 03/29/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.