

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

---

### SECTION 1. IDENTIFICATION

Product name : MM BF ABS 12/32OZ

Product code : M4632

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : BRAKE FLUID

Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity : Category 2 (Kidney)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

**Response:**  
Get medical advice/ attention if you feel unwell.

**Disposal:**

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Diethylene glycol	111-46-6	>= 5 - < 10
Polyethylene glycol	25322-68-3	>= 1 - < 5
Triethylene glycol monobutyl ether	143-22-6	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure if swallowed.
- Notes to physician : Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

---

- Unsuitable extinguishing media : High volume water jet
  - Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
  - Hazardous combustion products : Carbon oxides
  - Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
  - Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
  - Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
  - Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
 Date of first issue: 10/11/2022

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diethylene glycol	111-46-6	TWA	10 mg/m <sup>3</sup>	US WEEL
Polyethylene glycol	25322-68-3	TWA (aerosol)	10 mg/m <sup>3</sup>	US WEEL

## Personal protective equipment

## Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
 Tightly fitting safety goggles  
 Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
 When using do not smoke.  
 Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

Odour : ether-like

Odour Threshold : not determined

pH : 8.6

Melting point/freezing point : < -50 °C

Boiling point/boiling range : > 232 °C

Flash point : not determined

Evaporation rate : not determined

Flammability (solid, gas) : No data available

Self-ignition : not determined

Upper explosion limit / Upper : not determined

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

---

flammability limit

Lower explosion limit / Lower flammability limit : not determined

Vapour pressure : not determined

Relative vapour density : not determined

Density : 1.06 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : not determined

Partition coefficient: n-octanol/water : not determined

Decomposition temperature : not determined

Viscosity  
Viscosity, dynamic : not determined  
Viscosity, kinematic : not determined

Molecular weight : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : Carbon oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

---

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

---

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

### **Components:**

#### **Diethylene glycol:**

Acute oral toxicity : LD50 (Humans): Expected 1,120 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): 13,300 mg/kg

#### **Polyethylene glycol:**

Acute oral toxicity : LD50 (Rat): > 20 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 20 g/kg

#### **Triethylene glycol monobutyl ether:**

Acute oral toxicity : LD50 (Rat): 5,300 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 3,502 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Remarks: Extremely corrosive and destructive to tissue.

### **Components:**

#### **Diethylene glycol:**

Species: human skin  
Result: Possibly irritating to skin

#### **Polyethylene glycol:**

Assessment: No skin irritation  
Result: No skin irritation

#### **Triethylene glycol monobutyl ether:**

Result: No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

---

### **Product:**

Remarks: May cause irreversible eye damage.

### **Components:**

#### **Diethylene glycol:**

Species: Rabbit  
Result: Possibly irritating to eyes

#### **Polyethylene glycol:**

Result: No eye irritation  
Assessment: No eye irritation

#### **Triethylene glycol monobutyl ether:**

Result: Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Diethylene glycol:**

Test Type: Maximisation Test  
Species: Guinea pig  
Method: Directive 67/548/EEC, Annex V, B.6.  
Result: Did not cause sensitisation on laboratory animals.

#### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Diethylene glycol:**

Genotoxicity in vitro : Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 479  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative

#### **Carcinogenicity**

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version 1.1      Revision Date: 03/29/2023      SDS Number: 600000002575      Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

---

**OSHA**      No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**      No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

### **Components:**

#### **Diethylene glycol:**

Exposure routes: Ingestion

Target Organs: Kidney

Assessment: May cause damage to organs through prolonged or repeated exposure.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Toxicity**

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.



**MOTOR MEDIC® BRAKE FLUID ABS**

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2022
1.1	03/29/2023	600000002575	Date of first issue: 10/11/2022

**SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**International Regulations****IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

**49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Triethylene glycol monomethyl ether	112-35-6	>= 30 - < 50 %
Triethylene glycol mono-butyl ether	143-22-6	>= 1 - < 5 %

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# SAFETY DATA SHEET



## MOTOR MEDIC® BRAKE FLUID ABS

Version  
1.1

Revision Date:  
03/29/2023


SDS Number:  
600000002575

Date of last issue: 10/11/2022  
Date of first issue: 10/11/2022

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA:



Revision Date : 03/29/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN