

# Section 1: Product & Company Identification

Product Name: SYN-GO® Multi Grade 75W90 (Synthetic Gear Oil)

Product Number (s): SL2482

Manufactured By: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 www.crcindustries.com

 General Information
 (215) 674-4300

 Technical Assistance
 (800) 521-3168

 Customer Service
 (800) 272-8963

 24-Hr Emergency (CHEMTREC)
 (800) 424-9300

# Section 2: Hazards Identification

### **Emergency Overview**

Appearance & Odor: Amber liquid, mild odor

As defined by OSHA's Hazard Communication Standard, this product is non-hazardous.

#### **Potential Health Effects:**

EYE:	May cause slight eye irritation. May cause very slight transient corneal injury.
SKIN:	Slightly irritating. Repeated or prolonged contact can result in drying of the skin.
INHALATION:	Oil mist can irritate airways and lungs.
INGESTION:	Can cause stomach ache and vomiting. Main hazard, if ingested, is aspiration into the lungs and subsequent pneumonitis.
CHRONIC EFFECTS:	Unknown
TARGET ORGANS:	Unknown

Medical Conditions Aggravated by Exposure:

Unknown

See Section 11 for toxicology and carcinogenicity information on product ingredients.

# Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
1-Decene, homopolymer, hydrogenated (polyalphaolefins)	68037-01-4	60 - 80
Butene, homopolymer (polybutenes)	9003-29-6	10 - 30
Sulfurized olefin	trade secret	3-7
Gear oil additives	trade secret	1 - 5

## Section 4: First Aid Measures

Eye Contact:	Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.
Skin Contact:	Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.
Inhalation:	Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.
Ingestion:	Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
Note to Physicians:	None

# Section 5: Fire-Fighting Measures

Flammable Properties:	As defined by OSHA, this product is nonflammable.			
Flash Point: Autoignition Temperature:	400 F (COC) ND	Upper Explosive Limit: Lower Explosive Limit:	ND ND	
Suitable Extinguishing Media:	Alcohol resistant foam, dry chemicals, sand, dolomite, carbon dioxide			
Products of Combustion:	Acrid smoke/fumes. Oxides of carbon, sulfur and phosphorus.			
Protection of Fire-Fighters:	protection against suffocation and skin protection should b	f-contained, NIOSH-approved on and possible toxic decompo oe provided. Use water spray k down vapors which may res	osition products. Proper eye to keep fire-exposed	

# Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8. Minimize skin contact.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.
 Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

# Section 7: Handling and Storage

Handling Procedures: Do not reuse container. Keep container closed when not in use. Ventilate well and avoid breathing vapors. Do not store or mix with strong oxidizers.
Storage Procedures: Store in a cool dry area out of direct sunlight. Keep away from sources of ignition. Store away from strong acids and oxidizers.
Aerosol Storage Level: NA

### Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	OS	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
1-Decene, homopolymer, hydrogenated	NE	NE	NE	NE	NE		
Butene, homopolymer	NE	NE	NE	NE	NE		
Sulfurized olefin	NE	NE	NE	NE	NE		
Gear oil additives	NE	NE	NE	NE	NE		
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Engineering Controls:	Area should have ventilation to provide fresh air. Use local exhaust to prevent accumulation of vapors. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations
Respiratory Protection:	None required for normal work where adequate ventilation is provided. Use a NIOSH- approved cartridge respirator with organic vapor cartridges if vapors exceed exposure limits. Use a self-contained breathing apparatus in confined spaces and for emergencies.
Eye/face Protection:	For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
Skin Protection:	Use protective gloves such as Nitrile or PVC. Also , use full protective clothing if there is prolonged or repeated contact of liquid with skin.

# Section 9: Physical and Chemical Properties

Physical State: liquid Color: Amber

## Product Name: SYN-GO® Multi Grade 75W90

Odor: Mild Specific Gravity: 0.87			
Initial Boiling Point: ND			
Freezing Point: ND			
Vapor Pressure: < 1 mmHg @ 68 F			
Vapor Density: > 5 (air = 1)			
Evaporation Rate: <1 (ether = 1)			
Solubility: Insoluble in water			
pH: NA			
Volatile Organic Compounds: <u>wt %</u> :	0	<u>g/L</u> : 0	<u>lbs./gal:</u> 0

# Section 10: Stability and Reactivity

Stability:	Stable		
Conditions to Av	oid:	Sources of igr	nition
Incompatible Ma	iterials:	Strong acids a	and oxidizers
Hazardous Deco	omposition F	Products:	Oxides of carbon, sulfur and phosphorus
Possibility of Hazardous Reactions:		actions:	No

# Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

### ACUTE EFFECTS

<u>Component</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
1-Decene, homopolymer, hydrogenated	LD50	> 2000	Oral	Rat
1-Decene, homopolymer, hydrogenated	LD50	> 2000	Dermal	Rabbit
1-Decene, homopolymer, hydrogenated	LC50	> 5 mg/L	Inhalation	Rat

#### CHRONIC EFFECTS

# Carcinogenicity:

OSHA: IARC: NTP:	Component None listed None listed None listed	<u>Result</u>
Mutagenicity:	No information available	
Other:	None	

# Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:	No information available
Persistence / Degradability:	No information available
Bioaccumulation / Accumulation:	No information available
Mobility in Environment:	No information available

#### **Section 13: Disposal Considerations**

Disposal: This product is not a RCRA hazardous waste as packaged. (See 40 CFR Part 261.20 – 261.33) Used oil should be collected and handled in accordance with 40 CFR Part 279. Used oil that is mixed with hazardous waste may be subject to regulation as hazardous waste.

All disposal activities must comply with federal, state and local regulations. Local regulations may be more stringent than state or national requirements.

# **Section 14: Transport Information**

Proper shipping description:

US DOT (ground): Not regulated.

Special Provisions: None

### Section 15: Regulatory Information

#### U.S. Federal

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

#### Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	No
-	Reactive Hazard	No
	Release of Pressure	No
	Acute Health Hazard	No
	Chronic Health Hazard	No
	Childhic Health Hazaru	INO

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting

В

requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None

#### Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

#### State Regulations

#### California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: **None** 

#### State Right to Know:

New Jersey:	800962-5222, 800962-5900, petroleum oil
Pennsylvania:	None
Massachusetts:	None
Rhode Island :	None

Additional Regulatory Information: None

### **Section 16: Other Information**

NFPA:	Health:	0	Flammability:	1	Reactivity:	0		
HMIS:	Health:	0	Flammability:	1	Reactivity:	0	PPE:	F

Prepared By:Michelle RudnickCRC #:701530Revision Date:3/01/06

Changes since last revision: Added registered trademark

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable		
ppm:	Parts per Million	ND:	Not Determined		
TCC:	Tag Closed Cup	NE:	Not Established		
PMCC:	Pensky-Martens Closed Cup	g/L:	grams per Liter		
PPE:	Personal Protection Equipment	lbs./gal:	pounds per gallon		
TWA:	Time Weighted Average	STEL:	Short Term Exposure Limit		
OSHA:	Occupational Safety and Health Administration	COC:	Cleveland Open Cup		
ACGIH	American Association of Governmental Industrial Hygienists				
NIOSH	National Institute of Occupational Safety & Health				