

# **Safety Data Sheet**

Issue Date: 05-Dec-2018 Revision Date: 07-Dec-2018 Version 1

## 1. IDENTIFICATION

Product identifier

Product Name SPLASH All-Season 4-in-1 Windshield Wash -25°F

Other means of identification

**SDS/Part #** 234192

UN/ID No UN1993

Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

Details of the supplier of the safety data sheet

Manufacturer Address

**FMP** 

1380 Corporate Center Curve, Suite 200

Eagan, MN 55121 Phone: 888-784-0802

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Purple liquid Physical state Liquid Odor Slight alcohol

## Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

### Signal Word Danger

#### **Hazard statements**

Harmful if swallowed
Toxic in contact with skin
Toxic if inhaled
Causes damage to organs
Flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed: Call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

Call a POISON CENTER or doctor if you feel unwell

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Methanol	67-56-1	30-35

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST AID MEASURES

#### Description of first aid measures

General Advice IF exposed: Call a POISON CENTER or doctor/physician.

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. Call a poison center or doctor/physician if you

feel unwell.

Inhalation Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER

or doctor/physician.

\_\_\_\_\_

Ingestion

Call a poison center or doctor/physician if you feel unwell. Rinse mouth.

## Most important symptoms and effects, both acute and delayed

Symptoms Harmful if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes damage to organs.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use CO2, dry chemical, or foam for extinction.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or

smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Keep cool. Wear protective

gloves/protective clothing and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Incompatible Materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>
		(vacated) STEL: 325 mg/m <sup>3</sup>	_
		(vacated) S*	

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearancePurple liquidOdorSlight alcoholColorPurpleOdor ThresholdNot determined

Property Values Remarks • Method

**pH** 8.0

Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)

-32 °C / -25.6 °F
83 °C / 181.4 °F
30 °C / 86 °F
Not determined
Liquid-Not applicable

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure Not determined Vapor Density Not determined

Relative Density 0.948

Water Solubility
Solubility in other solvents
Partition Coefficient
Autoignition temperature
Not determined
Not determined
Not determined
Not determined
Not determined
Not determined

Kinematic viscosity Not determined

Dynamic Viscosity

Explosive Properties

Oxidizing Properties

Not determined
Not determined
Not determined
Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible materials**

None known based on information supplied.

#### **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Toxic in contact with skin.

**Inhalation** Toxic if inhaled.

**Ingestion** Harmful if swallowed.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit) = 15800	= 22500 ppm (Rat) 8 h = 64000
67-56-1		mg/kg (Rabbit)	ppm (Rat)4h

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

STOT - single exposure Causes damage to organs.

## **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

**Oral LD50** 311.53 mg/kg

Dermal LD50 934.60 mg/kg
ATEmix (inhalation-dust/mist) 1.56 mg/L
ATEmix (inhalation-vapor) 9.35 mg/L

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methanol		18 - 20: 96 h Oncorhynchus mykiss	
67-56-1		mL/L LC50 static 19500 - 20700: 96	
		h Oncorhynchus mykiss mg/L LC50	
		flow-through 28200: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 100: 96 h Pimephales	
		promelas mg/L LC50 static 13500 -	
		17600: 96 h Lepomis macrochirus	
		mg/L LC50 flow-through	ļ

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### **Mobility**

Chemical name	Partition coefficient
Methanol	-0.77
67-56-1	

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### **US EPA Waste Number**

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol		Included in waste stream:		U154
67-56-1		F039		

### California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Methanol	Toxic
67-56-1	Ignitable

## 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1993

Proper Shipping Name Flammable liquids, n.o.s. (Methanol)

Hazard class 3
Packing Group III

IATA

UN number UN1992

Proper Shipping Name Flammable liquid, toxic, n.o.s. (Methanol)

Transport hazard class(es) 3
Subsidiary hazard class 6.1
Packing Group III

**IMDG** 

UN number UN1992

Proper Shipping Name Flammable liquid, toxic, n.o.s. (Methanol)

Transport hazard class(es) 3
Subsidiary Hazard Class 6.1
Packing Group III

# 15. REGULATORY INFORMATION

## **International Inventories**

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Methanol	X	X	Х	Х	Х	Х	X	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

#### **SARA 313**

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methanol - 67-56-1	67-56-1	30-35	1.0

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

## **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methanol	X	X	X
67-56-1			

## **16. OTHER INFORMATION**

NFPA **Health Hazards** Flammability Instability **Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Flammability** Physical hazards **Personal Protection** <u>HMIS</u> Not determined Not determined Not determined Not determined

Issue Date:05-Dec-2018Revision Date:07-Dec-2018Revision Note:New format

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

#### ADDITIONAL PRODUCT INFORMATION DISCLOSURE

All-Season -25°F

CAS#	Raw Material	Functional Purpose	List of Concern	Link to List of Concern	
7732-18-5	Water				
			CA Prop 65	https://oehha.ca.gov/proposition-65/proposition-65-list	
			EPA 14TH REPORT	https://ntp.niehs.nih.gov/whatwestudy/assessments/noncancer/completed/index.html	
			CARCINOGENS NTP	https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary	
			CA Non-Cancer Hazards	https://ntp.niehs.nih.gov/ntp/ohat/methanol/methanol monograph.pdf	
			US NTP Reproductive or		
67-56-1	Methanol	Freeze point reducer	Developmental Toxicants		
	[3-(trimethoxysilyl)propyl]dimethyloc		EU Respiratory Sensitizers	https://echa.europa.eu/information-on-chemicals/cl-inventory-	
	tadecylammonium Chloride			database?p p id=dissclinventory WAR dissclinventoryportlet&p p lifecycle=0&p p state=normal	
27668-52-6		Surface repellant		&p p mode=view&p p col id=column-1&p p col pos=1&p p col count=2	
34590-94-8	Dipropylene glycol monomethyl ether	Detergent			
1115323*	DYE - L85015 LIQUITINT BLUE HP	Dye/colorant			
1116737*	DYE - L83022 LIQUITINT RED ST	Dye/colorant			
3734-33-6	Denatonium Benzoate	Bittering Agent			

\*WERKS#

https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill id=201720180SB258