

1. Identification					
1.1. Product identifier					
Product Identity	Wolf's Head Super-Duty Semi Syn 5W-20				
Alternate Names	N/A				
1.2. Relevant identified uses of the substance or m Intended use	ixture and uses advised against See Technical Data Sheet.				
1.3. Details of the supplier of the safety data sheet Company Name	WOLF'S HEAD Oil Company 1601 McCloskey Boulevard				
	Tampa, Florida 33605 U.S.A.				
Emergency					
24 hour Emergency Telephone No. Customer Service: WOLF'S HEAD Oil Company	ChemTel 1-800-255-3924 24 hr (813)248-1988 info@wolfshead.com				

2. Hazard(s) identification

www.wolfshead.com

2.1. Classification of the substance or mixture

Asp. Tox. 1;H304 May be fatal if swallowed and enters airways.

2.2. Label elements



H304 May be fatal if swallowed and enters airways.

[Prevention]

No GHS prevention statements [Response] P301+310 IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician. P331 Do NOT induce vomiting. [Storage] P405 Store locked up. [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates Hydrotreated Heavy Parrafin CAS Number: 0064742-54-7	50 - 75	Not Classified	
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 0064742-65-0	1 - 5	Not Classified	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret. *PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first a	aid measures
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important sym	ptoms and effects, both acute and delayed
Overview	Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
	Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for further details.
Inhalation	May be fatal if swallowed and enters airways.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO_2 , powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure						
CAS No.	Ingredient	Source	Value			
0064742-54-7	Distillates Hydrotreated Heavy Parrafin	OSHA	No Established Limit			
		ACGIH	No Established Limit			
		NIOSH	No Established Limit			
0064742-65-0	Distillates (petroleum), solvent-dewaxed	OSHA	No Established Limit			
	heavy paraffinic	ACGIH	No Established Limit			
		NIOSH	No Established Limit			

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 10 mg/m³ ACGIH.

8.2. Exposure controls

Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Avoid skin contact. Protective gloves recommended.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
Check section 2.2 (GHS	Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Odor Odor threshold pH Melting point / freezing point Initial boiling point and boiling range Flash Point Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits

Vapor pressure (Pa)
Vapor Density
Relative Density
Solubility in Water
Partition coefficient n-octanol/water (Log Kow)
Auto-ignition temperature
Decomposition temperature
Viscosity (cSt)
VOC Content

Clear to slightly amber Liquid Mild Petroleum No available information No available information No available information No available information 223°C No available information No available information Lower Explosive Limit: No available information Upper Explosive Limit: No available information No available information No available information 0.863 No available information No available information No available information No available information 8.5 cSt @ 40°C NIL

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.
10.2. Chemical stability
Stable under normal circumstances.
10.3. Possibility of hazardous reactions
No available information
10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source		Value			
0064742-54-7	Distillates Hydrotreated Heavy	OSHA	Regulated C	arcinogen: No;			
	Parrafin	NTP	Known: No; Suspected: No;				
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	GIH No Established Limit				
0064742-65-0	Distillates (petroleum), solvent-	OSHA	Regulated C	arcinogen: No;			
	dewaxed heavy paraffinic		Known: No;	Suspected: No;			
				; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Establish	ed Limit			
Classificatio	on	Ca	itegory	Hazard Description			
Acute toxicity	y (oral)			Not Applicable			
Acute toxicity	y (dermal)			Not Applicable			
Acute toxicity	y (inhalation)			Not Applicable			
Skin corrosio	on/irritation			Not Applicable			
Serious eye	damage/irritation			Not Applicable			
Respiratory :	sensitization			Not Applicable			
Skin sensitiz	ation			Not Applicable			
Germ cell m	utagenicity			Not Applicable			
Carcinogenicity				Not Applicable			
Reproductive toxicity				Not Applicable			
STOT-single	exposure			Not Applicable			
STOT-repea	ted exposure			Not Applicable			

Aspiration hazard

May be fatal if swallowed and enters airways.

Section 12. Ecological information

1

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	101.00, Pimephales promelas	> 10,000, Daphnia magna	100.00, Pseudokirchneriella subcapitata
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazard	ds		
Mari	ne Pollutant: No;		
AAC Onestal analysis of the			

14.6. Special precautions for user

No available information

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic SubstanceAll components of this material are either listed or exempt from listing on the TSCAControl Act (TSCA)Inventory.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Zinc alkyldithiophosphate

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

NFPA	Health Hazards	Flammability	Instability	Special Hazards	
	2	1	0		
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection	
	2	1	0		

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Distillates Hydrotreated Heavy Parrafin (0064742- 54-7)	Yes	Yes	Yes	Yes	No	No	No	Yes
Distillates (petroleum), solvent-dewaxed heavy paraffinic (0064742- 65-0)	Yes	Yes	Yes	Yes	No	No	No	Yes

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Distillates	Yes	Yes	No	No	No	No	Yes	Yes
Hydrotreated Heavy								

Parrafin (0064742- 54-7)								
Distillates (petroleum), solvent-dewaxed heavy paraffinic (0064742- 65-0)	Yes	No	No	No	No	No	Yes	Yes

Section 16. Other information

Revision Date 05/22/2023

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

This information has been compiled from sources considered to be dependable and is accurate to the best of WOLF'S HEAD Oil Company knowledge. WOLF'S HEAD Oil Company makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. WOLF'S HEAD Oil Company assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

End of Document